



CPHA

COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX**LENGTH
OF
STAY****BY
DIAGNOSIS****CANADA****1984**

Length of Stay by Diagnosis, Canada, 1984

**Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985**

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

- . . . by Diagnosis, United States, 1984
- . . . by Diagnosis, United States, North Central Region, 1984
- . . . by Diagnosis, United States, Northeastern Region, 1984
- . . . by Diagnosis, United States, Southern Region, 1984
- . . . by Diagnosis, United States, Western Region, 1984
- . . . by Diagnosis, Canada, 1984

- . . . by Operation, United States, 1984
- . . . by Operation, United States, North Central Region, 1984
- . . . by Operation, United States, Northeastern Region, 1984
- . . . by Operation, United States, Southern Region, 1984
- . . . by Operation, United States, Western Region, 1984
- . . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF 1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface	iii
Discussion of the Data	1
Source of the Data.	1
Data Quality.	2
Coverage	3
Organization of Length of Stay Tables.	5
Definition of Multiple Diagnosis Patients	5
Definition of Operated Patients	6
Explanation of Statistics.	6
Defining the Extended Stay Case	7
Length of Stay Tables	17
Summary of All Patients.	18
Summary of All Patients Except Newborn	19
Diagnosis Groups 1-398	20
Appendix: ICD-9-CM Codes for Selected Diagnosis Groups	219
Index to Length of Stay Tables	223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, non-governmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals¹ in Canada
January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	Canada Total ² (2)	Number in Books (3)	Percent in Books (4)	Canada Total ² (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	21	8.7	3,434	371	10.8
25-49	194	68	35.1	6,680	2,313	34.6
50-99	174	44	25.3	12,300	2,962	24.1
100-199	120	20	16.7	16,507	2,663	16.1
200-299	74	11	14.9	17,869	2,657	14.9
300-399	58	6	10.3	20,119	2,114	10.5
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	9	24.3	25,481	6,336	24.9
Total	919	181	19.7	111,371	20,383	18.3
Province or Territory						
Alberta	125	114	91.2	11,653	10,714	91.9
British Columbia	111	22	19.8	12,355	3,063	24.8
Manitoba	78	—	—	5,150	—	—
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	2	5.7	2,588	304	11.7
Nova Scotia	48	7	14.6	4,833	1,887	39.0
Ontario	207	—	—	37,688	—	—
Prince Edward Island	9	—	—	644	—	—
Quebec	138	1	0.7	26,125	534	2.0
Saskatchewan	132	1	0.8	6,260	196	3.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	—	—	—	—	—	—
Total	919	181	19.7	111,371	20,383	18.3

¹Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

²Canadian Hospital Directory, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups*.¹ Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM*.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

- 1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*²)
- 2) Codes V27.0-V27.9 (outcome of delivery)
- 3) E codes (external causes of injury and poisoning)

¹*ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

²*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM*,¹ Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^N (X_i - \bar{X})^2 / (N - 1)$, where the X_i 's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

¹Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1984* or *Length of Stay by Operation, Canada, 1984*.

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct day" on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*¹) that contains the admission diagnosis in one of the following ways:

- a. Usually the diagnosis can be found in *Concurrent Review Screening*,² developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.
- b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.
- c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.³ That code can then be located in *List A* or in the heading of the length of stay table.
- d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

¹*ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

²*Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

³*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

- a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

- b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis

INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal)
(chronic) (infective) (malignant)
(primary) (recurrent) (sclerosing)
(secondary) (stenosing) (suppurative)
576.1
chronic nonsuppurative destructive 571.6
nonsuppurative destructive (chronic)
571.6

Cholecystodocholithiasis — see
Choledocholithiasis

Cholecystitis (chronic) 575.1

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction
1 with obstruction

with
calculus, stones in
bile duct (common) (hepatic) 574.4
gallbladder 574.1
choledocholithiasis 574.4
cholelithiasis 574.1
acute 575.0
with
calculus, stones in
bile duct (common) (hepatic)
574.3
gallbladder 574.0
choledocholithiasis 574.3
cholelithiasis 574.0
emphysematous (acute) (see also
Cholecystitis, acute) 575.0
gangrenous (see also Cholecystitis, acute)
575.0
paratyphoidal, current (see also Fever,
paratyphoid) 002.9
suppurative (see also cholecystitis, acute)
575.0
typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — see Choledocholithiasis

Choledocholithiasis 574.5

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction
1 with obstruction

with cholecystitis (chronic) 574.4
acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction
1 with obstruction

with cholecystitis (chronic) 574.1
acute 574.0

Cholemia (see also Jaundice) 782.4

familial 277.4

Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — see Cholelithiasis

Choleperitonium, choleperitonitis (see also
Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic)
(epidemic) (gravis) (Indian) (malignant)
(morbus) (pestilential) (spasmodic)
001.9

antimonial 985.4

carrier (suspected) of V02.0

classical 001.0

contact V01.0

due to

Vibrio

cholerae (Inaba, Ogawa, Hikojima

serotypes) 001.0

El Tor 001.1

El Tor 001.1

exposure to V01.0

vaccination, prophylactic (against) V03.0

Cholerae (see also Cholera) 001.9

Cholestasis (see also Disease, gallbladder)
575.8

Cholesteatoma (ear) 385.30

attic (primary) 385.31

diffuse 385.35

external ear (canal) 380.21

marginal (middle ear) 385.32

with involvement of mastoid cavity

385.33

secondary (with middle ear involvement)

385.33

mastoid cavity 385.30

middle ear 385.30

secondary 385.32

with involvement of mastoid cavity

385.33

postmastoidectomy cavity (recurrent)

383.32

primary 385.31

recurrent, postmastoidectomy cavity

383.32

secondary (middle ear) 385.32

with involvement of mastoid cavity

385.33

Cholesteatosis (middle ear) (see also

Cholesteatoma) 385.30

diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
I. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
<i>B. Operated</i>										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
<i>B. Operated</i>										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
I. SINGLE DX										
<i>A. Not Operated</i>	6693	4.1	9	1	1	3	5	8	9	14
<i>B. Operated</i>	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
<i>A. Not Operated</i>	14921	6.5	24	2	2	5	8	12	15	25
<i>B. Operated</i>	57525	11.9	54	5	6	10	14	20	25	41
I. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL										
0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71638	4.0	12	1	1	3	5	7	9	17
20-34	45773	4.3	30	<1	1	3	5	7	11	29
35-49	16050	5.7	47	1	1	4	7	12	17	36
50-64	13940	6.9	59	1	1	5	8	15	21	41
65+	17409	8.4	81	1	2	6	10	17	25	54
B. Operated										
0-19 YRS	26577	3.2	13	<1	1	2	4	6	8	17
20-34	54086	4.0	13	<1	1	3	5	7	9	17
35-49	22753	4.9	22	<1	1	4	7	10	13	23
50-64	17495	6.0	34	1	1	4	8	12	16	28
65+	15720	7.4	57	1	2	5	9	16	21	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72040	5.4	31	1	2	4	6	9	13	30
20-34	28474	6.3	77	1	1	4	7	13	21	52
35-49	20200	7.5	79	1	1	5	9	16	24	51
50-64	30805	8.8	89	1	2	6	11	18	26	54
65+	61779	11.4	140	2	3	8	14	24	37	94
B. Operated										
0-19 YRS	15331	6.0	84	1	1	3	6	13	21	60
20-34	52237	6.3	47	1	2	5	7	11	16	41
35-49	27743	7.9	68	1	2	6	9	15	22	49
50-64	29733	10.6	124	1	2	8	13	23	32	66
65+	37665	13.7	192	2	2	10	18	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164810	5.0	34	1	1	4	5	9	14	31
B. Operated	136631	4.6	24	<1	1	3	6	9	13	24
2. MULTIPLE DX										
A. Not Operated	213298	8.0	88	1	2	5	9	17	25	59
B. Operated	162709	9.0	111	1	2	6	10	20	30	68
1. SINGLE DX	301441	4.8	29	1	1	4	6	9	13	28
2. MULTIPLE DX	376007	8.4	98	1	2	5	10	18	27	63
A. NOT OPERATED	378108	6.7	66	1	1	4	7	14	21	48
B. OPERATED	299340	7.0	76	1	1	5	8	15	22	51
TOTAL 0-19 YRS	185586	4.6	26	1	1	4	5	8	11	27
20-34	180570	5.1	38	<1	1	4	6	9	13	34
35-49	86746	6.6	56	1	1	5	8	13	19	41
50-64	91973	8.6	88	1	2	6	11	18	25	53
65+	132573	11.2	142	2	2	8	14	25	36	88
GRAND TOTAL	677448	6.8	71	1	1	4	8	14	21	49

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44243	3.9	18	1	1	3	5	7	10	21
20-34	45773	4.3	30	<1	1	3	5	7	11	29
35-49	16050	5.7	47	1	1	4	7	12	17	36
50-64	13940	6.9	59	1	1	5	8	15	21	41
65+	17409	8.4	81	1	2	6	10	17	25	54
B. Operated										
0-19 YRS	26570	3.2	13	<1	1	2	4	6	8	17
20-34	54086	4.0	13	<1	1	3	5	7	9	17
35-49	22753	4.9	22	<1	1	4	7	10	13	23
50-64	17495	6.0	34	1	1	4	8	12	16	28
65+	15720	7.4	57	1	2	5	9	16	21	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34269	5.3	37	1	1	4	6	10	15	32
20-34	28474	6.3	77	1	1	4	7	13	21	52
35-49	20200	7.5	79	1	1	5	9	16	24	51
50-64	30805	8.8	89	1	2	6	11	18	26	54
65+	61779	11.4	140	2	3	8	14	24	37	94
B. Operated										
0-19 YRS	14836	5.5	59	1	1	3	6	11	18	43
20-34	52237	6.3	47	1	2	5	7	11	16	41
35-49	27743	7.9	68	1	2	6	9	15	22	49
50-64	29733	10.6	124	1	2	8	13	23	32	66
65+	37665	13.7	192	2	2	10	18	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137415	5.1	40	1	1	3	6	10	15	33
B. Operated	136624	4.6	24	<1	1	3	6	9	13	24
2. MULTIPLE DX										
A. Not Operated	175527	8.5	100	1	2	5	10	18	27	65
B. Operated	162214	9.0	109	1	2	6	10	20	29	66
1. SINGLE DX	274039	4.9	32	<1	1	3	6	10	14	29
2. MULTIPLE DX	337741	8.7	104	1	2	6	10	19	28	65
A. NOT OPERATED	312942	7.0	76	1	1	4	8	15	22	52
B. OPERATED	298838	7.0	75	1	1	4	8	15	22	50
TOTAL 0-19 YRS	119918	4.3	28	1	1	3	5	9	12	27
20-34	180570	5.1	38	<1	1	4	6	9	13	34
35-49	86746	6.6	56	1	1	5	8	13	19	41
50-64	91973	8.6	88	1	2	6	11	18	25	53
65+	132573	11.2	142	2	2	8	14	25	36	88
GRAND TOTAL	611780	7.0	75	1	1	4	8	15	22	51

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
I. SINGLE DX											
A. Not Operated											
0-19 YRS	1507	3.7	8	1	1	3	5	7	9	17	
20-34	386	3.5	8	1	1	3	4	7	9	13	
35-49	140	3.8	12	1	1	3	4	7	12	17	
50-64	119	4.4	15	1	1	3	6	8	12	22	
65+	130	5.3	20	1	1	4	7	10	13	28	
B. Operated											
0-19 YRS	12	4.9	8	2	2	4	6	9	11	11	
20-34	31	6.1	13	1	2	6	9	11	12	15	
35-49	6	6.3	5	4	4	6	8	10	10	10	
50-64	6	10.2	21	5	5	9	15	16	16	16	
65+	1	16.0		16	16	16	16	16	16	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1120	5.4	19	1	2	4	7	10	13	23	
20-34	230	3.7	9	1	1	3	5	7	9	17	
35-49	117	5.8	68	1	1	4	6	11	14	41	
50-64	163	6.6	44	1	2	5	8	12	17	43	
65+	288	6.9	28	2	2	5	9	14	18	32	
B. Operated											
0-19 YRS	14	16.6	662	2	3	5	17	72	79	81	
20-34	23	6.7	14	2	3	6	9	12	14	16	
35-49	10	9.1	25	3	3	8	13	16	17	17	
50-64	20	15.3	424	2	3	9	16	33	66	93	
65+	32	24.3	580	5	6	17	26	67	86	95	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2282	3.8	10	1	1	3	5	7	9	17	
B. Operated	56	6.5	14	1	2	6	9	12	15	16	
2. MULTIPLE DX											
A. Not Operated	1918	5.5	25	1	2	4	7	11	14	24	
B. Operated	99	15.7	407	2	3	9	17	35	71	94	
1. SINGLE DX	2338	3.9	10	1	1	3	5	7	9	17	
2. MULTIPLE DX	2017	6.0	48	1	2	4	7	11	16	30	
A. NOT OPERATED	4200	4.6	17	1	1	4	6	9	12	21	
B. OPERATED	155	12.4	284	2	3	7	12	21	49	93	
TOTAL 0-19 YRS											
20-34	2653	4.5	17	1	1	3	5	8	11	20	
35-49	670	3.8	9	1	1	3	5	8	10	16	
50-64	273	4.9	38	1	1	4	6	9	14	20	
65+	308	6.4	63	1	2	5	7	12	18	42	
	451	7.7	86	1	2	5	9	16	20	65	
GRAND TOTAL	4355	4.9	29	1	1	4	6	9	13	23	

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	9	21.9	463	3	3	16	37	55	67	67	
20-34	16	23.3	435	4	6	17	34	79	96	99+	
35-49	1	3.0		3	3	3	3	3	3	3	
50-64	6	13.7	243	2	2	8	15	41	44	44	
65+	8	12.9	88	1	3	16	25	71	99+	99+	
B. Operated											
0-19 YRS	5	23.4	269	8	8	15	36	48	48	48	
20-34	9	14.0	218	3	4	10	13	38	52	52	
35-49	8	19.1	792	4	4	8	17	68	87	87	
50-64	7	18.7	142	7	7	15	28	37	38	38	
65+	7	18.1	128	2	4	15	26	33	35	35	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	10	28.9	736	8	8	21	32	75	93	93	
20-34	17	25.9	355	3	6	24	36	66	87	99+	
35-49	10	20.4	344	3	6	14	31	79	98	99+	
50-64	15	27.9	853	2	4	19	34	87	91	93	
65+	28	28.3	428	6	6	21	43	63	70	71	
B. Operated											
0-19 YRS	2	37.0	162	28	28	37	46	46	46	46	
20-34	8	27.3	213	10	14	28	56	99+	99+	99+	
35-49	5	20.4	128	8	8	17	29	37	37	37	
50-64	18	14.7	115	4	4	11	19	31	40	43	
65+	11	23.8	255	4	7	21	33	50	51	51	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	40	19.0	337	2	4	15	29	51	94	99+	
B. Operated	36	18.2	294	3	5	12	24	38	51	87	
2. MULTIPLE DX											
A. Not Operated	80	26.8	499	4	6	21	37	66	89	99+	
B. Operated	44	20.9	193	4	6	19	29	50	65	99+	
1. SINGLE DX	76	18.6	313	3	4	14	27	42	79	99+	
2. MULTIPLE DX	124	24.7	396	4	6	20	35	61	88	99+	
A. NOT OPERATED	120	24.2	456	3	5	18	35	65	91	99+	
B. OPERATED	80	19.7	237	4	5	15	28	47	54	99+	
TOTAL 0-19 YRS											
20-34	26	26.0	483	4	5	17	37	56	72	93	
35-49	50	23.1	336	4	5	18	36	70	99+	99+	
50-64	24	19.3	410	3	4	11	27	65	90	99+	
65+	46	19.5	393	3	4	13	23	42	64	93	
65+	54	23.8	325	4	6	20	35	51	69	99	
GRAND TOTAL	200	22.4	372	4	5	17	32	57	87	99+	

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	5	8.2	68	1	1	5	12	22	22	22
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	14.0	193	2	2	10	18	38	38	38
65+										
B. Operated										
0-19 YRS	4	11.0	108	4	4	7	18	26	26	26
20-34	12	5.3	14	<1	<1	4	8	10	13	13
35-49	4	9.0	55	2	2	7	14	19	19	19
50-64	6	21.5	210	2	3	22	37	37	37	37
65+	4	13.0	71	3	3	14	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.0	5	3	3	6	7	8	8	8
35-49	4	9.3	41	<1	<1	10	14	16	16	16
50-64	4	9.0	26	4	4	8	12	16	16	16
65+	5	22.6	114	9	10	26	36	94	99+	99+
B. Operated										
0-19 YRS	4	24.8	1318	4	4	8	45	79	79	79
20-34	7	11.0	72	2	3	8	19	24	24	24
35-49	10	17.2	100	4	5	15	22	33	38	38
50-64	5	8.0	35	<1	<1	8	12	16	16	16
65+	9	26.7	613	2	2	34	42	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	10.4	102	1	1	9	11	25	36	38
B. Operated	30	10.8	103	<1	2	8	19	25	37	37
2. MULTIPLE DX										
A. Not Operated	18	11.7	92	<1	2	9	16	33	71	99+
B. Operated	35	17.9	354	2	2	12	26	42	77	99+
1. SINGLE DX	43	10.7	100	1	2	8	13	24	37	38
2. MULTIPLE DX	53	15.8	270	1	2	11	24	41	78	99+
A. NOT OPERATED	31	11.2	93	1	1	9	15	30	38	99+
B. OPERATED	65	14.7	247	1	2	9	21	37	48	97
TOTAL 0-19 YRS	11	14.2	512	1	1	5	11	47	76	79
20-34	28	7.4	38	<1	1	6	8	19	22	24
35-49	19	13.5	82	1	3	12	17	26	33	38
50-64	20	13.8	140	1	2	10	19	37	38	38
65+	18	22.5	358	2	3	23	38	87	99+	99+
GRAND TOTAL	96	13.5	199	1	2	9	20	37	42	99+

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	3.3	5	1	1	3	4	6	7	10
20-34	47	2.8	2	1	1	2	4	4	5	8
35-49	16	2.9	1	1	1	3	4	5	5	5
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	5	4.0	10	1	1	3	6	9	9	9
B. Operated										
0-19 YRS	8	2.8	1	2	2	3	3	4	5	5
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	186	3.7	6	1	1	3	5	7	9	12
20-34	27	3.8	10	1	2	3	4	6	8	18
35-49	13	4.2	5	1	2	4	5	7	9	10
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	6	4.3	3	2	2	4	5	7	7	7
B. Operated										
0-19 YRS	7	4.0	4	2	2	3	5	7	8	8
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	3.2	4	1	1	3	4	5	7	9
B. Operated	10	2.9	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	235	3.7	6	1	1	3	5	7	9	12
B. Operated	7	4.0	4	2	2	3	5	7	8	8
1. SINGLE DX	228	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX	242	3.7	6	1	1	3	5	7	9	12
A. NOT OPERATED	453	3.5	5	1	1	3	4	6	8	11
B. OPERATED	17	3.4	3	2	2	3	4	5	7	8
TOTAL 0-19 YRS	347	3.5	5	1	1	3	4	6	8	11
20-34	76	3.2	5	1	1	3	4	5	6	15
35-49	29	3.4	3	1	1	3	4	5	6	10
50-64	7	4.3	1	3	3	4	5	6	6	6
65+	11	4.2	6	1	1	4	5	8	9	9
GRAND TOTAL	470	3.5	5	1	1	3	4	6	8	11

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	4.3	7	1	2	3	6	8	10	10
20-34	10	6.5	10	3	3	6	9	11	12	12
35-49	4	3.3	7	<1	<1	3	5	6	6	6
50-64	7	7.3	17	2	2	7	11	12	12	12
65+	18	12.8	91	4	5	9	14	26	36	42
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	7.8	32	2	3	7	10	15	18	27
20-34	24	7.1	23	2	3	6	8	12	18	24
35-49	17	8.4	13	3	4	8	10	14	15	15
50-64	39	11.3	46	3	4	10	14	17	28	34
65+	160	14.4	115	4	5	12	17	26	38	62
B. Operated										
0-19 YRS	6	31.2	1081	11	11	12	51	86	90	90
20-34	4	35.0	827	13	13	25	53	77	77	77
35-49	7	14.7	10	10	11	17	39	99+	99+	99+
50-64	15	25.3	389	9	10	17	33	71	91	99+
65+	31	27.8	311	8	11	23	39	58	68	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	6.6	37	1	2	5	8	12	15	37
B. Operated	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. Not Operated	287	11.9	87	3	4	10	15	22	29	59
B. Operated	63	26.6	390	10	11	19	38	70	92	99+
1. SINGLE DX	83	6.8	40	1	2	5	8	13	18	37
2. MULTIPLE DX	350	14.6	172	3	4	11	17	29	48	99
A. NOT OPERATED	369	10.8	80	2	3	8	14	21	27	54
B. OPERATED	64	26.5	384	10	11	19	37	70	91	99+
TOTAL 0-19 YRS	96	7.7	115	2	2	5	9	13	16	72
20-34	38	9.9	160	3	3	6	9	19	27	77
35-49	28	9.3	24	1	3	9	14	18	99+	99+
50-64	61	14.3	164	3	5	12	15	30	48	96
65+	210	16.3	163	4	5	13	19	34	47	69
GRAND TOTAL	433	13.1	156	3	3	10	15	27	41	91

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	7.3	28	1	2	6	10	13	17	27
20-34	13	7.2	19	<1	2	5	12	13	14	14
35-49	14	8.1	27	2	3	7	12	13	20	22
50-64	20	6.3	17	3	3	5	6	13	16	17
65+	14	7.6	17	4	4	7	9	11	18	20
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	15.5	13	13	13	15	18	18	18	18
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	8.3	36	1	2	7	11	15	20	32
20-34	10	6.1	15	3	3	5	8	12	15	15
35-49	5	5.0	7	3	3	4	7	9	9	9
50-64	22	11.8	90	2	4	9	14	27	33	41
65+	16	13.4	184	2	4	7	18	37	46	49
B. Operated										
0-19 YRS	5	6.4	15	1	1	7	10	10	10	10
20-34	3	17.0	91	6	6	22	23	23	23	23
35-49	3	15.0	7	12	12	16	17	17	17	17
50-64	3	15.0	148	7	7	9	24	29	29	29
65+	4	22.0	109	13	13	19	28	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	7.2	25	2	2	6	10	12	17	26
B. Operated	4	9.8	49	3	3	9	15	18	18	18
2. MULTIPLE DX										
A. Not Operated	113	9.3	68	2	3	7	11	18	28	44
B. Operated	18	14.5	85	2	5	12	20	27	34	37
1. SINGLE DX	179	7.3	25	2	2	6	10	13	17	26
2. MULTIPLE DX	131	10.1	73	2	3	7	12	21	28	43
A. NOT OPERATED	288	8.1	42	2	3	6	11	15	20	36
B. OPERATED	22	13.6	80	2	4	12	18	25	32	37
TOTAL 0-19 YRS	180	7.6	30	1	2	7	10	13	18	29
20-34	28	8.4	35	2	3	6	12	17	22	23
35-49	23	8.1	28	2	3	7	12	16	19	22
50-64	45	9.5	66	3	3	6	12	18	28	41
65+	34	12.0	122	4	4	7	16	27	38	49
GRAND TOTAL	310	8.5	47	2	3	7	11	16	22	37

181 Hospitals, Canada, January-December 1984

**7: Poliomyelitis and other enteroviral diseases of central nervous system
(045; 047-048)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	95	4.2	6	1	2	3	5	8	10	13	
20-34	91	4.2	7	1	2	3	6	8	9	15	
35-49	17	4.9	10	1	2	4	6	11	11	11	
50-64	4	9.0	47	4	4	6	13	19	19	19	
65+											
B. Operated											
0-19 YRS											
20-34	1	5.0		5	5	5	5	5	5	5	
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	37	4.0	6	1	1	4	5	7	9	13	
20-34	30	5.7	12	1	2	5	7	10	15	15	
35-49	6	4.8	8	2	2	4	5	10	10	10	
50-64	3	14.3	236	4	4	7	26	32	32	32	
65+											
B. Operated											
0-19 YRS	1	4.0		4	4	4	4	4	4	4	
20-34	1	17.0		17	17	17	17	17	17	17	
35-49	1	3.0		3	3	3	3	3	3	3	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	207	4.3	8	1	2	3	6	8	10	15	
B. Operated	1	5.0		5	5	5	5	5	5	5	
2. MULTIPLE DX											
A. Not Operated	76	5.1	18	1	2	4	6	10	12	28	
B. Operated	3	8.0	61	3	3	4	14	17	17	17	
1. SINGLE DX	208	4.3	8	1	2	3	6	8	10	15	
2. MULTIPLE DX	79	5.3	20	1	2	4	6	10	14	28	
A. NOT OPERATED	283	4.6	11	1	2	4	6	8	10	15	
B. OPERATED	4	7.3	43	3	3	4	11	17	17	17	
TOTAL 0-19 YRS											
20-34	133	4.1	6	1	2	4	5	7	10	13	
35-49	123	4.7	10	1	2	4	6	9	11	16	
50-64	24	4.8	9	1	2	4	5	10	11	11	
65+	7	11.3	111	4	4	7	16	29	32	32	
GRAND TOTAL											
	287	4.6	11	1	2	4	6	9	11	16	

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	227	3.6	7	1	1	3	4	7	9	15
20-34	36	5.2	9	2	2	5	6	11	12	13
35-49	16	5.3	8	1	2	5	7	9	11	12
50-64	25	4.6	9	1	3	4	5	8	10	16
65+	79	8.9	56	2	3	7	12	17	23	43
B. Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	3	9.0	75	4	4	4	15	19	19	19
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	33.0	450	18	18	33	48	48	48	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	4.5	12	1	2	4	6	8	10	21
20-34	44	7.1	35	1	2	6	8	14	18	29
35-49	14	7.4	8	4	4	7	10	11	13	13
50-64	48	8.1	42	2	3	6	10	15	23	35
65+	164	12.7	139	3	3	10	16	26	44	99+
B. Operated										
0-19 YRS	7	17.1	760	1	1	5	17	66	78	78
20-34	6	19.7	266	2	2	19	31	41	42	42
35-49	6	12.3	273	3	3	4	14	42	45	45
50-64	3	20.3	542	4	4	10	38	47	47	47
65+	19	19.5	240	3	4	16	27	46	51	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	383	5.0	21	1	2	4	6	10	13	23
B. Operated	9	15.2	209	2	3	15	20	38	48	48
2. MULTIPLE DX										
A. Not Operated	508	7.8	70	1	2	5	9	16	25	59
B. Operated	41	18.1	324	2	3	11	27	46	51	78
1. SINGLE DX	392	5.2	27	1	2	4	6	11	15	26
2. MULTIPLE DX	549	8.6	96	1	2	5	10	19	28	71
A. NOT OPERATED	891	6.6	51	1	2	4	8	14	20	45
B. OPERATED	50	17.6	300	2	3	12	27	46	48	78
TOTAL										
0-19 YRS	473	4.3	22	1	1	3	5	8	10	21
20-34	89	7.2	50	2	2	5	8	14	28	38
35-49	38	7.4	51	2	3	5	9	13	15	45
50-64	77	7.4	53	2	3	5	8	15	22	44
65+	264	12.2	132	2	3	9	16	26	43	95
GRAND TOTAL	941	7.2	70	1	2	4	8	15	23	48

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	38	5.5	7	2	2	5	7	9	10	13	
20-34	49	9.1	56	2	3	7	12	15	28	38	
35-49	17	6.8	11	3	4	6	8	11	14	16	
50-64	11	8.5	26	1	2	8	10	16	20	20	
65+	4	8.0	18	4	4	7	11	13	13	13	
B. Operated											
0-19 YRS											
20-34	5	6.2	11	2	2	6	9	10	10	10	
35-49	1	13.0		13	13	13	13	13	13	13	
50-64	2	7.0	2	6	6	7	8	8	8	8	
65+	1	11.0		11	11	11	11	11	11	11	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	15	12.5	315	1	3	8	12	28	61	72	
20-34	23	9.0	67	2	3	6	10	18	32	34	
35-49	15	8.5	24	2	4	8	11	15	18	19	
50-64	7	9.6	40	4	4	7	12	20	22	22	
65+	5	15.2	47	9	9	12	22	24	24	24	
B. Operated											
0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34	3	8.7	12	5	5	9	11	12	12	12	
35-49	4	24.3	90	17	17	21	30	38	38	38	
50-64	3	12.3	30	7	7	12	16	18	18	18	
65+	8	24.6	747	2	4	16	28	71	88	88	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	119	7.5	31	2	3	6	9	13	15	36	
B. Operated	9	7.7	12	2	3	8	10	12	13	13	
2. MULTIPLE DX											
A. Not Operated	65	10.2	108	2	3	7	12	21	29	66	
B. Operated	19	19.1	365	3	5	15	22	35	65	88	
1. SINGLE DX	128	7.5	30	2	3	6	9	13	15	36	
2. MULTIPLE DX	84	12.2	176	3	4	8	14	24	32	83	
A. NOT OPERATED	184	8.5	60	2	3	7	10	14	21	37	
B. OPERATED	28	15.4	277	2	4	10	18	29	43	88	
TOTAL 0-19 YRS											
20-34	54	7.4	98	2	3	6	8	11	14	70	
35-49	80	8.9	54	2	3	7	11	15	29	37	
50-64	37	9.5	50	3	4	7	12	18	22	38	
65+	23	9.2	28	2	4	8	12	18	21	22	
	18	17.6	371	3	4	11	21	29	65	88	
GRAND TOTAL	212	9.4	93	2	3	7	11	16	26	51	

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	180	4.3	5	1	2	4	6	7	8	10	
20-34	54	4.7	8	1	2	4	6	8	11	14	
35-49	5	8.6	7	6	6	8	10	13	13	13	
50-64											
65+											
B. Operated											
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6	
20-34											
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	127	4.9	7	2	2	4	6	8	10	17	
20-34	54	5.3	11	2	2	5	7	11	12	18	
35-49	6	7.5	4	4	4	8	9	10	10	10	
50-64	1	6.0		6	6	6	6	6	6	6	
65+	1	10.0		10	10	10	10	10	10	10	
B. Operated											
0-19 YRS	3	10.7	42	4	4	11	15	17	17	17	
20-34											
35-49											
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	239	4.5	6	1	2	4	6	7	9	13	
B. Operated	4	3.5	4	1	1	3	5	6	6	6	
2. MULTIPLE DX											
A. Not Operated	189	5.1	9	2	2	4	6	9	11	17	
B. Operated	3	10.7	42	4	4	11	15	17	17	17	
1. SINGLE DX	243	4.4	6	1	2	4	6	7	9	13	
2. MULTIPLE DX	192	5.2	9	2	2	4	7	9	11	18	
A. NOT OPERATED	428	4.7	7	2	2	4	6	8	10	14	
B. OPERATED	7	6.6	31	1	1	4	10	16	17	17	
TOTAL 0-19 YRS	314	4.6	7	2	2	4	6	7	9	16	
20-34	108	5.0	10	1	2	4	6	10	11	16	
35-49	11	8.0	5	4	5	8	9	11	13	13	
50-64	1	6.0		6	6	6	6	6	6	6	
65+	1	10.0		10	10	10	10	10	10	10	
GRAND TOTAL	435	4.8	8	2	2	4	6	8	10	16	

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.5	81	<1	<1	1	10	19	19	19
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	13.0	50	8	8	13	18	18	18	18
B. Operated										
0-19 YRS	134	1.4	1	<1	<1	1	2	2	3	5
20-34	236	1.8	5	<1	<1	1	2	3	4	10
35-49	51	2.8	23	<1	<1	2	2	4	8	31
50-64	8	2.1	4	<1	<1	1	2	6	7	7
65+	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	29	3.1	13	<1	<1	2	3	8	10	17
20-34	60	3.2	16	<1	<1	2	3	5	10	26
35-49	13	4.2	52	<1	1	2	3	8	24	28
50-64	5	7.2	124	1	1	3	10	27	27	27
65+	7	4.6	13	2	2	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.8	57	<1	<1	1	10	19	19	19
B. Operated	432	1.8	6	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. Not Operated	6	3.2	7	<1	<1	2	5	7	7	7
B. Operated	114	3.5	23	<1	<1	2	3	7	11	28
1. SINGLE DX	441	1.9	7	<1	<1	1	2	3	4	18
2. MULTIPLE DX	120	3.5	22	<1	<1	2	3	7	11	28
A. NOT OPERATED	15	4.7	37	<1	<1	1	6	18	19	19
B. OPERATED	546	2.2	10	<1	<1	1	2	3	5	18
TOTAL 0-19 YRS	169	1.8	5	<1	<1	1	2	3	5	16
20-34	300	2.1	7	<1	<1	1	2	3	5	12
35-49	64	3.0	28	<1	<1	2	3	4	11	31
50-64	15	3.7	45	<1	<1	1	3	7	22	27
65+	13	5.4	24	<1	1	3	8	12	17	18
GRAND TOTAL	561	2.2	11	<1	<1	1	2	3	6	19

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	305	2.9	6	1	1	2	4	5	6	11
20-34	96	3.6	13	1	1	3	4	7	9	22
35-49	44	4.3	11	<1	1	3	6	10	11	14
50-64	22	3.5	7	1	1	3	4	7	10	12
65+	34	6.4	29	2	2	5	7	15	16	28
B. Operated										
0-19 YRS	16	2.4	12	<1	<1	1	2	4	12	15
20-34	4	5.3	11	2	2	5	8	9	9	9
35-49	3	11.0	21	7	7	10	14	16	16	16
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	268	3.2	4	1	1	3	4	6	7	11
20-34	104	4.5	13	1	1	3	6	10	12	17
35-49	49	6.0	60	1	2	4	7	11	14	52
50-64	47	5.3	11	1	2	5	7	10	12	17
65+	7	7.3	42	1	2	5	9	16	19	38
B. Operated										
0-19 YRS	14	9.6	195	1	1	6	9	18	48	56
20-34	10	13.5	221	3	4	8	14	36	54	54
35-49	1	12.0		12	12	12	12	12	12	12
50-64	3	20.0	39	15	15	18	25	27	27	27
65+	4	22.0	105	9	9	22	28	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	501	3.4	10	1	1	3	4	6	9	16
B. Operated	27	4.3	20	<1	<1	2	7	10	15	16
2. MULTIPLE DX										
A. Not Operated	544	4.5	19	1	1	3	5	9	12	20
B. Operated	32	13.4	179	1	2	9	16	29	52	56
1. SINGLE DX	528	3.5	11	1	1	3	4	7	9	16
2. MULTIPLE DX	576	4.9	32	1	1	3	6	10	13	26
A. NOT OPERATED	1045	4.0	15	1	1	3	5	8	10	18
B. OPERATED	59	9.2	126	<1	1	7	12	20	31	56
TOTAL 0-19 YRS	603	3.2	11	1	1	2	4	6	7	13
20-34	214	4.5	26	1	1	3	6	9	11	23
35-49	97	5.5	38	1	1	4	7	10	13	37
50-64	75	5.3	20	1	1	4	7	11	14	25
65+	115	7.5	47	2	2	5	9	16	22	37
GRAND TOTAL	1104	4.2	22	1	1	3	5	8	11	23

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.3	3	1	1	3	5	6	6	6
20-34	18	4.1	5	2	2	4	5	8	8	8
35-49	9	3.1	2	1	1	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	5.7		5	5	6	6	6	6	6
B. Operated										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	5	8.0	11	5	5	8	10	13	13	13
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	2	11.0	32	7	7	11	15	15	15	15
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.7	4	1	2	3	5	6	8	8
B. Operated	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	14	6.9	18	2	3	5	9	13	15	15
B. Operated										
1. SINGLE DX	44	3.7	4	1	2	3	5	6	8	8
2. MULTIPLE DX	14	6.9	18	2	3	5	9	13	15	15
A. NOT OPERATED	56	4.5	9	1	2	4	6	8	12	15
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 0-19 YRS	14	3.4	3	1	1	3	5	6	6	6
20-34	24	5.0	8	2	2	4	7	8	10	13
35-49	12	3.8	10	1	1	3	4	8	12	13
50-64	3	8.0	43	2	2	7	13	15	15	15
65+	5	4.6	3	2	2	5	6	6	6	6
GRAND TOTAL	58	4.5	9	1	2	4	6	8	11	15

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	5.4	9	2	2	5	6	9	12	16
20-34	75	6.7	23	3	3	5	7	14	16	29
35-49	8	7.9	13	<1	2	8	10	12	13	13
50-64	4	7.8	18	3	3	7	11	13	13	13
65+	3	8.3	121	<1	<1	3	16	21	21	21
B. Operated										
0-19 YRS	7	3.3	5	<1	<1	3	5	7	7	7
20-34	18	2.4	3	<1	<1	2	3	6	7	7
35-49	2	14.0	72	8	8	14	20	20	20	20
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.9	8	2	2	4	6	8	9	15
20-34	36	9.6	161	2	3	6	10	15	36	70
35-49	6	8.3	76	2	2	7	21	85	99+	99+
50-64	11	6.9	27	1	1	9	10	14	14	14
65+	10	11.1	74	1	1	11	16	23	28	28
B. Operated										
0-19 YRS	10	4.9	6	3	3	4	7	9	9	9
20-34	9	11.0	179	2	2	6	12	32	45	45
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	6.4	20	2	3	5	7	12	16	23
B. Operated	28	3.4	15	<1	<1	2	4	7	9	20
2. MULTIPLE DX										
A. Not Operated	93	7.8	83	1	2	5	10	15	26	87
B. Operated	21	7.7	83	2	3	5	9	12	27	45
1. SINGLE DX	159	5.9	20	<1	2	5	7	12	15	21
2. MULTIPLE DX	114	7.8	82	2	2	5	9	15	26	80
A. NOT OPERATED	224	7.0	46	2	2	5	8	14	17	48
B. OPERATED	49	5.3	48	<1	<1	3	6	10	13	45
TOTAL 0-19 YRS	88	5.0	8	1	2	4	6	8	10	16
20-34	138	7.2	70	1	2	5	7	14	17	48
35-49	18	8.6	36	1	2	8	11	23	66	99+
50-64	15	7.1	23	1	1	9	10	14	14	14
65+	14	9.9	76	<1	1	8	16	22	27	28
GRAND TOTAL	273	6.7	47	1	2	5	8	13	16	44

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	55	4.8	9	1	1	4	6	9	11	15	
20-34	7	5.4	12	1	2	5	7	11	12	12	
35-49	5	3.2	3	2	2	3	4	6	6	6	
50-64	4	5.3	28	1	1	3	8	13	13	13	
65+	17	5.5	26	1	2	4	7	12	18	21	
B. Operated											
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4	
20-34	3	21.0	817	4	4	5	42	54	54	54	
35-49	1	3.0		3	3	3	3	3	3	3	
50-64	3	6.3	22	<1	<1	8	9	10	10	10	
65+	1	13.0		13	13	13	13	13	13	13	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	107	5.2	21	1	1	4	7	9	12	26	
20-34	6	5.3	15	1	1	5	8	11	11	11	
35-49	7	7.4	43	<1	1	5	9	19	21	21	
50-64	14	7.6	43	1	2	6	9	14	24	27	
65+	39	12.2	224	2	2	8	14	25	37	85	
B. Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	3	8.3	76	<1	<1	6	15	18	18	18	
35-49	6	17.5	488	2	3	10	12	57	62	62	
50-64	12	14.8	102	<1	1	13	20	27	37	39	
65+	9	16.6	156	8	9	12	16	36	49	49	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	88	4.9	12	1	1	4	6	10	12	19	
B. Operated											
	10	10.4	249	<1	1	5	10	33	54	54	
2. MULTIPLE DX											
A. Not Operated											
	173	7.1	76	1	2	5	8	13	21	38	
B. Operated											
	31	14.8	177	<1	2	11	17	29	48	62	
1. SINGLE DX											
	98	5.5	37	1	1	4	6	10	13	38	
2. MULTIPLE DX											
	204	8.3	98	1	2	6	10	16	25	55	
A. NOT OPERATED											
	261	6.4	55	1	2	4	7	12	16	37	
B. OPERATED											
	41	13.7	193	<1	2	11	15	29	51	62	
TOTAL 0-19 YRS											
	165	5.0	16	1	1	4	6	9	12	17	
20-34	19	8.3	140	<1	1	5	8	16	38	54	
35-49	19	9.3	187	1	2	5	10	17	44	62	
50-64	33	9.8	72	<1	1	8	12	21	26	39	
65+	66	11.1	170	2	2	8	13	24	36	79	
GRAND TOTAL											
	302	7.4	80	1	2	5	9	14	21	51	

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	10	2.9	3	1	1	3	4	5	6	6	
20-34	6	6.3	9	3	3	6	8	11	11	11	
35-49	1	3.0		3	3	3	3	3	3	3	
50-64	1	4.0		4	4	4	4	4	4	4	
65+	1	1.0		1	1	1	1	1	1	1	
B. Operated											
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6	
20-34	3	3.7	1	3	3	3	5	5	5	5	
35-49	2	1.5	1	1	1	1	2	2	2	2	
50-64	1	27.0		27	27	27	27	27	27	27	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	6	3.0	1	1	1	3	4	4	4	4	
20-34	1	2.0		2	2	2	2	2	2	2	
35-49	1	4.0		4	4	4	4	4	4	4	
50-64											
65+	1	11.0		11	11	11	11	11	11	11	
B. Operated											
0-19 YRS	3	9.7	20	5	5	10	13	14	14	14	
20-34	2	18.5	1	18	18	18	19	19	19	19	
35-49	2	14.5	61	9	9	14	20	20	20	20	
50-64	2	8.0	50	3	3	8	13	13	13	13	
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	19	3.9	7	1	1	3	5	8	10	11	
B. Operated											
	9	6.3	63	1	1	4	6	19	27	27	
2. MULTIPLE DX											
A. Not Operated											
	9	3.9	8	1	1	3	4	8	11	11	
B. Operated											
	9	12.3	37	3	4	13	18	20	20	20	
1. SINGLE DX											
	28	4.7	25	1	1	4	6	8	13	27	
2. MULTIPLE DX											
	18	8.1	40	1	2	5	13	19	20	20	
A. NOT OPERATED											
	28	3.9	7	1	1	3	4	8	11	11	
B. OPERATED											
	18	9.3	57	1	2	6	14	20	24	27	
TOTAL 0-19 YRS											
	22	4.2	9	1	1	4	5	7	12	14	
20-34	12	7.3	34	2	2	5	9	18	19	19	
35-49	6	6.5	52	1	1	3	9	19	20	20	
50-64	4	11.8	124	3	3	8	20	27	27	27	
65+	2	6.0	50	1	1	6	11	11	11	11	
GRAND TOTAL											
	46	6.0	33	1	1	4	7	14	19	27	

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	37	4.8	16	1	1	3	5	12	15	16	
20-34	20	6.7	19	2	2	6	9	11	16	20	
35-49	8	8.1	48	1	2	5	12	19	22	22	
50-64	5	6.2	15	1	1	6	10	10	10	10	
65+	6	7.3	29	3	3	6	7	17	18	18	
B. Operated											
0-19 YRS	3	9.3	104	2	2	5	17	21	21	21	
20-34	51	7.3	31	2	2	5	9	16	17	28	
35-49	23	6.6	33	1	2	6	7	15	22	23	
50-64	11	8.5	22	2	2	9	13	14	15	15	
65+	4	6.3	18	3	3	5	9	12	12	12	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	43	6.7	22	1	2	5	9	12	19	21	
20-34	16	6.0	23	1	2	4	8	14	17	18	
35-49	15	8.7	29	2	2	7	10	18	19	19	
50-64	9	8.7	31	2	2	9	10	17	21	21	
65+	8	11.6	94	3	3	8	17	28	31	31	
B. Operated											
0-19 YRS											
20-34	19	13.6	184	2	3	11	15	19	45	66	
35-49	17	11.5	64	2	3	10	19	23	24	25	
50-64	12	13.3	189	3	4	7	14	40	45	46	
65+	8	11.3	57	4	4	10	14	23	27	27	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	76	5.9	21	1	2	4	8	13	16	21	
B. Operated	92	7.3	31	2	2	6	9	15	20	26	
2. MULTIPLE DX											
A. Not Operated	91	7.5	31	2	2	6	9	17	20	27	
B. Operated	56	12.6	125	3	4	10	15	23	34	65	
1. SINGLE DX	168	6.7	27	1	2	5	9	14	17	23	
2. MULTIPLE DX	147	9.4	72	2	3	7	12	19	23	47	
A. NOT OPERATED	167	6.8	27	1	2	5	9	14	19	22	
B. OPERATED	148	9.3	72	2	2	7	12	18	23	46	
TOTAL 0-19 YRS	83	5.9	22	1	2	4	8	12	17	21	
20-34	106	8.1	60	2	2	6	10	16	18	45	
35-49	63	8.6	44	1	2	7	11	21	23	25	
50-64	37	9.8	79	2	2	8	11	15	31	46	
65+	26	9.7	56	3	3	7	13	20	28	31	
GRAND TOTAL	315	8.0	50	2	2	6	10	16	21	33	

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64	1	3.0		3	3	3	3	3	3	3	
65+	2	12.0		12	12	12	12	12	12	12	
B. Operated											
0-19 YRS											
20-34											
35-49	1	7.0		7	7	7	7	7	7	7	
50-64											
65+	1	2.0		2	2	2	2	2	2	2	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+	4	9.5	60	5	5	6	14	21	21	21	
B. Operated											
0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34	1	11.0		11	11	11	11	11	11	11	
35-49	1	9.0		9	9	9	9	9	9	9	
50-64	6	31.7	1227	5	5	16	58	87	90	90	
65+	2	15.0	128	7	7	23	81	99+	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	3	9.0	27	3	3	12	12	12	12	12	
B. Operated	2	4.5	13	2	2	4	7	7	7	7	
2. MULTIPLE DX											
A. Not Operated	4	9.5	60	5	5	6	14	21	21	21	
B. Operated	11	22.4	747	5	5	10	41	93	99	99+	
1. SINGLE DX	5	7.2	23	2	2	7	12	12	12	12	
2. MULTIPLE DX	15	18.9	581	5	5	8	23	87	97	99+	
A. NOT OPERATED	7	9.3	39	3	3	7	12	19	21	21	
B. OPERATED	13	19.6	668	3	4	8	24	91	98	99+	
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34	1	11.0		11	11	11	11	11	11	11	
35-49	2	8.0		7	7	8	9	9	9	9	
50-64	7	27.6	1140	3	3	8	49	84	90	90	
65+	9	10.4	54	2	3	9	21	61	99+	99+	
GRAND TOTAL	20	16.0	460	3	4	8	21	71	94	99+	

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	21	12.2	120	1	2	8	17	33	34	36
50-64	18	5.5	18	<1	1	5	6	10	15	19
65+										
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	10	8.5	98	1	2	5	10	23	35	35
35-49	17	8.0	39	2	3	6	9	19	23	25
50-64	44	9.0	92	2	2	5	12	23	27	49
65+	55	13.8	274	1	2	8	18	28	47	91
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	5	13.4	471	1	1	6	18	52	52	52
50-64	47	13.3	217	1	1	8	18	30	37	81
65+	42	14.0	166	2	3	10	17	33	47	53
B. Operated										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34	12	12.3	155	1	2	8	18	30	43	45
35-49	32	18.1	232	1	2	16	31	44	55	99+
50-64	113	14.8	230	2	2	9	18	37	54	83
65+	94	16.3	281	2	2	10	25	44	58	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	8.8	82	<1	1	6	10	23	33	36
B. Operated	127	11.0	168	2	2	6	15	24	36	65
2. MULTIPLE DX										
A. Not Operated	96	13.4	198	1	2	8	18	32	46	68
B. Operated	252	15.7	246	2	2	10	23	43	55	99
1. SINGLE DX	168	10.4	147	1	2	6	13	24	33	56
2. MULTIPLE DX	348	15.1	233	2	2	9	20	38	52	86
A. NOT OPERATED	137	12.0	167	1	1	8	17	31	36	57
B. OPERATED	379	14.1	224	2	2	9	19	35	49	91
TOTAL 0-19 YRS	2	28.5	221	18	18	28	39	39	39	39
20-34	24	10.1	118	1	2	6	10	24	38	45
35-49	56	14.0	203	1	2	7	21	37	51	97
50-64	225	13.1	193	2	2	8	18	32	45	76
65+	209	14.2	240	2	2	9	19	35	49	89
GRAND TOTAL	516	13.6	210	1	2	8	18	33	48	83

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	11.3	121	4	4	6	19	24	24	24
35-49	4	20.5	698	5	5	8	35	60	60	60
50-64	16	9.8	82	2	2	6	11	22	33	37
65+										
B. Operated										
0-19 YRS										
20-34	2	26.0	800	6	6	26	46	46	46	46
35-49	8	13.5	145	2	2	11	20	32	36	36
50-64	13	12.5	153	5	5	8	11	33	45	48
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	8.3	10	6	6	7	11	12	12	12
35-49	9	7.1	17	2	2	8	8	13	16	16
50-64	33	13.2	221	2	2	8	14	29	41	78
65+										
B. Operated										
0-19 YRS										
20-34	4	15.0	95	7	7	12	22	28	28	28
35-49	27	28.0	273	8	8	25	38	49	64	72
50-64	44	20.4	208	2	5	17	29	45	47	67
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	11.8	179	2	3	6	12	27	45	60
B. Operated	23	14.0	180	2	4	8	18	38	47	48
2. MULTIPLE DX										
A. Not Operated	45	11.6	171	2	2	8	13	23	34	78
B. Operated	75	22.9	237	3	7	19	30	46	50	71
1. SINGLE DX	46	12.9	177	2	4	8	15	35	46	60
2. MULTIPLE DX	120	18.7	241	2	4	15	27	41	48	74
A. NOT OPERATED	68	11.7	171	2	3	7	13	24	38	75
B. OPERATED	98	20.8	236	2	5	17	29	45	49	70
TOTAL 0-19 YRS										
20-34	12	14.3	160	4	5	8	20	33	44	46
35-49	48	21.0	295	2	4	17	28	45	60	72
50-64	106	15.6	200	2	4	11	19	34	46	72
65+										
GRAND TOTAL	166	17.1	228	2	4	12	23	38	47	71

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	8	7.5	89	2	2	4	7	24	30	30
50-64	23	4.7	22	<1	<1	3	6	13	15	19
65+										
B. Operated										
0-19 YRS										
20-34	2	13.0	2	12	12	13	14	14	14	14
35-49	9	15.1	20	9	10	15	17	22	24	24
50-64	22	20.4	393	2	5	15	24	37	71	93
65+	41	18.0	90	6	9	16	21	33	38	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	10	5.7	20	1	1	6	11	48	96	99+
50-64	22	8.6	122	2	2	6	9	16	32	54
65+	96	9.4	81	1	2	7	12	18	22	57
B. Operated										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	24	21.8	234	5	7	18	26	50	56	64
50-64	86	21.0	115	8	10	19	26	38	39	59
65+	159	22.8	219	6	8	20	28	38	57	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	5.2	37	<1	<1	3	5	13	18	30
B. Operated	74	18.2	168	4	9	16	21	29	40	84
2. MULTIPLE DX										
A. Not Operated	131	8.9	82	1	2	7	11	17	22	66
B. Operated	270	22.1	186	6	8	19	27	38	52	78
1. SINGLE DX	107	14.2	163	1	2	13	19	24	34	72
2. MULTIPLE DX	401	17.8	190	2	4	15	24	34	46	77
A. NOT OPERATED	164	8.1	75	1	2	6	10	17	21	58
B. OPERATED	344	21.3	184	6	9	18	26	37	50	79
TOTAL 0-19 YRS										
20-34	6	9.3	21	3	3	9	14	14	14	14
35-49	45	16.0	182	2	2	14	22	34	55	99+
50-64	138	18.1	182	2	4	16	24	35	40	71
65+	319	16.8	191	2	3	14	23	33	42	76

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	4	17.8	9	14	14	18	20	21	21	21
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	8	2.5		2	2	2	3	3	3	3
35-49	5	4.8	7	1	1	5	5	8	8	8
50-64	2	15.0	98	8	8	15	22	22	22	22
65+										
B. Operated										
0-19 YRS										
20-34	3	24.0	433	11	11	13	39	48	48	48
35-49	2	41.5	1301	16	16	41	67	67	67	67
50-64	13	15.2	124	1	3	12	23	29	40	42
65+	8	23.5	259	9	10	16	34	49	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	6	16.0	13	12	12	15	19	21	21	21
2. MULTIPLE DX										
A. Not Operated	15	4.9	27	1	2	3	6	8	19	22
B. Operated	26	20.8	273	3	7	15	25	48	53	67
1. SINGLE DX	6	16.0	13	12	12	15	19	21	21	21
2. MULTIPLE DX	41	15.0	240	1	2	11	17	44	49	67
A. NOT OPERATED	15	4.9	27	1	2	3	6	8	19	22
B. OPERATED	32	19.9	226	3	8	15	22	48	50	67
TOTAL 0-19 YRS										
20-34	11	8.4	188	2	2	3	9	27	46	48
35-49	2	41.5	1301	16	16	41	67	67	67	67
50-64	20	12.3	100	1	2	11	14	25	34	42
65+	14	20.6	162	8	9	17	21	48	50	50

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	7	5.1	14	1	1	5	8	11	11	11
B. Operated										
0-19 YRS										
20-34	6	10.8	34	3	4	10	11	20	21	21
35-49	20	14.4	32	5	8	14	17	24	25	26
50-64	63	14.6	29	8	9	14	18	23	24	26
65+	83	16.8	61	9	10	15	19	27	34	84
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.0		2	2	2	2	2	2	2
35-49	7	8.0	18	4	4	8	10	15	16	16
50-64	39	13.1	250	2	2	9	14	26	55	74
65+	101	12.2	160	1	2	8	16	24	42	65
B. Operated										
0-19 YRS										
20-34	6	11.0	12	8	8	10	12	17	17	17
35-49	47	15.8	74	6	8	15	18	23	31	56
50-64	224	18.2	97	9	10	15	21	29	39	55
65+	569	21.5	190	9	11	18	26	39	53	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.2	12	<1	1	3	6	10	11	11
B. Operated	172	15.5	47	8	9	14	18	24	27	52
2. MULTIPLE DX										
A. Not Operated	150	12.1	175	2	2	8	15	24	41	71
B. Operated	846	20.3	161	9	10	17	24	35	48	89
1. SINGLE DX	186	14.7	53	3	8	14	18	24	26	51
2. MULTIPLE DX	996	19.0	172	5	8	16	23	35	47	86
A. NOT OPERATED	164	11.4	166	2	2	7	14	23	38	71
B. OPERATED	1018	19.5	145	9	10	16	23	34	46	88
TOTAL 0-19 YRS										
20-34	16	8.8	30	2	2	9	11	17	20	21
35-49	77	14.3	64	4	5	13	17	23	27	50
50-64	329	16.8	106	4	8	14	19	27	35	57
65+	760	19.6	182	5	8	16	23	36	48	97
GRAND TOTAL	1182	18.3	155	4	8	15	22	33	45	83

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	11.5	153	1	1	7	15	33	37	37
65+	19	12.9	452	1	2	6	11	27	66	95
B. Operated										
0-19 YRS										
20-34	3	8.7	24	3	3	11	12	12	12	12
35-49	28	13.9	43	5	6	12	17	22	28	33
50-64	70	15.2	56	4	8	14	18	24	29	45
65+	91	15.5	126	2	3	14	19	32	40	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	12	6.7	44	2	2	4	8	17	24	25
50-64	56	9.0	108	1	2	6	11	17	31	61
65+	82	11.7	187	1	2	8	15	28	47	99+
B. Operated										
0-19 YRS										
20-34	4	16.0	27	11	11	16	20	21	21	21
35-49	37	17.2	177	2	3	13	23	34	36	69
50-64	198	19.7	133	7	10	17	24	33	44	74
65+	333	21.3	216	3	5	18	28	39	50	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	12.1	332	1	1	6	12	30	37	95
B. Operated	192	15.1	87	3	4	13	19	26	33	49
2. MULTIPLE DX										
A. Not Operated	151	10.2	147	1	2	6	13	24	36	99+
B. Operated	572	20.4	184	4	7	17	26	37	48	77
1. SINGLE DX	222	14.7	120	2	3	13	18	27	34	51
2. MULTIPLE DX	723	18.3	193	2	4	15	24	35	46	81
A. NOT OPERATED	181	10.5	176	1	2	6	13	25	36	99+
B. OPERATED	764	19.1	165	3	5	16	24	35	44	72
TOTAL 0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	12.9	37	3	5	12	18	21	21	21
50-64	78	14.2	119	2	3	12	20	28	34	60
65+	334	16.7	129	3	5	15	21	30	37	65
65+	525	18.5	218	2	4	16	25	37	48	96
GRAND TOTAL	945	17.4	178	2	4	15	22	34	43	78

**25: Malignant neoplasm of abdominal cavity, except specified
intestinal tract and pancreas (155-156; 158-159)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	1	1.0		1	1	1	1	1	1	1	
50-64	5	4.0	12	2	2	3	5	10	10	10	
65+	12	9.1	34	1	2	8	16	35	88	99+	
B. Operated											
0-19 YRS											
20-34	4	8.3	21	3	3	8	12	13	13	13	
35-49	7	9.1	27	4	4	8	14	16	16	16	
50-64	12	10.8	58	<1	2	9	18	21	23	23	
65+	5	16.2	54	10	10	13	23	26	26	26	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	17	4.0	11	<1	1	3	5	7	12	15	
20-34	3	11.0	100	<1	<1	11	18	21	21	21	
35-49	7	16.9	235	2	2	9	32	35	36	36	
50-64	27	7.5	38	1	1	7	10	18	20	22	
65+	35	12.9	145	1	2	8	19	33	38	42	
B. Operated											
0-19 YRS	6	17.5	522	<1	<1	8	21	58	62	62	
20-34	3	19.3	66	10	10	23	24	25	25	25	
35-49	11	22.3	309	2	6	18	30	50	63	64	
50-64	36	24.2	328	4	6	22	34	39	58	94	
65+	60	26.1	275	9	10	19	35	47	66	79	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	18	7.2	32	1	1	6	11	18	63	99+	
B. Operated											
	28	11.0	47	2	3	10	16	21	23	26	
2. MULTIPLE DX											
A. Not Operated											
	89	9.8	104	1	1	6	14	25	33	41	
B. Operated											
	116	24.5	297	5	9	19	34	42	65	85	
1. SINGLE DX	46	9.5	44	1	2	8	15	20	23	99+	
2. MULTIPLE DX	205	18.1	265	1	2	14	25	39	46	73	
A. NOT OPERATED	107	9.4	92	1	1	6	13	23	33	66	
B. OPERATED	144	21.9	276	4	6	18	31	41	63	81	
TOTAL 0-19 YRS											
	23	7.5	164	<1	1	4	6	16	35	62	
20-34	10	12.4	68	<1	1	11	21	24	25	25	
35-49	26	16.5	226	2	2	12	20	36	46	64	
50-64	80	15.3	235	1	2	10	22	34	39	85	
65+	112	19.7	245	2	3	16	27	40	52	87	
GRAND TOTAL	251	16.6	235	1	2	12	23	36	42	80	

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64	9	7.4	94	1	1	4	14	65	99+	99+	
65+	10	12.9	168	2	2	8	18	33	43	43	
B. Operated											
0-19 YRS											
20-34											
35-49	1	4.0		4	4	4	4	4	4	4	
50-64	11	19.3	78	9	10	18	27	33	35	35	
65+	13	21.0	113	4	8	21	26	34	43	45	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	12	5.8	60	1	1	3	7	16	26	28	
50-64	32	14.2	350	2	4	8	12	27	76	81	
65+	54	11.5	243	1	1	7	13	27	41	92	
B. Operated											
0-19 YRS											
20-34	1	20.0		20	20	20	20	20	20	20	
35-49	15	29.0	608	5	9	21	42	70	83	87	
50-64	84	23.5	185	3	8	21	33	45	52	86	
65+	103	25.7	238	10	12	21	31	45	57	96	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	19	10.3	134	1	1	5	17	37	71	99+	
B. Operated											
	25	19.6	100	4	9	19	25	31	37	45	
2. MULTIPLE DX											
A. Not Operated											
	98	11.7	258	1	1	7	12	27	41	88	
B. Operated											
	203	25.0	241	7	10	21	31	46	56	95	
1. SINGLE DX	44	15.6	133	2	3	15	23	31	43	99+	
2. MULTIPLE DX	301	20.7	285	2	3	18	27	43	55	93	
A. NOT OPERATED	117	11.5	237	1	1	7	13	28	42	96	
B. OPERATED	228	24.4	228	7	10	21	31	45	56	94	
TOTAL 0-19 YRS											
20-34	1	20.0		20	20	20	20	20	20	20	
35-49	28	18.2	480	1	1	10	23	53	72	87	
50-64	136	19.9	231	2	4	17	28	41	53	99+	
65+	180	20.4	267	2	3	18	27	42	51	93	
GRAND TOTAL	345	20.0	268	2	3	17	27	42	53	94	

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	24	7.8	88	1	1	4	9	24	30	33
50-64	96	7.6	82	1	2	4	11	17	23	50
65+	99	10.9	123	1	1	8	14	22	35	56
B. Operated										
0-19 YRS										
20-34	3	9.3		9	9	9	10	10	10	10
35-49	25	13.6	139	2	2	10	17	32	43	49
50-64	167	13.3	67	2	3	11	19	25	29	39
65+	170	15.0	194	2	3	11	19	29	37	81
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	11	2.2	11	1	1	1	1	7	12	12
35-49	59	6.8	43	2	2	3	10	17	22	26
50-64	326	9.9	128	1	2	6	14	22	32	70
65+	383	12.4	194	2	2	8	16	25	42	86
B. Operated										
0-19 YRS										
20-34	8	10.4	63	3	3	9	12	23	28	28
35-49	70	16.7	139	1	3	14	22	34	44	49
50-64	513	18.1	167	3	5	15	24	36	44	69
65+	555	20.1	199	3	6	17	25	37	47	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	9.1	102	1	2	6	12	20	30	54
B. Operated	365	14.0	131	2	3	11	19	27	33	68
2. MULTIPLE DX										
A. Not Operated	779	10.8	156	1	2	7	14	23	33	84
B. Operated	1146	18.9	181	3	5	16	24	36	44	72
1. SINGLE DX	585	12.2	125	2	2	10	16	26	32	59
2. MULTIPLE DX	1925	15.6	187	2	2	13	21	32	44	77
A. NOT OPERATED	999	10.4	144	1	2	7	14	22	33	75
B. OPERATED	1511	17.7	173	3	4	15	23	34	44	72
TOTAL 0-19 YRS										
20-34	23	6.2	41	1	1	4	10	12	18	28
35-49	178	11.8	119	1	2	9	17	27	35	48
50-64	1102	14.0	149	2	2	11	19	29	39	65
65+	1207	16.2	204	2	3	13	21	32	44	82
GRAND TOTAL	2510	14.8	175	2	2	12	20	31	41	72

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	21.5	613	4	4	21	39	39	39	39
50-64	8	12.3	77	2	2	12	21	22	22	22
65+	7	8.7	78	2	2	5	14	23	25	25
B. Operated										
0-19 YRS										
20-34	4	12.5	171	2	2	9	22	30	30	30
35-49	10	8.3	101	1	1	3	10	26	31	31
50-64	50	7.3	62	2	2	4	9	20	24	36
65+	48	8.7	128	1	2	4	12	22	30	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	8	2.6	4	1	1	2	4	6	6	6
35-49	5	4.0	6	1	1	5	6	6	6	6
50-64	18	8.6	77	1	2	5	12	16	29	38
65+	23	12.5	288	1	2	7	18	47	80	99+
B. Operated										
0-19 YRS										
20-34	3	12.3	37	7	7	11	17	19	19	19
35-49	19	12.7	284	<1	<1	4	19	41	55	59
50-64	72	17.5	227	2	2	16	24	33	44	76
65+	71	16.5	241	2	2	14	24	38	45	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	11.3	116	2	2	6	21	24	33	39
B. Operated	112	8.2	96	1	2	4	11	22	29	45
2. MULTIPLE DX										
A. Not Operated	54	8.9	159	1	1	4	11	24	42	99
B. Operated	165	16.4	235	1	2	14	23	34	45	77
1. SINGLE DX	130	8.6	99	2	2	4	12	22	29	43
2. MULTIPLE DX	219	14.6	226	1	2	11	22	32	45	79
A. NOT OPERATED	72	9.5	148	1	2	5	13	24	39	94
B. OPERATED	277	13.1	195	1	2	8	20	29	38	69
TOTAL 0-19 YRS										
20-34	16	6.9	67	1	1	3	9	19	27	30
35-49	36	10.8	207	<1	1	4	11	31	47	59
50-64	148	12.7	166	2	2	8	19	27	36	65
65+	149	13.0	214	1	2	8	19	30	44	79
GRAND TOTAL	349	12.4	187	1	2	7	19	29	39	72

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.7	2	1	1	3	4	4	4	4
20-34	11	3.8	7	2	2	3	5	8	11	11
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	5.1	18	2	2	5	6	12	14	14
65+	4	9.5	28	2	2	11	13	14	14	14
B. Operated										
0-19 YRS	11	15.1	244	2	3	11	17	35	57	59
20-34	13	9.6	60	1	2	8	13	24	24	24
35-49	22	13.4	181	1	2	8	18	32	44	53
50-64	22	16.4	303	1	2	11	19	46	61	66
65+	21	10.2	55	1	2	9	14	21	26	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	9.4	278	<1	1	2	4	38	51	58
20-34	21	4.0	32	<1	<1	2	4	9	19	25
35-49	6	16.3	469	1	1	8	21	54	58	58
50-64	26	10.6	324	2	3	4	9	24	52	87
65+	17	6.2	50	1	2	4	8	13	24	30
B. Operated										
0-19 YRS	9	10.2	59	1	2	7	18	21	22	22
20-34	17	15.1	118	2	3	12	24	29	37	41
35-49	13	26.2	683	3	4	13	39	76	78	78
50-64	30	18.7	300	2	3	14	26	44	62	69
65+	30	23.1	398	5	6	16	28	57	68	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.3	13	1	1	3	5	11	13	14
B. Operated	89	13.0	171	1	2	9	17	26	43	63
2. MULTIPLE DX										
A. Not Operated	88	8.3	203	1	1	3	7	24	40	76
B. Operated	99	19.6	336	2	4	14	27	43	65	79
1. SINGLE DX	123	10.6	142	1	2	7	13	24	33	61
2. MULTIPLE DX	187	14.3	304	1	2	7	20	39	58	79
A. NOT OPERATED	122	7.2	153	1	1	3	6	14	32	66
B. OPERATED	188	16.5	267	2	3	11	21	39	57	77
TOTAL 0-19 YRS	48	9.5	180	1	1	4	10	21	42	59
20-34	62	8.2	78	1	1	4	12	24	27	40
35-49	43	17.1	385	1	2	8	25	43	64	78
50-64	85	14.5	297	2	2	8	19	42	58	81
65+	72	14.6	245	2	2	10	18	31	52	77
GRAND TOTAL	310	12.8	242	1	2	7	16	30	45	76

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	5.3	15	1	1	4	8	11	14	14
35-49	18	7.7	88	<1	1	4	9	18	31	39
50-64	22	7.0	30	<1	<1	6	11	15	18	19
65+	13	8.2	37	2	3	6	13	15	22	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	16	7.4	10	4	4	7	9	12	14	15
35-49	13	6.7	13	<1	2	7	9	12	14	14
50-64	10	6.7	27	1	1	7	9	14	18	18
65+	8	7.3	32	1	2	5	11	16	18	18
B. Operated										
0-19 YRS										
20-34	7	8.3	18	2	3	8	10	15	16	16
35-49	10	17.1	318	3	3	8	27	47	56	56
50-64	21	16.0	105	2	2	17	22	30	33	35
65+	20	17.8	322	2	3	12	22	45	61	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.7	4	4	4	5	7	8	8	8
B. Operated	65	7.1	44	<1	1	5	10	14	18	37
2. MULTIPLE DX										
A. Not Operated	47	7.0	17	1	2	7	9	12	15	18
B. Operated	58	15.9	205	2	3	11	21	35	48	66
1. SINGLE DX	68	7.1	42	<1	1	5	10	14	18	36
2. MULTIPLE DX	105	11.9	139	2	3	8	16	27	35	61
A. NOT OPERATED	50	7.0	16	1	2	7	9	12	15	18
B. OPERATED	123	11.2	138	1	2	7	15	27	36	59
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	34	6.9	14	2	2	6	9	12	15	16
35-49	43	9.4	126	1	2	5	10	20	38	56
50-64	53	10.5	77	<1	1	8	17	22	29	35
65+	42	12.6	191	2	3	8	14	29	44	67
GRAND TOTAL	173	10.0	106	1	2	7	13	20	32	56

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	3	6.0	19	3	3	4	9	11	11	11
65+	7	5.0	12	1	1	4	8	10	10	10
B. Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	22	3.9	14	1	1	3	4	11	14	14
50-64	30	3.9	11	1	2	3	5	7	8	18
65+	83	4.9	20	1	1	3	7	13	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	16	8.9	34	2	4	8	11	19	20	21
B. Operated										
0-19 YRS										
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	12	7.5	76	<1	1	5	8	22	29	30
50-64	50	5.3	38	<1	1	3	7	11	12	41
65+	176	8.8	124	1	2	4	10	20	38	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.3	12	1	1	4	8	10	11	11
B. Operated	140	4.5	17	1	1	3	6	12	14	18
2. MULTIPLE DX										
A. Not Operated	20	8.0	33	1	2	7	10	18	20	21
B. Operated	241	7.9	104	1	1	4	9	17	31	51
1. SINGLE DX	150	4.6	16	1	1	3	6	11	14	18
2. MULTIPLE DX	261	7.9	99	1	1	4	9	17	30	51
A. NOT OPERATED	30	7.1	27	1	1	7	9	15	19	21
B. OPERATED	381	6.7	75	1	1	3	8	15	20	49
TOTAL 0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	7	3.4	9	<1	<1	2	5	8	9	9
35-49	35	5.1	37	1	1	3	6	14	18	30
50-64	85	4.9	27	<1	2	3	6	9	12	33
65+	282	7.5	88	1	1	4	9	17	24	50
GRAND TOTAL	411	6.7	71	1	1	3	8	15	20	49

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	13	6.2	33	2	2	4	7	14	21	23
35-49	10	6.6	50	<1	<1	4	7	19	23	23
50-64	7	9.1	49	2	2	5	17	18	18	18
65+										
B. Operated										
0-19 YRS										
20-34	34	6.1	13	2	2	6	8	10	11	18
35-49	154	7.4	14	2	2	7	9	12	14	17
50-64	255	7.7	13	2	2	8	9	12	15	18
65+	220	8.6	22	2	2	8	11	15	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.9	26	1	2	5	10	15	17	18
35-49	65	8.7	41	2	2	7	13	18	20	29
50-64	100	10.2	104	1	1	8	14	22	29	80
65+	107	13.0	137	2	3	10	16	30	37	58
B. Operated										
0-19 YRS										
20-34	31	8.7	35	2	3	7	12	16	18	29
35-49	202	9.5	50	2	4	8	10	14	21	40
50-64	397	10.6	52	2	4	9	12	17	24	48
65+	498	11.8	85	3	4	10	13	20	26	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	7.0	41	<1	1	5	9	18	23	23
B. Operated	663	7.8	17	2	2	8	10	13	16	20
2. MULTIPLE DX										
A. Not Operated	287	10.7	101	1	2	8	14	21	31	60
B. Operated	1128	10.9	67	3	4	9	12	18	25	49
1. SINGLE DX	693	7.8	18	2	2	8	10	13	16	22
2. MULTIPLE DX	1415	10.8	74	2	3	9	13	19	26	50
A. NOT OPERATED	317	10.4	96	1	2	8	14	21	30	60
B. OPERATED	1791	9.7	50	2	3	9	11	16	21	43
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	79	7.3	25	2	2	6	10	14	17	26
35-49	434	8.5	36	2	2	8	10	14	18	34
50-64	762	9.5	48	2	3	8	11	16	20	47
65+	832	11.1	77	2	4	9	13	20	26	50
GRAND TOTAL	2108	9.8	57	2	3	8	12	17	22	45

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	10	3.3	4	1	1	3	4	6	8	8	
35-49	18	4.2	14	1	1	3	4	9	14	16	
50-64	7	4.7	22	1	1	3	5	13	15	15	
65+	8	8.4	25	2	2	9	12	15	16	16	
B. Operated											
0-19 YRS											
20-34	58	6.7	56	<1	1	5	8	15	18	39	
35-49	61	6.9	72	1	1	4	9	14	21	47	
50-64	28	8.0	94	1	2	5	9	16	31	47	
65+	29	10.8	142	1	2	6	16	22	46	48	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	1.0		1	1	1	1	1	1	1	
20-34	13	8.5	68	<1	<1	4	14	21	24	25	
35-49	29	8.5	154	1	2	4	9	17	39	61	
50-64	5	4.0	5	<1	<1	4	6	6	6	6	
65+	34	9.3	154	<1	2	4	10	26	45	50	
B. Operated											
0-19 YRS											
20-34	57	10.5	92	1	2	8	14	19	33	46	
35-49	80	10.8	119	1	2	7	15	26	35	49	
50-64	63	14.1	191	2	2	10	17	40	44	51	
65+	51	17.8	300	2	3	11	29	43	48	81	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	43	4.9	17	1	1	3	6	11	15	16	
B. Operated											
	176	7.6	82	1	1	5	9	17	23	48	
2. MULTIPLE DX											
A. Not Operated											
	82	8.5	129	<1	1	4	9	19	37	57	
B. Operated											
	251	13.0	174	2	2	8	17	35	44	51	
1. SINGLE DX	219	7.1	70	1	1	4	9	16	20	47	
2. MULTIPLE DX	333	11.9	166	1	2	7	15	32	42	52	
A. NOT OPERATED	125	7.2	93	1	1	4	8	16	25	53	
B. OPERATED	427	10.8	143	1	2	7	14	29	40	49	
TOTAL 0-19 YRS											
	1	1.0		1	1	1	1	1	1	1	
20-34	138	8.2	72	1	1	6	10	18	23	45	
35-49	188	8.6	103	1	1	4	10	20	30	49	
50-64	103	11.3	156	1	2	7	14	33	41	49	
65+	122	13.2	217	2	2	7	17	36	47	62	
GRAND TOTAL	552	10.0	133	1	2	6	12	24	38	50	

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	3	2.3	1	1	1	3	3	3	3	3	
50-64	9	3.6	11	2	2	2	3	9	12	12	
65+	7	5.1	13	2	2	3	7	11	12	12	
B. Operated											
0-19 YRS											
20-34	3	8.3	9	5	5	9	10	11	11	11	
35-49	24	6.7	23	1	2	6	11	14	15	16	
50-64	72	5.9	21	<1	1	5	8	11	16	22	
65+	77	7.8	76	1	1	7	9	14	23	50	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	2	8.0	32	4	4	8	12	12	12	12	
50-64	15	9.5	92	<1	1	7	11	26	30	31	
65+	21	17.6	418	2	3	10	29	67	86	99+	
B. Operated											
0-19 YRS											
20-34	5	8.0	58	1	1	8	12	20	20	20	
35-49	24	10.3	31	1	2	10	15	18	19	20	
50-64	134	10.2	69	1	1	8	12	20	25	44	
65+	166	12.4	104	2	3	10	16	25	32	67	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	19	3.9	10	1	2	3	4	10	12	12	
B. Operated	176	6.9	46	1	1	6	9	14	17	39	
2. MULTIPLE DX											
A. Not Operated	38	13.9	279	1	1	8	20	38	70	99+	
B. Operated	329	11.3	85	1	2	9	15	22	27	48	
1. SINGLE DX	195	6.6	43	1	1	5	8	14	16	38	
2. MULTIPLE DX	367	11.6	105	1	2	9	15	23	30	69	
A. NOT OPERATED	57	10.6	210	1	2	5	12	30	54	98	
B. OPERATED	505	9.8	75	1	2	8	12	19	25	44	
TOTAL 0-19 YRS											
20-34	8	8.1	36	1	1	8	10	17	20	20	
35-49	53	8.2	30	1	2	7	12	16	18	20	
50-64	230	8.6	57	1	1	7	11	17	23	33	
65+	271	11.3	125	1	2	9	14	25	39	75	
GRAND TOTAL	562	9.8	89	1	2	8	12	20	27	61	

181 Hospitals, Canada, January-December 1984

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	6.0	19	2	2	6	8	13	13	13
35-49	18	5.2	38	<1	<1	2	8	16	20	21
50-64	6	3.7	8	1	1	3	5	8	8	8
65+										
B. Operated										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	7	11.0	34	5	5	9	16	20	20	20
35-49	9	8.7	9	4	4	9	10	12	13	13
50-64	10	8.3	2	6	6	8	10	10	10	10
65+	5	10.0	9	7	7	9	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	4.7	16	2	2	3	7	10	13	14
35-49	22	4.7	22	<1	1	3	7	11	16	18
50-64	68	4.8	38	<1	1	3	5	11	17	34
65+	41	11.0	196	1	1	6	13	30	36	73
B. Operated										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	13	11.9	80	6	6	10	14	19	36	40
35-49	55	12.9	70	6	7	10	16	27	31	46
50-64	96	15.7	77	7	7	14	19	28	40	76
65+	76	18.9	164	6	7	15	24	37	42	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.0	27	<1	1	3	6	12	18	21
B. Operated	33	9.3	13	4	5	9	10	14	17	20
2. MULTIPLE DX										
A. Not Operated	144	6.5	85	<1	1	3	8	16	24	38
B. Operated	243	15.8	107	6	7	14	19	29	40	89
1. SINGLE DX	63	7.3	24	1	1	7	10	13	18	21
2. MULTIPLE DX	387	12.3	119	1	2	10	16	27	36	64
A. NOT OPERATED	174	6.3	75	<1	1	3	8	15	22	36
B. OPERATED	276	15.0	100	6	7	12	19	29	39	77
TOTAL 0-19 YRS	6	7.3	14	4	4	7	8	13	14	14
20-34	33	8.9	53	2	2	7	11	15	20	40
35-49	91	10.1	62	1	2	9	12	19	27	41
50-64	192	10.5	83	1	1	8	16	21	30	46
65+	128	15.3	180	1	2	11	22	34	40	91
GRAND TOTAL	450	11.6	108	1	2	9	16	24	33	49

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.0	3	2	2	5	5	5	5	5
65+										
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	9	16.8	171	2	2	12	23	37	43	43
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	5	5.8	7	3	3	5	8	9	9	9
50-64										
65+										
B. Operated										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	2	23.0	512	7	7	23	39	39	39	39
35-49	14	18.6	201	2	3	16	33	38	39	40
50-64	27	18.6	258	3	3	12	26	44	54	61
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.9	2	1	1	2	4	5	5	5
B. Operated	16	10.7	144	<1	1	6	17	26	38	43
2. MULTIPLE DX										
A. Not Operated	11	4.8	4	3	3	4	6	8	9	9
B. Operated	45	18.3	230	3	3	12	27	39	48	61
1. SINGLE DX	23	8.3	112	<1	1	3	11	23	33	43
2. MULTIPLE DX	56	15.6	214	3	3	9	25	38	44	61
A. NOT OPERATED	18	4.1	4	1	2	4	5	7	9	9
B. OPERATED	61	16.3	216	2	2	11	25	38	44	60
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.8	7	2	2	4	6	9	9	9
35-49	6	8.8	223	1	1	2	7	36	39	39
50-64	22	13.2	179	1	2	6	25	37	38	40
65+	44	15.8	215	2	3	10	22	38	48	61
GRAND TOTAL	79	13.5	194	2	2	7	21	37	42	59

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	14.8	98	3	4	13	20	30	34	34
50-64	34	9.3	118	2	2	7	10	16	25	62
65+										
B. Operated										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	75	8.5	31	1	2	8	11	16	18	27
50-64	320	8.9	40	2	2	8	11	16	21	30
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	56	10.4	134	1	2	7	15	19	33	68
50-64	295	12.2	173	2	3	8	15	27	42	96
65+										
B. Operated										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	3	13.0	151	4	4	8	22	27	27	27
50-64	175	13.4	111	3	4	10	16	28	39	61
65+	878	13.5	118	3	4	10	17	26	35	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	10.3	115	2	2	7	12	23	28	62
B. Operated	396	8.8	39	2	2	8	11	16	21	30
2. MULTIPLE DX										
A. Not Operated	351	11.9	167	2	2	8	15	25	41	93
B. Operated	1057	13.5	117	3	4	10	17	27	35	64
1. SINGLE DX	440	9.0	46	2	2	8	11	16	21	31
2. MULTIPLE DX	1408	13.1	130	2	3	10	16	27	37	69
A. NOT OPERATED	395	11.7	161	2	2	8	15	25	40	88
B. OPERATED	1453	12.2	100	2	3	10	15	24	31	57
TOTAL 0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	5	14.4	170	3	3	8	28	30	30	30
50-64	315	11.7	100	2	3	9	15	25	35	57
65+	1527	12.2	115	2	3	9	15	24	33	64
GRAND TOTAL	1848	12.1	113	2	3	9	15	24	33	64

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0								
20-34	2	4.0	18	4	4	4	4	4	4	4
35-49	1	10.0		1	1	4	7	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. Operated										
0-19 YRS	8	6.8	31	2	2	5	8	16	19	19
20-34	32	9.7	34	3	4	8	13	18	20	27
35-49	16	5.8	23	2	2	4	7	11	18	21
50-64	5	6.8	9	2	2	8	9	10	10	10
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	2	<1	<1	3	4	4	4	4
20-34	33	4.1	4	1	2	4	5	6	7	10
35-49	10	6.8	76	1	1	4	6	19	31	31
50-64	6	2.0	1	1	1	2	2	4	4	4
65+										
B. Operated										
0-19 YRS	2	11.5	113	4	4	11	19	19	19	19
20-34	25	18.0	259	3	5	15	20	42	63	63
35-49	7	18.0	276	3	3	13	27	45	49	49
50-64	6	8.3	22	3	3	8	10	15	16	16
65+	7	25.1	713	7	8	14	24	72	84	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.5	15	1	1	5	8	10	10	10
B. Operated	62	8.0	30	2	3	6	10	17	20	26
2. MULTIPLE DX										
A. Not Operated	54	4.3	17	1	1	4	5	6	8	30
B. Operated	47	17.6	290	3	4	13	21	39	63	84
1. SINGLE DX	66	7.9	30	2	2	6	10	17	19	26
2. MULTIPLE DX	101	10.4	187	1	2	5	12	23	36	73
A. NOT OPERATED	58	4.3	17	1	1	4	5	7	9	29
B. OPERATED	109	12.1	163	2	3	8	15	22	30	72
TOTAL 0-19 YRS	16	5.9	30	1	2	4	6	18	19	19
20-34	92	9.8	112	2	2	6	12	19	27	63
35-49	34	8.7	105	2	2	5	9	22	31	49
50-64	17	5.6	18	1	1	4	8	10	14	16
65+	8	23.1	644	7	8	14	23	66	84	84
GRAND TOTAL	167	9.4	126	2	2	5	11	20	27	63

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	12	2.0	154	2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.9	6	<1	1	4	5	8	9	9
35-49	48	5.8	33	2	2	4	7	11	16	32
50-64	162	5.0	28	1	2	3	5	9	14	33
65+	407	5.8	39	1	2	4	7	11	17	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	5	4.4	9	2	2	3	7	9	9	9
50-64	14	7.2	59	1	2	3	13	18	24	26
65+	55	10.6	191	1	2	7	13	22	30	71
B. Operated										
0-19 YRS										
20-34	4	9.3	73	4	4	5	14	22	22	22
35-49	22	7.9	54	2	3	5	8	16	26	33
50-64	212	7.9	77	2	2	5	8	19	27	45
65+	687	10.2	131	2	2	7	12	24	34	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	10.1	142	1	1	5	14	24	40	44
B. Operated	629	5.5	35	1	2	4	6	10	17	34
2. MULTIPLE DX										
A. Not Operated	74	9.6	156	1	2	5	13	21	28	71
B. Operated	925	9.6	118	2	2	6	11	22	32	63
1. SINGLE DX	643	5.6	38	1	2	4	6	10	17	34
2. MULTIPLE DX	999	9.6	120	2	2	6	11	22	32	64
A. NOT OPERATED	88	9.6	152	1	2	5	13	22	29	70
B. OPERATED	1554	8.0	88	2	2	5	9	18	27	48
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	5.3	26	<1	2	4	6	9	19	22
35-49	75	6.3	38	2	2	4	8	13	20	33
50-64	390	6.7	57	1	2	4	7	14	23	38
65+	1161	8.7	106	2	2	5	10	20	30	56
GRAND TOTAL	1642	8.1	92	1	2	5	9	18	27	49

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	16.0	200	6	6	16	26	26	26	26
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	18.0		18	18	18	18	18	18	18
35-49	13	13.9	48	1	3	14	19	24	24	24
50-64	30	15.9	55	6	7	16	19	23	30	40
65+	34	14.5	78	2	4	13	17	26	35	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	8	11.3	113	<1	1	8	17	29	32	32
50-64	22	8.9	73	2	2	6	14	22	27	35
65+	50	9.9	128	1	1	6	12	24	43	49
B. Operated										
0-19 YRS	8	12.4	47	4	4	11	17	22	23	23
20-34	4	16.3	68	10	10	13	22	28	28	28
35-49	31	16.1	74	6	8	14	19	28	37	41
50-64	70	18.5	81	5	8	17	25	32	35	38
65+	106	20.7	186	1	3	18	28	37	42	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	16.0	200	6	6	16	26	26	26	26
B. Operated	79	14.9	63	3	5	14	19	24	30	40
2. MULTIPLE DX										
A. Not Operated	84	9.5	107	1	1	6	12	22	33	47
B. Operated	219	19.0	132	2	7	16	25	34	38	62
1. SINGLE DX	81	14.9	64	3	5	14	19	24	29	40
2. MULTIPLE DX	303	16.3	143	1	2	14	23	33	38	59
A. NOT OPERATED	86	9.6	107	1	1	6	13	22	33	47
B. OPERATED	298	17.9	117	2	6	16	23	33	38	59
TOTAL 0-19 YRS	11	10.0	51	1	3	9	14	22	23	23
20-34	7	12.7	80	<1	1	11	17	26	28	28
35-49	52	14.8	74	2	4	14	19	25	32	41
50-64	122	16.1	85	2	5	15	22	30	34	39
65+	192	16.8	172	1	2	13	24	34	41	62
GRAND TOTAL	384	16.0	127	2	3	14	22	32	37	54

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	1.0		1	1	1	1	1	1	1	
20-34	1	8.0		8	8	8	8	8	8	8	
35-49											
50-64	1	5.0		5	5	5	5	5	5	5	
65+	1	8.0		8	8	8	8	8	8	8	
B. Operated											
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8	
20-34	1	7.0		7	7	7	7	7	7	7	
35-49	1	8.0		8	8	8	8	8	8	8	
50-64	5	6.6	37	2	2	4	9	17	17	17	
65+	7	18.4	474	2	2	7	40	50	50	50	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	4	5.0	10	<1	<1	5	7	8	8	8	
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1	
50-64	3	6.7	10	3	3	8	9	9	9	9	
65+	4	7.0	28	2	2	6	11	14	14	14	
B. Operated											
0-19 YRS											
20-34	1	3.0		3	3	3	3	3	3	3	
35-49	1	24.0		24	24	24	24	24	24	24	
50-64	4	13.5	99	5	5	11	21	26	26	26	
65+	9	13.4	142	3	4	9	20	32	40	40	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	4	5.5	11	1	1	6	8	8	8	8	
B. Operated	16	11.8	236	2	2	7	10	46	50	50	
2. MULTIPLE DX											
A. Not Operated	12	5.8	15	<1	<1	6	8	10	13	14	
B. Operated	15	13.5	118	3	3	9	21	26	36	40	
1. SINGLE DX	20	10.6	195	1	2	7	8	33	50	50	
2. MULTIPLE DX	27	10.0	85	<1	2	7	13	23	28	40	
A. NOT OPERATED	16	5.7	13	<1	<1	6	8	9	12	14	
B. OPERATED	31	12.6	174	2	3	7	17	32	49	50	
TOTAL 0-19 YRS	3	4.3	12	1	1	4	7	8	8	8	
20-34	7	5.4	8	<1	1	7	8	8	8	8	
35-49	3	11.0	139	<1	<1	8	20	24	24	24	
50-64	13	8.6	51	2	3	6	11	19	25	26	
65+	21	13.6	221	2	3	8	15	44	50	50	
GRAND TOTAL	47	10.3	129	1	2	7	11	23	41	50	

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	7.3	118	1	1	3	7	27	33	33
20-34	14	9.9	102	1	2	6	11	30	32	32
35-49	9	10.0	77	2	2	7	14	25	29	29
50-64	15	9.3	83	1	3	7	11	17	33	38
65+	12	15.2	365	2	3	8	16	45	65	68
B. Operated										
0-19 YRS	8	20.0	305	2	4	14	30	49	51	51
20-34	12	20.3	213	9	10	15	23	40	59	62
35-49	22	20.5	280	4	7	18	28	61	81	99+
50-64	21	19.9	314	2	5	15	19	46	64	74
65+	15	24.2	147	5	8	23	34	37	47	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.0	62	1	1	6	11	22	23	23
20-34	13	9.5	123	<1	1	6	11	19	39	44
35-49	9	12.8	151	1	1	8	28	68	99+	99+
50-64	18	11.4	110	1	2	10	22	70	99+	99+
65+	14	20.4	703	2	2	10	22	56	86	95
B. Operated										
0-19 YRS	15	24.9	140	5	14	23	29	39	50	54
20-34	13	21.2	229	1	3	16	32	45	49	50
35-49	21	28.0	329	8	8	20	44	55	57	59
50-64	26	29.4	344	9	9	23	42	60	66	72
65+	19	40.4	318	14	16	44	54	64	66	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	10.4	145	1	2	6	13	30	34	65
B. Operated	78	21.0	245	3	7	16	27	47	61	92
2. MULTIPLE DX										
A. Not Operated	65	12.6	243	1	1	8	16	43	95	99+
B. Operated	94	29.4	313	8	11	24	44	55	63	70
1. SINGLE DX	137	16.4	228	1	3	13	20	35	54	77
2. MULTIPLE DX	159	22.5	352	2	3	17	36	54	64	99+
A. NOT OPERATED	124	11.5	196	1	2	7	14	33	46	99+
B. OPERATED	172	25.6	299	6	8	20	36	54	62	74
TOTAL										
0-19 YRS	43	16.0	199	1	1	14	23	37	46	54
20-34	52	15.0	186	1	2	11	18	33	44	62
35-49	61	20.4	283	2	5	16	30	55	63	99+
50-64	80	19.1	294	2	3	14	24	52	67	99+
65+	60	26.6	453	2	3	21	42	56	66	92
GRAND TOTAL	296	19.7	303	2	3	15	28	51	60	99+

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	2	8.0	50	3	3	8	13	13	13	13
B. Operated										
0-19 YRS	3	15.3	4	13	13	16	17	17	17	17
20-34										
35-49	2	10.0	162	<1	<1	9	19	19	19	19
50-64	4	32.3	918	10	10	21	49	77	77	77
65+	2	15.0	128	7	7	15	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64										
65+	4	23.0	615	2	2	17	42	56	56	56
B. Operated										
0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	6	23.8	621	1	1	14	50	59	60	60
50-64										
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.5	14	3	3	4	5	12	13	13
B. Operated	11	20.5	396	<1	4	17	21	45	74	77
2. MULTIPLE DX										
A. Not Operated	5	20.0	506	2	2	8	35	56	56	56
B. Operated	9	18.2	462	1	2	11	24	56	60	60
1. SINGLE DX	17	15.2	307	1	3	13	19	23	58	77
2. MULTIPLE DX	14	18.9	441	1	2	9	28	56	59	60
A. NOT OPERATED	11	12.1	267	2	2	5	12	39	55	56
B. OPERATED	20	19.5	404	<1	2	14	21	55	68	77
TOTAL 0-19 YRS	4	13.5	16	8	8	14	16	17	17	17
20-34										
35-49	4	7.5	63	<1	<1	5	12	19	19	19
50-64	14	20.6	579	1	3	11	22	62	74	77
65+	9	16.6	296	2	2	11	24	45	56	56
GRAND TOTAL	31	16.8	358	1	2	11	20	52	60	77

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	7.4	9	4	4	7	10	11	11	11
35-49	15	6.6	11	<1	2	7	7	12	13	14
50-64	11	7.1	6	3	4	7	9	10	11	11
65+	7	10.4	91	1	2	8	10	27	31	31
B. Operated	9	5.8	12	2	2	4	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	31	6.0	12	3	3	5	7	12	13	17
35-49	22	6.0	6	3	3	5	7	9	11	14
50-64	18	6.9	38	3	4	5	6	11	23	30
65+	8	13.9	249	4	4	9	14	41	51	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	19	7.6	6	2	5	7	10	10	11	11
35-49	24	7.3	25	1	2	7	9	12	18	23
50-64	16	10.7	137	3	3	8	10	17	41	52
65+	23	11.9	153	1	2	8	12	39	42	43
B. Operated										
0-19 YRS	6	11.7	59	4	4	11	18	22	22	22
20-34	20	8.0	62	3	3	5	7	21	28	33
35-49	30	6.9	11	4	4	6	7	11	13	19
50-64	19	8.7	36	3	4	6	12	19	23	24
65+	20	15.4	455	1	3	7	15	46	75	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	7.2	21	2	2	7	9	11	12	31
B. Operated	82	6.9	41	3	3	5	7	12	15	44
2. MULTIPLE DX										
A. Not Operated	86	9.0	78	1	2	7	10	15	26	49
B. Operated	95	9.6	128	3	4	6	10	18	24	76
1. SINGLE DX	129	7.0	34	2	3	6	7	11	14	35
2. MULTIPLE DX	181	9.3	104	2	3	7	10	17	24	63
A. NOT OPERATED	133	8.4	58	1	2	7	10	12	20	45
B. OPERATED	177	8.3	89	3	4	6	8	15	22	63
TOTAL 0-19 YRS	18	7.6	32	1	2	6	10	17	20	22
20-34	85	6.9	22	2	3	6	7	12	15	30
35-49	87	6.8	13	3	3	7	8	11	13	22
50-64	60	8.9	68	3	4	7	9	16	27	50
65+	60	12.4	245	2	2	7	12	32	47	81
GRAND TOTAL	310	8.4	76	2	3	7	9	14	22	51

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	3	7.0	91	1	1	2	14	18	18	18
35-49	9	5.7	43	<1	<1	3	9	16	21	21
50-64	29	9.6	157	1	1	4	12	26	41	54
65+	61	11.3	128	2	2	7	15	26	35	96
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	7.6	68	1	1	3	14	21	22	22
35-49	9	5.3	46	1	1	2	6	17	21	21
50-64	18	9.7	96	2	2	8	11	18	34	43
65+	43	10.6	116	1	2	6	16	25	31	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	52	8.1	69	1	2	5	10	16	30	39
35-49	168	9.6	101	1	2	7	13	22	29	93
50-64	429	11.0	110	2	3	8	15	24	33	67
65+	531	13.2	138	2	3	10	18	28	38	90
B. Operated										
0-19 YRS	5	14.0	152	2	2	11	20	34	34	34
20-34	74	13.8	202	2	3	9	17	31	39	74
35-49	186	13.5	166	2	3	10	17	27	40	83
50-64	469	14.9	142	2	3	12	20	30	43	62
65+	566	17.4	235	2	3	14	23	37	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	10.1	126	1	2	6	13	26	32	81
B. Operated	78	9.5	98	1	2	6	14	22	28	48
2. MULTIPLE DX										
A. Not Operated	1183	11.7	121	2	2	8	16	26	35	77
B. Operated	1300	15.7	191	2	3	12	21	33	45	89
1. SINGLE DX	182	9.9	113	1	2	6	14	24	29	62
2. MULTIPLE DX	2483	13.8	162	2	3	10	18	30	41	88
A. NOT OPERATED	1287	11.6	122	2	2	8	16	26	35	77
B. OPERATED	1378	15.4	188	2	3	11	20	33	45	88
TOTAL 0-19 YRS	11	9.5	93	1	1	7	14	23	33	34
20-34	136	11.2	148	1	2	7	12	28	35	70
35-49	372	11.4	135	1	2	8	15	24	38	83
50-64	945	12.9	130	2	3	9	17	28	39	62
65+	1201	15.0	188	2	3	11	20	32	45	99
GRAND TOTAL	2665	13.5	159	2	3	10	18	29	40	87

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	6.4	112	1	1	2	6	24	34	34
20-34	41	2.9	9	1	1	2	3	6	10	15
35-49	19	2.4	1	1	2	2	2	4	6	6
50-64	7	6.3	32	1	1	3	11	14	15	15
65+	5	14.8	128	2	2	11	25	29	29	29
B. Operated										
0-19 YRS	18	11.4	103	1	1	10	15	29	35	37
20-34	47	10.2	71	1	2	8	13	24	28	34
35-49	14	10.6	66	1	2	9	16	25	27	27
50-64	13	14.2	206	<1	1	7	26	35	42	44
65+	4	16.0	223	5	5	10	25	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.8	66	1	1	2	6	17	26	28
20-34	22	8.8	159	<1	<1	4	11	23	42	53
35-49	5	9.0	34	3	3	10	14	15	15	15
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	9	9.3	32	4	4	6	15	18	18	18
B. Operated										
0-19 YRS	9	21.0	251	1	1	22	32	42	45	45
20-34	27	15.0	91	2	3	12	22	27	29	39
35-49	16	14.4	114	1	2	14	19	31	37	39
50-64	13	18.1	124	4	6	17	24	34	40	42
65+	13	23.1	197	7	9	18	27	48	53	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	4.2	34	1	1	2	4	10	15	32
B. Operated	96	11.3	98	1	2	8	15	27	32	41
2. MULTIPLE DX										
A. Not Operated	51	8.0	93	<1	1	4	11	17	28	53
B. Operated	78	17.4	140	2	3	16	22	32	41	52
1. SINGLE DX	177	8.0	81	1	1	5	11	23	29	38
2. MULTIPLE DX	129	13.7	142	1	2	11	20	31	39	53
A. NOT OPERATED	132	5.7	60	1	1	2	6	14	19	38
B. OPERATED	174	14.0	126	1	2	11	21	31	37	47
TOTAL 0-19 YRS	49	10.8	144	1	1	5	14	31	37	45
20-34	137	8.7	88	1	1	6	12	22	27	41
35-49	54	8.7	77	1	2	5	14	20	27	39
50-64	35	13.6	145	1	2	9	21	32	40	44
65+	31	16.8	161	4	5	14	23	34	47	54
GRAND TOTAL	306	10.4	114	1	1	7	15	27	32	46

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	6.7	66	1	1	3	7	22	24	25
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	31	3.1	13	<1	<1	1	4	8	14	14
65+	9	8.6	142	1	1	4	10	27	39	39
B. Operated										
0-19 YRS	10	9.1	76	1	1	6	10	24	26	26
20-34	6	13.0	170	2	2	7	27	31	32	32
35-49	1	8.0		8	8	8	8	8	8	8
50-64	6	9.2	55	1	1	8	12	21	22	22
65+	9	10.9	14	6	6	11	14	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	5.9	43	1	1	3	6	16	22	26
20-34	6	10.2	77	3	3	6	19	23	23	23
35-49	1	8.0		8	8	8	8	8	8	8
50-64	35	4.9	19	1	1	4	7	12	14	16
65+	65	11.5	106	1	2	7	16	27	34	43
B. Operated										
0-19 YRS	15	26.5	790	3	5	19	28	91	92	93
20-34	6	27.2	203	14	14	24	39	47	48	48
35-49	1	21.0		21	21	21	21	21	21	21
50-64	20	20.3	255	4	5	12	29	50	51	52
65+	25	18.9	226	3	3	14	25	43	47	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	55	4.8	48	<1	<1	2	5	14	19	38
B. Operated										
	32	10.3	65	1	2	8	13	24	27	32
2. MULTIPLE DX										
A. Not Operated										
	142	8.4	75	1	1	5	11	20	27	40
B. Operated										
	67	21.8	350	3	5	16	29	47	53	93
1. SINGLE DX	87	6.8	61	<1	1	4	10	17	25	36
2. MULTIPLE DX	209	12.7	201	1	1	8	16	30	41	73
A. NOT OPERATED	197	7.4	70	1	1	4	9	18	26	40
B. OPERATED	99	18.1	285	2	3	12	25	40	51	92
TOTAL 0-19 YRS										
20-34	73	10.7	261	1	1	5	15	25	28	93
35-49	20	15.3	191	2	2	11	25	35	43	48
50-64	3	12.3	56	8	8	8	18	21	21	21
	92	7.9	113	<1	1	4	10	18	29	52
	126	12.9	132	2	2	9	16	32	40	50

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.1	4	<1	<1	1	2	5	8	8
20-34										
35-49	12	7.0	38	<1	1	4	10	16	20	21
50-64	15	9.0	56	1	3	7	12	22	26	28
65+	28	5.3	23	1	1	4	7	10	17	22
B. Operated										
0-19 YRS	5	13.6	314	1	1	2	28	40	40	40
20-34	6	16.8	693	2	2	7	12	64	70	70
35-49	15	13.3	231	<1	2	5	28	36	43	46
50-64	5	27.2	288	1	1	37	39	40	40	40
65+	12	13.3	80	4	5	12	18	27	31	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	5.9	98	<1	<1	2	5	22	30	30
20-34	5	6.6	26	2	2	6	9	15	15	15
35-49	17	7.0	24	2	2	7	9	15	17	18
50-64	18	13.9	341	<1	1	8	13	49	60	64
65+	36	10.1	102	1	2	8	14	19	25	55
B. Operated										
0-19 YRS	7	29.4	826	1	1	26	40	77	85	85
20-34	17	34.6	300	2	6	41	49	53	81	99+
35-49	19	23.7	126	6	7	28	32	36	38	40
50-64	35	35.5	488	6	11	30	48	68	75	96
65+	33	22.8	340	4	7	19	32	54	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	67	5.8	34	<1	1	4	8	14	21	27
B. Operated										
	43	15.4	258	1	2	8	25	39	42	70
2. MULTIPLE DX										
A. Not Operated										
	84	9.7	134	1	1	7	13	18	32	61
B. Operated										
	111	29.2	394	4	7	27	41	60	75	99+
1. SINGLE DX	110	9.6	142	1	1	5	12	26	37	56
2. MULTIPLE DX	195	20.8	375	1	2	14	31	52	62	98
A. NOT OPERATED	151	8.0	93	<1	1	5	9	17	22	55
B. OPERATED	154	25.4	392	2	4	22	37	53	69	99+
TOTAL										
0-19 YRS	32	10.8	339	<1	<1	2	13	33	43	85
20-34	28	25.8	446	2	2	21	47	53	71	99+
35-49	63	13.5	153	2	2	8	24	32	36	45
50-64	73	24.2	475	1	2	18	36	60	67	91
65+	109	13.0	195	1	2	8	18	30	52	87

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	31	3.6	18	1	1	2	3	10	16	17
35-49	58	3.9	43	<1	1	2	3	8	13	44
50-64	131	4.2	35	1	1	2	4	9	12	42
65+	71	7.9	111	1	1	4	9	20	29	57
B. Operated										
0-19 YRS	6	9.8	55	4	4	8	10	23	24	24
20-34	9	5.7	20	<1	<1	6	8	12	14	14
35-49	44	14.1	75	3	5	13	19	27	33	36
50-64	69	12.9	117	2	3	10	17	24	35	54
65+	77	14.6	140	2	3	11	19	30	42	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.2	6	<1	<1	<1	1	6	8	11
20-34	20	5.7	19	1	1	5	9	12	14	15
35-49	36	7.0	45	1	1	4	9	19	21	25
50-64	139	7.2	85	1	1	4	8	18	22	43
65+	182	10.9	85	1	2	8	15	24	35	99+
B. Operated										
0-19 YRS	6	17.5	222	1	2	16	21	42	44	44
20-34	17	19.5	176	2	6	16	26	38	49	54
35-49	56	17.5	331	1	2	14	24	35	71	99+
50-64	105	18.2	241	3	4	15	25	34	47	99+
65+	188	20.7	252	3	6	16	25	45	57	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	294	5.0	55	1	1	2	5	12	18	44
B. Operated	205	13.4	113	2	3	11	18	27	34	52
2. MULTIPLE DX										
A. Not Operated	420	8.2	78	<1	1	5	11	20	27	56
B. Operated	372	19.4	256	2	4	16	25	40	55	99+
1. SINGLE DX	499	8.4	96	1	2	4	11	20	29	47
2. MULTIPLE DX	792	13.5	193	1	2	10	19	30	42	99
A. NOT OPERATED	714	6.9	71	<1	1	3	9	18	23	46
B. OPERATED	577	17.3	213	2	3	14	22	35	49	98
TOTAL 0-19 YRS	58	4.6	54	<1	<1	1	6	11	20	42
20-34	77	7.9	90	1	1	3	11	17	26	50
35-49	194	10.7	164	1	2	6	16	25	34	94
50-64	444	9.8	141	1	2	5	13	24	33	77
65+	518	14.6	181	1	2	11	19	32	46	87
GRAND TOTAL	1291	11.5	161	1	2	8	16	27	37	83

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	16	2.1	2	<1	<1	1	3	5	5	5
20-34	48	3.5	2	1	2	3	4	5	7	8
35-49	49	5.0	6	2	3	4	6	9	10	13
50-64	38	3.9	3	<1	1	4	5	6	8	8
65+	24	4.5	5	<1	2	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	13	5.6	20	<1	2	4	5	13	17	18
35-49	20	7.0	24	2	2	5	10	14	17	19
50-64	27	4.8	5	2	2	5	6	8	8	9
65+	31	6.7	26	2	2	6	8	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	175	4.0	4	<1	1	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	94	6.0	18	2	2	5	7	12	16	21
1. SINGLE DX	175	4.0	4	<1	1	4	5	7	8	10
2. MULTIPLE DX	96	5.9	18	2	2	5	7	12	16	21
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	269	4.7	10	1	2	4	6	8	10	18
TOTAL 0-19 YRS	19	2.4	3	<1	<1	2	4	5	5	5
20-34	61	4.0	6	1	2	3	4	6	8	17
35-49	69	5.6	12	2	2	4	7	10	13	18
50-64	66	4.2	4	1	2	4	5	7	8	9
65+	56	5.7	18	2	2	5	7	9	16	22
GRAND TOTAL	271	4.7	10	1	2	4	6	8	10	18

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	12	4.2	25	<1	<1	2	5	12	17	18
50-64	7	3.3	6	<1	<1	2	4	7	8	8
65+	13	4.1	11	1	1	3	6	9	11	11
B. Operated										
0-19 YRS	11	10.4	32	2	2	12	14	16	19	19
20-34	13	9.7	66	1	2	8	13	18	29	32
35-49	20	7.6	19	1	2	8	10	13	15	16
50-64	42	5.6	25	1	1	3	10	12	15	23
65+	61	7.4	42	<1	1	5	11	18	22	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	3	16.7	342	5	5	7	30	38	38	38
35-49	1	3.0		3	3	3	3	3	3	3
50-64	9	5.0	14	1	1	3	8	10	10	10
65+	27	6.2	17	1	2	6	8	12	14	18
B. Operated										
0-19 YRS	10	7.4	20	2	2	8	10	13	16	16
20-34	13	9.4	102	<1	2	7	11	19	36	40
35-49	22	11.2	130	<1	1	10	14	22	37	50
50-64	90	11.6	119	2	2	10	14	24	30	63
65+	152	11.4	66	1	2	10	16	22	27	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.8	13	<1	1	2	5	9	10	18
B. Operated	147	7.3	37	1	1	6	11	15	18	25
2. MULTIPLE DX										
A. Not Operated	42	6.6	39	1	2	6	8	12	15	38
B. Operated	287	11.2	87	1	2	10	15	22	28	43
1. SINGLE DX	184	6.6	34	1	1	4	10	14	18	25
2. MULTIPLE DX	329	10.6	83	1	2	9	14	22	28	42
A. NOT OPERATED	79	5.3	29	1	1	3	7	10	13	32
B. OPERATED	434	9.9	73	1	2	8	14	20	25	40
TOTAL 0-19 YRS										
20-34	24	8.4	27	2	2	9	13	14	17	19
35-49	33	9.4	95	1	1	7	12	18	37	40
50-64	55	8.2	70	1	1	7	11	16	19	49
65+	148	9.1	90	1	2	7	11	19	25	45
65+	253	9.5	58	1	2	7	14	20	24	35
GRAND TOTAL	513	9.2	69	1	2	7	13	19	24	39

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	20	2.4	3	<1	1	2	2	3	6	9
20-34	24	2.6	3	1	1	2	2	5	7	9
35-49	24	5.6	20	2	2	3	7	11	16	19
50-64	21	4.4	20	<1	1	2	5	13	15	16
65+	8	7.3	55	1	1	4	10	19	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	4	7.0	41	2	2	5	11	16	16	16
20-34	6	6.7	17	2	2	7	10	12	12	12
35-49	6	8.2	47	2	2	6	13	18	19	19
50-64	13	11.4	68	2	2	11	19	23	25	25
65+	15	9.0	72	1	2	7	15	18	27	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	97	4.1	17	1	2	2	4	10	14	21
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	44	9.1	56	2	2	7	14	19	23	30
1. SINGLE DX	99	4.1	17	1	2	2	5	10	14	21
2. MULTIPLE DX	45	9.0	55	2	2	7	14	19	23	30
A. NOT OPERATED	3	5.0	7	2	2	6	7	7	7	7
B. OPERATED	141	5.6	34	1	2	3	7	15	19	25
TOTAL										
0-19 YRS	24	3.1	11	1	1	2	3	7	11	16
20-34	30	3.4	8	1	2	2	4	8	10	12
35-49	31	6.0	25	2	2	3	9	14	19	19
50-64	34	7.1	49	1	2	3	12	19	22	25
65+	25	8.2	59	1	2	6	11	18	25	30
GRAND TOTAL	144	5.6	34	1	2	3	7	15	19	25

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4	
20-34	4	5.8	30	1	1	4	10	13	13	13	
35-49	2	2.0	2	1	1	2	3	3	3	3	
50-64	1	5.0		5	5	5	5	5	5	5	
65+	3	3.3	10	1	1	2	6	7	7	7	
B. Operated											
0-19 YRS	163	3.4	8	<1	1	3	4	6	8	16	
20-34	168	3.4	12	<1	<1	3	4	7	8	24	
35-49	157	3.1	7	<1	<1	2	4	7	8	15	
50-64	138	3.0	7	<1	<1	2	4	5	8	15	
65+	59	3.2	6	1	2	3	4	6	7	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6	
20-34	3	1.3		<1	<1	1	2	2	2	2	
35-49	3	1.7	1	1	1	1	3	3	3	3	
50-64	1	1.0		1	1	1	1	1	1	1	
65+	4	3.3	11	1	1	2	5	8	8	8	
B. Operated											
0-19 YRS	31	5.3	31	1	1	3	5	13	19	23	
20-34	58	4.4	16	<1	1	3	5	9	12	25	
35-49	66	5.9	68	<1	1	4	7	12	17	52	
50-64	103	6.0	46	1	2	3	7	15	19	36	
65+	57	6.2	34	1	2	4	8	12	17	30	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	14	3.8	11	1	1	3	5	8	12	13	
B. Operated	685	3.2	8	<1	<1	2	4	6	8	15	
2. MULTIPLE DX											
A. Not Operated	13	2.3	5	<1	<1	1	3	6	8	8	
B. Operated	315	5.7	41	1	1	4	7	12	17	30	
1. SINGLE DX	699	3.2	8	<1	<1	2	4	6	8	15	
2. MULTIPLE DX	328	5.5	40	1	1	4	7	12	17	29	
A. NOT OPERATED	27	3.1	9	<1	1	2	4	7	9	13	
B. OPERATED	1000	4.0	20	<1	1	3	4	8	11	24	
TOTAL											
0-19 YRS	200	3.7	12	<1	1	3	4	6	12	20	
20-34	233	3.7	13	<1	<1	3	4	7	9	26	
35-49	228	3.9	26	<1	<1	2	4	8	11	24	
50-64	243	4.3	26	<1	1	3	4	9	14	28	
65+	123	4.6	21	1	2	3	5	9	12	29	
GRAND TOTAL	1027	4.0	20	<1	1	3	4	8	11	24	

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	11	6.3	26	1	1	4	10	15	16	16	
20-34	3	4.0	7	2	2	3	6	7	7	7	
35-49	1	4.0		4	4	4	4	4	4	4	
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1	
65+	1	7.0		7	7	7	7	7	7	7	
B. Operated											
0-19 YRS	117	2.8	9	<1	<1	2	3	6	8	15	
20-34	51	3.4	12	<1	<1	2	4	7	8	23	
35-49	38	3.3	16	<1	<1	2	3	7	11	22	
50-64	30	3.8	13	<1	<1	3	5	8	10	17	
65+	20	4.2	11	<1	1	3	6	9	11	13	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	12	6.0	69	<1	<1	2	7	18	27	29	
20-34	4	3.3	5	1	1	3	5	6	6	6	
35-49	1	4.0		4	4	4	4	4	4	4	
50-64	3	6.0	13	3	3	5	9	10	10	10	
65+	8	5.8	14	2	2	4	9	11	11	11	
B. Operated											
0-19 YRS	31	3.8	11	<1	1	3	4	9	11	14	
20-34	23	3.3	9	<1	<1	2	4	7	11	12	
35-49	30	9.0	213	<1	1	5	8	23	27	77	
50-64	30	8.2	115	<1	1	3	10	20	32	49	
65+	31	9.3	126	1	1	3	11	35	36	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	17	5.5	20	<1	1	4	7	13	15	16	
B. Operated	256	3.2	11	<1	<1	2	4	7	9	22	
2. MULTIPLE DX											
A. Not Operated	28	5.5	34	<1	<1	4	7	11	15	29	
B. Operated	145	6.9	103	<1	<1	3	8	17	31	78	
1. SINGLE DX	273	3.4	12	<1	<1	2	4	7	9	21	
2. MULTIPLE DX	173	6.6	92	<1	<1	3	8	15	29	70	
A. NOT OPERATED	45	5.5	28	<1	1	4	7	11	15	29	
B. OPERATED	401	4.5	47	<1	<1	2	5	9	15	36	
TOTAL 0-19 YRS											
20-34	81	3.4	10	<1	<1	2	4	7	8	20	
35-49	70	5.8	106	<1	<1	2	6	12	22	67	
50-64	64	5.9	64	<1	<1	3	7	16	20	47	
65+	60	7.1	75	1	1	3	9	20	35	93	
GRAND TOTAL	446	4.6	45	<1	<1	2	5	10	15	36	

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	21	1.8	1	<1	<1	2	2	3	3	4
20-34	82	1.9	1	<1	<1	2	2	3	4	6
35-49	67	1.9	1	<1	<1	2	2	3	3	5
50-64	21	1.8		<1	<1	2	2	2	3	3
65+	20	3.6	9	<1	<1	3	4	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	34	1.9	1	<1	<1	2	2	3	3	4
35-49	38	2.8	5	<1	1	2	3	4	7	13
50-64	23	2.6	2	<1	<1	2	3	5	7	7
65+	25	4.4	10	1	2	3	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	211	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	<1	<1	1	2	2	2	2
B. Operated	123	2.9	5	<1	<1	2	3	5	7	14
1. SINGLE DX	212	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	125	2.8	5	<1	<1	2	3	5	7	14
A. NOT OPERATED	3	1.3		<1	<1	<1	2	2	2	2
B. OPERATED	334	2.3	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	24	2.0	2	<1	<1	2	2	3	5	8
20-34	117	1.9	1	<1	<1	2	2	3	4	5
35-49	107	2.2	2	<1	<1	2	2	3	4	10
50-64	44	2.2	2	<1	<1	2	2	3	5	7
65+	45	4.0	9	1	1	3	4	8	10	16
GRAND TOTAL	337	2.3	3	<1	<1	2	3	4	5	9

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	2.6	7	1	1	1	3	7	8	8
50-64										
65+										
B. Operated										
0-19 YRS	97	5.7	7	1	1	6	7	8	10	13
20-34	333	6.6	8	1	2	7	8	9	10	15
35-49	42	6.6	8	1	2	7	8	10	12	13
50-64	5	7.2	18	<1	<1	7	9	13	13	13
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.8	5	1	1	2	4	6	8	8
20-34	23	3.6	9	<1	1	2	5	8	10	11
35-49	6	4.3	34	<1	<1	2	4	15	16	16
50-64	6	3.8	6	2	2	3	5	8	8	8
65+										
B. Operated										
0-19 YRS	3	11.0	63	5	5	8	17	20	20	20
20-34	223	6.9	12	2	3	7	8	9	11	22
35-49	1679	7.4	8	2	5	7	8	10	12	17
50-64	369	8.2	13	2	6	8	9	12	14	24
65+	52	10.1	31	6	7	9	11	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.3	10	1	1	2	6	8	8	8
B. Operated	477	6.4	8	1	2	7	8	9	10	14
2. MULTIPLE DX										
A. Not Operated	46	3.5	10	<1	1	2	4	8	9	16
B. Operated	2326	7.5	10	2	5	7	8	10	12	19
1. SINGLE DX	485	6.4	8	1	2	7	8	9	10	14
2. MULTIPLE DX	2372	7.5	10	2	5	7	8	10	12	19
A. NOT OPERATED	54	3.5	10	<1	1	2	4	8	9	16
B. OPERATED	2803	7.4	10	2	5	7	8	10	12	18
TOTAL 0-19 YRS	3	11.0	63	5	5	8	17	20	20	20
20-34	332	6.4	11	1	2	7	7	9	11	16
35-49	2042	7.2	8	1	5	7	8	10	11	17
50-64	417	8.0	13	2	6	8	9	12	14	23
65+	63	9.3	31	2	5	8	11	13	17	38
GRAND TOTAL	2857	7.3	10	1	4	7	8	10	12	18

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	4	6.3	11	3	3	6	9	10	10	10
35-49	13	7.4	5	2	4	7	9	10	11	11
50-64	4	5.0	13	2	2	5	8	9	9	9
65+	3	4.0	12	2	2	2	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	7.3	14	2	2	7	10	13	13	13
35-49	39	7.1	7	2	4	7	9	10	11	14
50-64	6	5.2	13	1	1	5	8	10	10	10
65+	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	24	6.4	9	2	2	7	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
B. Operated	57	6.9	8	1	2	7	8	10	12	14
1. SINGLE DX	24	6.4	9	2	2	7	8	10	11	11
2. MULTIPLE DX	57	6.9	8	1	2	7	8	10	12	14
A. NOT OPERATED										
B. OPERATED	81	6.7	8	2	2	7	8	10	11	14
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	7.0	12	2	3	7	9	12	13	13
35-49	52	7.2	6	2	4	7	9	10	11	14
50-64	10	5.1	12	1	1	5	8	9	10	10
65+	5	4.6	7	2	2	5	6	8	8	8
GRAND TOTAL	81	6.7	8	2	2	7	8	10	11	14

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	30	6.0	5	3	4	5	7	9	10	13
20-34	112	6.3	4	4	4	6	7	8	9	15
35-49	49	6.8	4	4	4	7	8	9	10	13
50-64	16	7.8	2	5	7	8	8	10	11	12
65+	17	11.2	69	6	7	8	12	18	32	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	20	6.3	3	4	4	6	8	9	9	10
20-34	137	6.5	4	4	4	6	7	9	10	14
35-49	117	7.9	12	5	5	7	8	12	14	24
50-64	59	9.7	20	6	6	8	12	15	19	27
65+	36	12.4	28	7	7	10	16	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	<1	<1	2	4	4	4	4
B. Operated	224	6.8	10	4	4	6	8	9	11	17
2. MULTIPLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	369	8.0	15	4	5	7	9	13	16	24
1. SINGLE DX	226	6.8	10	4	4	6	8	9	11	17
2. MULTIPLE DX	372	8.0	15	4	5	7	9	12	16	24
A. NOT OPERATED	5	2.0	2	<1	<1	2	3	4	4	4
B. OPERATED	593	7.6	14	4	5	7	8	12	15	23
TOTAL 0-19 YRS	52	6.0	4	3	4	6	7	9	10	13
20-34	251	6.4	4	4	4	6	7	8	10	14
35-49	166	7.6	10	4	5	7	8	12	13	20
50-64	75	9.3	17	6	6	8	11	15	17	26
65+	54	11.8	42	7	7	9	16	20	24	39
GRAND TOTAL	598	7.5	14	4	5	7	8	12	15	23

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	1	3.0		3	3	3	3	3	3	3	
35-49	5	3.2	7	<1	<1	2	5	7	7	7	
50-64	3	1.3		<1	<1	1	2	2	2	2	
65+	1	2.0		2	2	2	2	2	2	2	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	1	3.0		3	3	3	3	3	3	3	
50-64											
65+											
B. Operated											
0-19 YRS											
20-34	5	7.0	12	3	3	7	9	12	12	12	
35-49	7	8.1	15	<1	1	8	10	13	14	14	
50-64	5	5.2	12	<1	<1	7	8	8	8	8	
65+	1	11.0		11	11	11	11	11	11	11	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1	
B. Operated	11	2.5	4	<1	<1	2	3	6	7	7	
2. MULTIPLE DX											
A. Not Operated	1	3.0		3	3	3	3	3	3	3	
B. Operated	18	7.2	13	<1	1	8	9	12	13	14	
1. SINGLE DX	12	2.4	4	<1	<1	2	3	6	7	7	
2. MULTIPLE DX	19	6.9	13	<1	1	8	9	12	13	14	
A. NOT OPERATED	2	2.0	2	<1	<1	1	3	3	3	3	
B. OPERATED	29	5.4	15	<1	<1	5	8	11	12	14	
TOTAL 0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3	
20-34	6	6.3	12	3	3	6	8	12	12	12	
35-49	13	5.8	17	<1	<1	7	8	11	13	14	
50-64	8	3.8	11	<1	<1	2	7	8	8	8	
65+	2	6.5	41	2	2	6	11	11	11	11	
GRAND TOTAL	31	5.2	14	<1	<1	5	8	10	12	14	

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	1.0		1	1	1	1	1	1	1	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	5	2.8		2	2	3	3	3	3	3	
20-34	7	4.1	7	1	1	3	7	7	7	7	
35-49	4	5.3	35	<1	<1	3	9	14	14	14	
50-64	2	2.5	1	2	2	2	3	3	3	3	
65+	3	3.7	8	2	2	2	6	7	7	7	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4	
20-34	3	12.3	81	3	3	13	19	21	21	21	
35-49	2	12.0	2	11	11	12	13	13	13	13	
50-64	1	3.0		3	3	3	3	3	3	3	
65+	8	8.5	35	2	2	8	12	17	19	19	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1	1.0		1	1	1	1	1	1	1	
B. Operated	21	3.8	9	1	1	3	4	7	10	14	
2. MULTIPLE DX											
A. Not Operated											
B. Operated	17	8.4	37	2	2	7	13	18	20	21	
1. SINGLE DX	22	3.7	9	<1	1	3	3	7	10	14	
2. MULTIPLE DX	17	8.4	37	2	2	7	13	18	20	21	
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1	
B. OPERATED	38	5.8	26	1	2	3	7	14	17	21	
TOTAL 0-19 YRS	9	2.8	1	1	1	3	3	4	4	4	
20-34	10	6.6	39	1	1	5	7	17	21	21	
35-49	6	7.5	34	<1	<1	7	13	14	14	14	
50-64	3	2.7		2	2	3	3	3	3	3	
65+	11	7.2	31	2	2	7	10	16	19	19	
GRAND TOTAL	39	5.7	26	1	2	3	7	14	17	21	

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	5	7.4	71	2	2	4	11	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	8.5	5	7	7	8	10	10	10	10
B. Operated										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	2	8.5	61	3	3	8	14	14	14	14
50-64	10	7.8	62	1	1	4	13	20	26	26
65+	25	12.8	166	2	3	9	15	25	35	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	12	5.2	35	<1	1	3	6	14	21	22
2. MULTIPLE DX										
A. Not Operated	2	8.5	5	7	7	8	10	10	10	10
B. Operated	40	11.4	130	2	3	8	14	25	26	64
1. SINGLE DX	12	5.2	35	<1	1	3	6	14	21	22
2. MULTIPLE DX	42	11.2	124	2	3	8	13	25	26	64
A. NOT OPERATED	2	8.5	5	7	7	8	10	10	10	10
B. OPERATED	52	9.9	114	2	2	6	13	24	26	63
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	4.0	10	<1	<1	3	6	9	9	9
35-49	4	6.0	29	3	3	4	9	14	14	14
50-64	12	7.5	54	1	2	4	11	18	25	26
65+	32	11.7	142	2	3	8	13	24	25	64
GRAND TOTAL	54	9.9	110	2	2	6	13	24	26	62

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	4	2.0								
20-34	5	1.6	1	<1	<1	<1	2	3	3	3
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	12	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
B. Operated	3	1.3		<1	<1	<1	2	2	2	2
1. SINGLE DX	14	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX	3	1.3		<1	<1	<1	2	2	2	2
A. NOT OPERATED	2	1.0		1	1	1	1	1	1	1
B. OPERATED	15	1.5		<1	<1	1	2	2	3	3
TOTAL 0-19 YRS	7	1.6		<1	<1	2	2	2	2	2
20-34	7	1.6	1	<1	<1	<1	2	3	3	3
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	17	1.5		<1	<1	1	2	2	3	3

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	6.5	1	6	6	6	7	7	7	7
B. Operated										
0-19 YRS	4	11.5	22	7	7	11	15	16	16	16
20-34	8	13.8	70	1	3	12	21	25	25	25
35-49	21	13.5	63	3	4	13	17	25	30	34
50-64	15	16.7	123	6	7	12	19	34	41	43
65+	9	16.4	125	2	4	14	22	34	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	4.0	9	1	1	4	6	7	7	7
65+	11	11.2	73	2	4	7	18	24	29	29
B. Operated										
0-19 YRS	4	15.5	420	3	3	6	27	46	46	46
20-34	12	19.9	131	7	9	16	22	38	47	49
35-49	14	12.1	35	2	3	12	14	20	22	22
50-64	34	19.8	140	6	9	16	25	45	50	99+
65+	22	24.5	317	5	8	23	34	63	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.4	9	1	1	3	6	9	10	10
B. Operated	57	14.7	84	3	5	13	19	28	34	43
2. MULTIPLE DX										
A. Not Operated	17	8.6	61	<1	1	6	11	20	26	29
B. Operated	86	19.6	186	4	6	15	24	44	52	99+
1. SINGLE DX	65	13.4	86	2	3	11	17	27	34	42
2. MULTIPLE DX	103	17.8	181	3	4	14	23	39	49	99+
A. NOT OPERATED	25	7.2	47	1	1	5	8	20	22	29
B. OPERATED	143	17.6	150	3	6	14	23	35	46	99+
TOTAL 0-19 YRS	10	11.5	169	3	3	7	15	31	46	46
20-34	23	15.6	121	1	2	14	22	27	39	49
35-49	37	12.5	52	2	3	12	17	22	26	34
50-64	54	17.4	142	3	5	14	23	39	46	98
65+	44	18.7	234	3	5	15	28	38	63	99+
GRAND TOTAL	168	16.1	148	2	4	13	21	34	45	95

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	8	3.9	1	2	2	4	5	5	5	5
20-34	69	5.1	5	3	4	5	6	7	7	19
35-49	85	5.0	3	3	4	5	6	7	8	12
50-64	48	5.1	2	3	4	5	6	8	8	9
65+	19	5.6	4	2	4	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	17	4.2	1	3	3	4	5	6	7	7
35-49	37	5.5	4	4	4	5	6	7	9	13
50-64	47	7.2	28	3	4	6	7	14	23	25
65+	29	6.9	16	3	3	6	8	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	229	5.1	3	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
B. Operated	133	6.2	15	3	4	5	7	9	15	25
1. SINGLE DX	229	5.1	3	3	4	5	6	7	8	10
2. MULTIPLE DX	133	6.2	15	3	4	5	7	9	15	25
A. NOT OPERATED										
B. OPERATED	362	5.5	8	3	4	5	6	8	9	21
TOTAL 0-19 YRS	11	4.2	1	2	3	4	5	6	6	6
20-34	86	4.9	5	3	4	4	6	7	7	16
35-49	122	5.2	3	3	4	5	6	7	8	13
50-64	95	6.1	16	3	4	5	6	8	14	25
65+	48	6.4	11	3	3	6	7	9	12	21
GRAND TOTAL	362	5.5	8	3	4	5	6	8	9	21

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	1	11.0		11	11	11	11	11	11	11	
20-34	1	3.0		3	3	3	3	3	3	3	
35-49	2	8.0	18	5	5	8	11	11	11	11	
50-64											
65+											
<i>B. Operated</i>											
0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34	8	9.1	12	5	5	9	11	14	15	15	
35-49	13	8.5	18	4	4	7	11	15	17	17	
50-64	6	9.2	30	3	3	8	10	18	19	19	
65+											
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	1	8.0		8	8	8	8	8	8	8	
20-34	9	4.7	10	2	2	4	6	10	10	10	
35-49	7	10.4	45	3	4	9	12	22	24	24	
50-64	7	8.7	65	1	1	6	15	21	22	22	
65+	5	4.6	9	1	1	5	6	9	9	9	
<i>B. Operated</i>											
0-19 YRS	2	26.5	145	18	18	26	35	35	35	35	
20-34	14	10.4	29	4	5	9	11	21	23	23	
35-49	21	14.8	354	5	5	10	16	19	53	94	
50-64	34	15.6	226	4	5	10	18	32	40	81	
65+	15	20.2	272	5	6	15	25	52	59	61	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	4	7.5	17	3	3	8	11	11	11	11	
<i>B. Operated</i>	28	8.8	17	4	4	8	10	15	17	19	
2. MULTIPLE DX											
<i>A. Not Operated</i>	29	7.1	34	1	2	5	9	16	22	24	
<i>B. Operated</i>	86	15.6	233	5	5	10	18	31	43	89	
1. SINGLE DX	32	8.6	17	3	4	8	11	15	17	19	
2. MULTIPLE DX	115	13.5	196	3	4	9	16	25	35	86	
A. NOT OPERATED	33	7.2	31	1	2	5	10	13	21	24	
B. OPERATED	114	13.9	188	4	5	9	16	25	35	86	
TOTAL 0-19 YRS											
	5	15.6	138	6	6	11	22	35	35	35	
20-34	32	8.2	24	2	3	8	10	14	20	23	
35-49	43	11.9	189	4	5	9	15	18	21	94	
50-64	47	13.8	183	3	4	9	17	30	36	81	
65+	20	16.3	250	2	4	10	23	39	56	61	
GRAND TOTAL	147	12.4	161	3	4	9	15	23	32	81	

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	1	2.0		2	2	2	2	2	2	2	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6	
20-34	347	3.6	5	<1	1	3	5	7	8	9	
35-49	118	4.7	8	1	2	4	7	8	9	13	
50-64	32	4.6	7	<1	2	4	7	8	9	9	
65+	7	4.6	8	2	2	3	7	9	9	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	7	2.7	17	<1	<1	1	2	10	12	12	
35-49	1	1.0		1	1	1	1	1	1	1	
50-64											
65+	2	10.5	181	1	1	10	20	20	20	20	
B. Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	256	5.2	9	<1	<1	6	7	9	10	13	
35-49	152	6.6	21	2	2	7	8	10	12	23	
50-64	43	7.8	31	1	2	7	10	15	18	27	
65+	7	7.3	10	3	3	7	9	12	12	12	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1	2.0		2	2	2	2	2	2	2	
B. Operated	507	4.0	6	<1	1	3	6	8	8	10	
2. MULTIPLE DX											
A. Not Operated	10	4.1	43	<1	<1	1	2	16	20	20	
B. Operated	459	5.9	16	<1	2	6	8	10	12	21	
1. SINGLE DX	508	4.0	6	<1	1	3	6	8	8	10	
2. MULTIPLE DX	469	5.9	16	<1	1	6	8	10	12	21	
A. NOT OPERATED	11	3.9	39	<1	<1	1	2	15	20	20	
B. OPERATED	966	4.9	12	<1	1	4	7	8	10	15	
TOTAL 0-19 YRS	4	3.5	3	2	2	3	5	6	6	6	
20-34	610	4.3	8	<1	1	3	7	8	9	12	
35-49	272	5.7	17	1	2	6	7	9	11	21	
50-64	75	6.4	23	1	2	6	8	12	16	25	
65+	16	6.5	23	1	2	6	9	12	18	20	
GRAND TOTAL	977	4.9	12	<1	1	4	7	8	10	16	

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	1	7.0		7	7	7	7	7	7	7	
50-64	2	3.0		3	3	3	3	3	3	3	
65+	5	3.0	2	2	2	2	4	5	5	5	
B. Operated											
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2	
20-34	16	2.7	4	<1	<1	2	3	7	7	7	
35-49	14	3.7	8	2	2	3	4	7	11	12	
50-64	26	7.3	106	<1	1	4	9	13	25	53	
65+	27	5.7	38	1	1	3	7	17	20	25	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64	1	10.0		10	10	10	10	10	10	10	
65+	5	20.8	304	7	7	16	31	49	49	49	
B. Operated											
0-19 YRS											
20-34	17	6.3	18	1	2	6	7	14	16	16	
35-49	27	6.9	27	1	2	7	9	14	20	21	
50-64	48	7.0	24	1	2	6	10	13	14	25	
65+	64	9.5	82	2	2	6	13	22	38	91	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	8	3.5	3	2	2	3	4	6	7	7	
B. Operated	86	5.2	48	<1	1	3	6	12	18	43	
2. MULTIPLE DX											
A. Not Operated	6	19.0	263	7	7	13	25	47	49	49	
B. Operated	156	7.9	49	1	2	6	10	17	22	41	
1. SINGLE DX	94	5.0	45	<1	1	3	6	11	17	41	
2. MULTIPLE DX	162	8.3	59	1	2	7	11	17	24	48	
A. NOT OPERATED	14	10.1	166	2	2	6	10	27	44	49	
B. OPERATED	242	6.9	50	1	2	5	9	15	20	42	
TOTAL 0-19 YRS	3	1.7		<1	<1	2	2	2	2	2	
20-34	33	4.5	14	<1	<1	3	7	8	14	16	
35-49	42	5.8	22	1	2	4	8	12	16	21	
50-64	77	7.0	50	<1	2	5	10	13	17	45	
65+	101	8.7	85	1	2	6	12	21	31	73	
GRAND TOTAL	256	7.1	56	1	2	5	9	16	21	48	

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	9	7.0	15	2	3	6	10	12	14	14	
20-34	12	3.8	6	1	1	3	6	7	7	7	
35-49	8	7.8	45	<1	1	6	12	18	19	19	
50-64	14	8.1	39	1	2	6	12	17	20	21	
65+	27	7.9	127	<1	1	5	7	16	32	56	
B. Operated											
0-19 YRS	21	6.5	50	<1	1	4	9	15	22	29	
20-34	47	5.8	30	1	1	5	7	12	15	30	
35-49	47	5.1	27	<1	1	3	6	10	16	28	
50-64	51	7.3	34	1	2	5	11	17	19	22	
65+	65	7.2	56	1	1	4	11	15	21	42	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	12	9.8	243	<1	1	4	6	34	52	55	
20-34	16	5.2	20	<1	1	4	7	13	15	16	
35-49	18	9.1	58	<1	1	8	11	17	27	33	
50-64	24	8.6	53	1	2	6	13	22	25	27	
65+	76	7.5	56	1	1	5	10	16	26	37	
B. Operated											
0-19 YRS	16	21.9	359	1	3	20	29	66	89	99+	
20-34	33	11.3	149	3	4	8	12	20	39	64	
35-49	45	9.1	51	<1	2	7	13	21	24	33	
50-64	81	10.8	78	1	2	9	16	23	30	83	
65+	127	12.0	103	1	2	10	15	27	35	46	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	70	7.1	65	1	1	5	7	16	19	50	
B. Operated	231	6.4	39	1	1	4	9	14	20	29	
2. MULTIPLE DX											
A. Not Operated	146	7.8	66	1	1	5	10	16	26	40	
B. Operated	302	11.7	112	1	2	9	15	25	33	66	
1. SINGLE DX	301	6.6	45	1	1	4	8	15	20	29	
2. MULTIPLE DX	448	10.4	100	1	2	8	14	24	30	59	
A. NOT OPERATED	216	7.6	65	1	1	5	9	16	25	44	
B. OPERATED	533	9.4	87	1	1	7	13	21	28	50	
TOTAL 0-19 YRS											
20-34	58	11.5	204	1	1	6	15	29	57	97	
35-49	108	7.2	69	1	1	5	8	14	20	51	
50-64	118	7.4	45	<1	1	6	10	16	22	33	
65+	170	9.2	60	1	2	7	13	21	24	45	
65+	295	9.4	87	1	1	7	13	21	28	46	
GRAND TOTAL	749	8.9	81	1	1	6	12	20	27	48	

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	3	6.7	44	1	1	5	12	14	14	14
B. Operated										
0-19 YRS	4	5.0	4	2	2	6	6	6	6	6
20-34	39	4.5	1	2	3	4	5	6	6	9
35-49	58	5.3	3	2	4	5	6	7	8	11
50-64	55	5.3	3	3	4	5	5	7	10	11
65+	22	8.2	26	3	4	6	8	17	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.4	3	1	1	4	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	9	8.8	13	3	4	8	11	14	14	14
B. Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	8	4.9	1	3	3	5	6	6	6	6
35-49	32	5.4	5	3	3	5	6	8	8	14
50-64	40	7.2	39	3	4	6	7	9	17	40
65+	27	10.1	48	5	5	8	11	17	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.0	31	1	1	4	9	14	14	14
B. Operated	178	5.5	6	3	4	5	6	7	10	19
2. MULTIPLE DX										
A. Not Operated	17	6.6	15	1	1	6	9	13	14	14
B. Operated	109	7.2	31	3	4	6	8	10	15	38
1. SINGLE DX	182	5.5	7	3	4	5	6	8	10	19
2. MULTIPLE DX	126	7.1	29	3	4	6	8	11	15	38
A. NOT OPERATED	21	6.5	17	1	1	6	9	13	14	14
B. OPERATED	287	6.1	16	3	4	5	7	9	11	24
TOTAL 0-19 YRS	7	5.9	4	2	3	6	7	9	9	9
20-34	48	4.5	2	2	3	5	5	6	6	9
35-49	96	5.2	4	2	3	5	6	7	8	13
50-64	96	6.1	19	3	4	5	6	9	10	33
65+	61	9.1	34	3	4	7	11	15	21	35
GRAND TOTAL	308	6.2	16	3	4	5	7	9	13	23

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	10	4.7	6	2	2	4	7	8	9	9
35-49	28	5.3	10	2	2	5	7	11	12	14
50-64	21	6.6	17	1	2	7	8	12	16	16
65+	22	6.0	10	1	2	7	8	9	12	14
B. Operated										
0-19 YRS	21	10.3	50	2	3	8	15	19	24	30
B. Operated										
0-19 YRS	15	5.7	5	2	4	5	7	8	11	12
20-34	37	5.2	4	3	3	5	6	7	8	13
35-49	30	4.8	2	3	4	4	6	7	7	9
50-64	28	5.3	7	3	3	5	6	8	10	16
65+	16	7.6	24	2	4	7	8	11	20	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	7.5	41	1	2	5	10	15	22	26
20-34	25	12.2	211	2	3	8	14	21	37	75
35-49	44	8.4	33	1	2	7	10	16	20	30
50-64	56	9.6	59	1	3	7	12	23	25	36
65+	119	13.9	183	2	4	11	16	26	40	79
B. Operated										
0-19 YRS	9	9.6	77	4	4	6	11	25	30	30
20-34	21	8.6	47	3	4	6	9	16	25	34
35-49	25	8.5	31	3	4	6	12	18	20	23
50-64	48	9.6	60	3	4	7	11	19	26	39
65+	22	19.1	389	5	6	11	23	53	71	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	6.7	22	1	2	6	8	13	17	24
B. Operated	126	5.5	7	3	3	5	6	8	9	18
2. MULTIPLE DX										
A. Not Operated	261	11.5	129	2	3	9	14	21	30	74
B. Operated	125	10.9	122	3	4	7	13	23	31	70
1. SINGLE DX	228	6.0	14	2	3	5	7	10	14	20
2. MULTIPLE DX	386	11.3	127	2	3	8	14	21	30	73
A. NOT OPERATED	363	10.1	104	2	2	8	13	19	26	67
B. OPERATED	251	8.2	72	3	4	6	8	16	23	46
TOTAL 0-19 YRS	51	6.8	31	2	2	5	8	13	17	30
20-34	111	7.5	67	2	3	6	8	13	20	50
35-49	120	7.2	24	2	3	6	9	15	17	25
50-64	154	8.3	46	2	3	6	9	17	23	36
65+	178	13.5	184	2	4	9	16	24	40	78
GRAND TOTAL	614	9.3	91	2	3	7	11	18	24	59

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	98	7.2	21	1	1	7	10	13	15	20	
20-34	58	6.4	17	1	2	6	8	11	14	23	
35-49	79	7.4	17	2	3	7	10	13	15	21	
50-64	156	8.2	39	2	2	7	10	15	19	55	
65+	201	10.2	62	2	3	8	14	21	25	39	
B. Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	2	5.0	2	4	4	5	6	6	6	6	
35-49											
50-64	1	2.0		2	2	2	2	2	2	2	
65+	3	6.3	14	2	2	8	9	9	9	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	54	7.1	27	1	2	6	10	15	17	25	
20-34	67	8.6	52	2	3	6	10	18	23	42	
35-49	133	8.3	53	2	3	7	9	16	22	46	
50-64	308	9.2	55	2	3	7	12	18	24	40	
65+	685	11.6	133	2	3	9	14	23	33	79	
B. Operated											
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10	
20-34	1	20.0		20	20	20	20	20	20	20	
35-49	12	13.8	135	3	4	10	18	31	42	44	
50-64	19	21.3	297	3	4	17	27	43	62	74	
65+	28	19.6	273	7	8	16	21	66	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	592	8.4	41	2	2	7	11	16	20	31	
B. Operated	7	4.9	8	2	2	4	7	9	9	9	
2. MULTIPLE DX											
A. Not Operated	1247	10.3	98	2	3	8	13	21	27	58	
B. Operated	62	18.7	242	3	6	16	24	38	80	99+	
1. SINGLE DX	599	8.4	40	2	2	7	11	16	20	30	
2. MULTIPLE DX	1309	10.7	108	2	3	8	13	22	28	66	
A. NOT OPERATED	1839	9.7	81	2	3	7	12	18	24	55	
B. OPERATED	69	17.3	236	3	4	14	21	36	73	99+	
TOTAL 0-19 YRS	155	7.2	23	1	2	7	10	14	15	22	
20-34	128	7.6	37	2	2	6	9	16	20	29	
35-49	224	8.3	46	2	3	7	10	14	20	44	
50-64	484	9.3	65	2	2	7	12	18	24	49	
65+	917	11.5	123	2	3	8	14	23	31	84	
GRAND TOTAL	1908	10.0	88	2	3	8	12	19	25	57	

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	102	6.5	23	1	1	5	8	12	15	31	
20-34	75	4.4	9	1	1	4	6	9	10	15	
35-49	35	6.1	14	1	1	6	9	12	13	14	
50-64	15	11.8	94	1	1	9	16	20	35	40	
65+	14	9.0	26	2	3	8	13	15	19	20	
B. Operated											
0-19 YRS	1	7.0		7	7	7	7	7	7	7	
20-34	2	11.5	25	8	8	11	15	15	15	15	
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	98	6.5	31	1	2	5	8	12	18	29	
20-34	105	7.5	29	2	2	7	9	15	17	29	
35-49	51	7.7	44	2	2	6	9	14	18	41	
50-64	44	10.7	31	2	4	10	13	20	21	24	
65+	89	13.6	67	5	6	12	17	25	26	47	
B. Operated											
0-19 YRS	4	8.5	34	4	4	6	12	17	17	17	
20-34	8	13.9	141	5	6	8	17	34	41	41	
35-49	5	21.2	314	9	9	14	28	52	52	52	
50-64	7	32.7	751	8	10	20	49	79	84	84	
65+	10	29.3	467	5	7	31	44	87	99	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	241	6.3	27	1	1	5	8	12	15	28	
B. Operated											
	3	10.0	19	7	7	8	13	15	15	15	
2. MULTIPLE DX											
A. Not Operated											
	387	9.0	48	2	2	7	12	18	22	32	
B. Operated											
	34	22.7	413	5	6	17	31	57	82	99+	
1. SINGLE DX	244	6.3	27	1	1	5	8	12	15	28	
2. MULTIPLE DX	421	10.1	90	2	2	8	13	20	26	55	
A. NOT OPERATED	628	8.0	42	1	2	6	10	16	21	31	
B. OPERATED	37	21.7	392	5	6	16	31	55	82	99+	
TOTAL 0-19 YRS											
	205	6.5	29	1	2	5	8	12	16	29	
20-34	190	6.6	30	1	2	5	8	13	17	30	
35-49	91	7.9	55	1	2	6	10	14	18	47	
50-64	66	13.3	156	1	4	11	16	21	27	80	
65+	113	14.4	117	4	5	12	18	26	33	86	
GRAND TOTAL	665	8.7	70	1	2	7	11	17	23	47	

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	170	7.9	27	2	2	7	10	14	17	27	
20-34	149	6.5	18	2	2	6	9	12	13	23	
35-49	165	7.6	16	2	3	7	10	12	16	21	
50-64	273	8.5	39	2	3	7	11	15	19	32	
65+	358	9.1	39	2	3	8	12	16	21	41	
B. Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	5	7.4	17	1	1	7	10	12	12	12	
35-49	9	6.1	18	2	3	4	8	13	16	16	
50-64	16	8.5	87	1	2	4	12	17	31	37	
65+	20	10.3	203	2	2	5	10	27	49	59	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	102	7.0	43	1	1	6	9	15	20	34	
20-34	222	8.1	51	2	3	6	10	15	20	46	
35-49	366	9.0	43	3	3	7	12	17	22	36	
50-64	815	10.3	66	3	3	8	13	19	25	43	
65+	1357	12.4	101	3	4	10	15	24	34	94	
B. Operated											
0-19 YRS	10	15.3	87	3	4	15	21	28	30	30	
20-34	45	14.2	164	2	3	11	16	23	51	59	
35-49	88	20.0	328	3	4	13	28	59	76	99+	
50-64	167	20.7	319	4	6	15	27	50	77	99+	
65+	209	26.3	468	4	6	21	43	81	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1115	8.2	32	2	3	7	10	15	19	28	
B. Operated	51	8.5	110	2	2	5	9	16	36	59	
2. MULTIPLE DX											
A. Not Operated	2862	10.8	80	2	3	9	13	21	28	57	
B. Operated	519	22.2	375	3	5	16	32	64	96	99+	
1. SINGLE DX	1166	8.2	35	2	3	7	10	15	19	31	
2. MULTIPLE DX	3381	12.6	142	3	3	9	15	26	39	99+	
A. NOT OPERATED	3977	10.1	68	2	3	8	13	19	26	50	
B. OPERATED	570	21.0	367	3	4	15	30	62	89	99+	
TOTAL 0-19 YRS											
20-34	421	8.2	56	2	2	6	10	15	20	48	
35-49	628	10.2	91	3	3	8	12	19	26	76	
50-64	1271	11.3	107	2	3	9	13	22	32	72	
65+	1944	13.2	152	3	4	10	16	28	43	99+	
GRAND TOTAL	4547	11.5	118	2	3	9	14	23	35	94	

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	7	4.9	4	2	2	5	7	7	7	7
20-34	35	4.5	6	<1	<1	5	6	7	8	10
35-49	5	5.0	1	4	4	5	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	4.1	7	1	1	4	5	8	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	7	3.3	6	<1	<1	2	5	7	7	7
20-34	53	6.1	13	<1	1	6	8	10	14	16
35-49	15	7.5	12	2	4	7	9	12	15	16
50-64	2	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.5	49	1	1	2	7	18	19	19
B. Operated	48	4.6	5	<1	1	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	9	3.9	6	1	1	4	5	8	9	9
B. Operated	77	6.2	13	<1	1	6	8	10	13	16
1. SINGLE DX	54	4.7	9	<1	1	5	6	7	8	19
2. MULTIPLE DX	86	5.9	13	<1	1	6	8	9	13	16
A. NOT OPERATED	15	4.5	22	1	1	3	5	9	16	19
B. OPERATED	125	5.6	10	<1	1	6	7	9	11	16
TOTAL 0-19 YRS										
0-19 YRS	16	5.2	19	<1	<1	5	7	7	16	19
20-34	99	5.2	11	<1	<1	5	7	9	11	16
35-49	21	6.6	11	1	3	6	8	10	14	16
50-64	3	6.7	16	2	2	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	140	5.5	12	<1	1	5	7	9	11	17

181 Hospitals, Canada, January-December 1984

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	2.9	6	1	1	2	3	6	7	13
20-34	43	4.0	12	<1	1	3	5	8	11	17
35-49	20	5.4	62	<1	<1	4	5	9	23	37
50-64	22	5.1	20	1	1	4	8	9	14	21
65+	43	5.0	38	<1	<1	2	6	10	21	28
B. Operated										
0-19 YRS										
20-34	12	5.9	40	<1	<1	4	7	17	20	21
35-49	4	7.3	42	1	1	6	12	16	16	16
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	8.0	13	5	5	7	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	5.2	25	1	1	3	7	11	16	24
20-34	67	5.4	20	1	1	5	8	10	11	26
35-49	72	6.0	41	<1	1	4	8	12	17	39
50-64	92	6.9	51	1	1	5	8	14	20	40
65+	245	8.6	77	1	2	6	10	17	26	64
B. Operated										
0-19 YRS	6	6.3	18	2	2	6	7	13	14	14
20-34	10	19.1	103	2	5	20	27	31	33	33
35-49	19	13.3	87	4	5	12	17	25	35	41
50-64	20	13.4	82	2	4	12	20	32	65	99+
65+	11	19.6	109	8	9	19	32	54	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	4.2	23	<1	1	3	5	8	11	27
B. Operated	21	6.6	30	<1	<1	5	9	15	18	21
2. MULTIPLE DX										
A. Not Operated	539	7.2	56	1	1	5	9	15	20	36
B. Operated	66	14.6	95	2	5	13	22	32	37	99+
1. SINGLE DX	203	4.4	24	<1	1	3	5	9	13	27
2. MULTIPLE DX	605	8.0	66	1	1	6	10	17	26	45
A. NOT OPERATED	721	6.4	50	1	1	4	8	14	19	35
B. OPERATED	87	12.7	91	2	3	10	18	29	35	99+
TOTAL 0-19 YRS	123	4.2	18	1	1	3	5	10	13	21
20-34	132	6.0	39	<1	1	4	8	12	21	30
35-49	115	7.1	58	<1	1	5	9	16	21	42
50-64	136	7.5	55	1	1	6	9	18	23	54
65+	302	8.5	78	1	1	6	10	18	28	67

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	7.6	13	3	3	6	10	13	13	13
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+	8	7.6	21	2	3	6	11	15	15	15
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64	3	4.7	40	<1	<1	<1	9	12	12	12
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.8	27	2	2	5	8	16	18	18
20-34	4	4.5	8	1	1	4	6	8	8	8
35-49	5	8.8	49	4	4	6	11	21	21	21
50-64	18	18.4	194	4	5	16	28	37	49	56
65+	38	20.8	428	2	4	12	27	60	80	99+
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	31.0	392	17	17	31	45	45	45	45
35-49	6	20.5	115	3	4	21	29	32	32	32
50-64	4	20.8	75	11	11	20	27	31	31	31
65+	8	25.6	427	5	8	23	41	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	7.9	16	2	3	6	11	14	15	15
B. Operated	6	3.7	17	<1	<1	2	3	11	12	12
2. MULTIPLE DX										
A. Not Operated	73	17.0	305	2	4	10	21	42	61	99
B. Operated	21	22.7	239	4	5	21	31	53	84	99+
1. SINGLE DX	23	6.8	19	<1	1	6	10	13	14	15
2. MULTIPLE DX	94	18.3	293	3	4	14	25	45	63	99+
A. NOT OPERATED	90	15.3	262	2	4	9	19	38	57	98
B. OPERATED	27	18.5	252	<1	2	17	27	41	76	99+
TOTAL 0-19 YRS	17	6.7	18	2	3	5	9	13	16	18
20-34	9	10.3	192	1	1	5	10	34	45	45
35-49	12	15.0	104	3	4	14	23	30	32	32
50-64	25	17.2	173	<1	4	15	25	34	42	56
65+	54	19.6	386	2	5	13	25	61	88	99+

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	13.6	19	6	7	14	16	19	21	24
20-34	21	12.1	24	7	8	10	14	20	24	25
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	3	16.7	281	6	6	8	29	36	36	36
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	12.7	81	2	3	13	16	25	38	93
20-34	21	16.3	49	5	6	16	23	24	26	28
35-49	3	17.7	120	9	9	14	26	30	30	30
50-64										
65+										
B. Operated										
0-19 YRS	7	22.4	110	13	13	20	37	82	99+	99+
20-34	7	17.4	29	9	9	20	22	22	22	22
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	13.3	20	6	7	14	16	19	21	25
B. Operated	6	9.2	180	1	1	4	8	33	36	36
2. MULTIPLE DX										
A. Not Operated	86	13.7	76	3	3	14	17	24	31	79
B. Operated	14	19.9	71	9	11	20	22	39	85	99+
1. SINGLE DX	101	13.0	29	4	7	14	16	20	22	30
2. MULTIPLE DX	100	14.6	79	3	4	14	20	27	37	99+
A. NOT OPERATED	181	13.5	46	3	5	14	16	22	25	43
B. OPERATED	20	16.7	121	1	2	17	22	37	66	99+
TOTAL 0-19 YRS	143	13.6	54	3	4	14	16	22	30	99+
20-34	52	14.8	48	6	7	13	21	24	25	36
35-49	6	9.7	125	1	1	6	14	28	30	30
50-64										
65+										
GRAND TOTAL	201	13.8	54	3	5	14	17	23	28	70

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	6.3	16	2	2	5	9	12	15	15
20-34	4	10.5	46	4	4	9	15	20	20	20
35-49	5	9.2	30	4	4	10	12	17	17	17
50-64										
65+	1	22.0		22	22	22	22	22	22	22
B. Operated										
0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	97	8.0	5	6	6	8	9	11	11	17
35-49	75	8.3	5	6	7	8	9	11	14	16
50-64	4	6.8		6	6	7	7	7	7	7
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	7.7	57	1	2	5	11	14	27	31
20-34	19	7.3	37	1	2	4	11	17	21	22
35-49	27	9.9	114	<1	2	8	10	17	29	57
50-64	30	11.0	95	2	3	7	15	23	38	39
65+	35	13.8	102	3	5	11	18	34	40	99+
B. Operated										
0-19 YRS	5	7.8	3	7	7	7	8	11	11	11
20-34	98	10.6	43	6	7	9	12	15	20	46
35-49	103	10.5	40	6	7	9	11	16	22	70
50-64	25	15.4	188	5	6	10	17	45	49	52
65+	3	37.3	401	22	22	30	52	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	8.5	33	2	3	7	11	18	21	22
B. Operated	181	8.1	5	6	6	8	9	11	12	16
2. MULTIPLE DX										
A. Not Operated	126	10.6	91	2	2	8	14	23	35	67
B. Operated	234	11.3	70	6	7	9	12	18	27	54
1. SINGLE DX	203	8.2	8	4	6	8	9	11	13	19
2. MULTIPLE DX	360	11.1	77	3	5	9	12	20	31	57
A. NOT OPERATED	148	10.3	83	2	2	8	13	22	34	57
B. OPERATED	415	9.9	44	6	7	8	10	14	19	49
TOTAL 0-19 YRS	36	7.2	29	2	2	6	9	11	15	31
20-34	218	9.2	27	4	6	8	10	13	18	31
35-49	210	9.6	37	5	6	8	10	14	18	50
50-64	59	12.6	132	2	3	8	15	26	42	52
65+	40	15.8	150	4	5	12	22	35	50	99+
GRAND TOTAL	563	10.0	54	3	5	8	11	16	23	51

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	66	4.7	23	1	1	3	6	9	14	26
20-34	28	3.8	19	<1	<1	2	5	11	15	17
35-49	17	4.5	11	<1	<1	4	6	7	12	14
50-64	9	8.9	120	2	2	6	9	27	37	37
65+	6	6.0	6	3	3	7	8	8	8	8
<i>B. Operated</i>										
0-19 YRS	12	6.5	22	1	1	6	10	13	14	14
20-34	55	4.3	6	<1	<1	4	6	7	9	10
35-49	59	3.9	5	<1	2	3	6	7	7	10
50-64	31	7.6	38	1	2	6	11	16	21	26
65+	14	9.4	141	1	3	5	9	18	41	48
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	52	7.8	44	2	2	6	10	15	25	30
20-34	33	8.2	54	1	2	6	11	16	20	37
35-49	65	8.2	65	<1	<1	6	10	18	23	46
50-64	38	8.9	50	1	3	7	11	17	25	32
65+	69	12.3	204	2	3	8	16	23	54	98
<i>B. Operated</i>										
0-19 YRS	20	9.8	69	1	2	10	12	22	29	30
20-34	91	5.9	11	3	3	5	7	10	11	22
35-49	99	7.0	43	2	2	5	8	12	21	37
50-64	62	12.8	314	2	3	7	14	30	44	94
65+	32	17.9	169	2	4	17	25	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	126	4.8	27	<1	1	3	6	9	14	29
<i>B. Operated</i>	171	5.3	26	<1	1	4	7	10	14	25
2. MULTIPLE DX										
<i>A. Not Operated</i>	257	9.3	97	1	2	7	12	19	26	61
<i>B. Operated</i>	304	9.2	118	2	3	6	10	18	30	72
1. SINGLE DX	297	5.1	26	<1	1	4	7	10	14	27
2. MULTIPLE DX	561	9.3	108	2	2	6	11	19	29	61
A. NOT OPERATED	383	7.8	78	<1	1	6	10	17	22	52
B. OPERATED	475	7.8	88	1	2	5	8	15	26	48
TOTAL 0-19 YRS	150	6.6	39	1	1	4	9	14	20	30
20-34	207	5.6	19	<1	1	5	7	10	14	23
35-49	240	6.4	40	<1	2	5	7	12	17	34
50-64	140	10.4	171	2	2	6	11	21	31	90
65+	121	13.2	185	2	3	9	17	27	50	99+
GRAND TOTAL	858	7.8	83	1	2	5	9	16	24	49

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	8	4.0	7	1	1	3	5	8	9	9
20-34	17	4.9	13	1	2	4	7	10	12	13
35-49	27	5.4	28	1	1	4	7	9	14	28
50-64	44	5.6	13	1	2	5	7	11	13	17
<i>B. Operated</i>										
0-19 YRS	3	7.3	72	1	1	4	14	17	17	17
20-34	4	7.5	38	2	2	6	12	15	15	15
35-49	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.0	18	1	1	6	7	11	11	11
35-49	10	4.5	10	1	1	4	5	9	12	12
50-64	42	7.8	26	2	3	7	11	15	19	23
65+	156	9.2	62	2	3	7	12	17	24	57
<i>B. Operated</i>										
0-19 YRS	3	6.0	9	3	3	6	8	9	9	9
20-34	12	15.8	113	2	3	15	21	32	36	37
35-49	20	18.7	161	3	4	16	29	44	71	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	96	5.3	16	1	2	4	7	10	12	23
<i>B. Operated</i>	9	6.3	37	1	1	3	11	16	17	17
2. MULTIPLE DX										
<i>A. Not Operated</i>	214	8.6	53	2	3	7	11	17	22	53
<i>B. Operated</i>	35	16.6	139	3	3	15	25	36	46	99+
1. SINGLE DX	105	5.4	18	1	2	4	7	11	13	22
2. MULTIPLE DX	249	9.7	72	2	3	7	12	21	28	58
A. NOT OPERATED	310	7.6	44	2	2	6	10	15	19	39
B. OPERATED	44	14.5	135	2	3	14	22	31	43	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	4.9	19	1	1	4	7	11	15	17
35-49	30	4.9	11	1	2	4	7	10	12	13
50-64	85	8.1	48	2	2	6	11	18	22	35
65+	222	9.3	71	2	3	7	12	19	28	69
GRAND TOTAL	354	8.4	60	2	2	6	11	17	24	50

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	11	2.5	3	1	1	2	4	5	6	6	
20-34	6	2.8	3	1	1	3	4	5	5	5	
35-49	8	4.5	28	1	1	3	5	13	17	17	
50-64	14	5.3	33	1	1	4	6	9	21	24	
65+	37	10.0	95	2	2	7	13	30	38	99+	
B. Operated											
0-19 YRS											
20-34	1	7.0		7	7	7	7	7	7	7	
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	52	4.2	11	1	1	3	5	8	9	20	
20-34	32	5.9	46	1	1	4	7	12	27	29	
35-49	52	6.8	33	2	2	5	9	14	18	28	
50-64	94	6.7	32	1	1	5	8	14	18	30	
65+	456	11.6	152	2	3	8	14	25	35	88	
B. Operated											
0-19 YRS	1	10.0		10	10	10	10	10	10	10	
20-34	3	2.0	1	1	1	2	3	3	3	3	
35-49	6	3.3	3	1	1	3	5	5	5	5	
50-64	7	12.0	60	1	2	15	17	22	23	23	
65+	34	24.6	471	1	4	16	35	59	72	89	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	76	6.9	64	1	1	4	8	18	30	84	
B. Operated											
	1	7.0		7	7	7	7	7	7	7	
2. MULTIPLE DX											
A. Not Operated											
	686	9.7	118	2	2	7	12	20	30	74	
B. Operated											
	51	18.7	395	1	2	13	24	46	59	89	
1. SINGLE DX											
	77	6.9	64	1	1	4	8	18	30	83	
2. MULTIPLE DX											
	737	10.4	142	2	2	7	12	22	33	80	
A. NOT OPERATED											
	762	9.5	113	1	2	6	11	20	30	77	
B. OPERATED											
	52	18.5	390	1	2	13	24	46	59	89	
TOTAL 0-19 YRS											
	64	4.0	10	1	1	3	5	8	9	19	
20-34	42	5.2	37	1	1	3	6	9	21	29	
35-49	66	6.2	30	1	2	4	8	14	17	28	
50-64	115	6.8	35	1	1	5	9	15	18	28	
65+	527	12.3	178	2	3	8	14	28	42	91	
GRAND TOTAL											
	814	10.0	135	1	2	7	12	22	33	81	

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	63	6.9	16	1	2	6	10	12	14	20	
20-34	9	4.0	9	<1	<1	5	6	8	8	8	
35-49	18	5.6	21	1	1	4	7	9	17	21	
50-64	16	5.6	37	1	1	5	6	9	21	26	
65+	66	8.7	103	1	2	6	10	17	32	61	
B. Operated											
0-19 YRS											
20-34	3	5.7	6	3	3	6	7	8	8	8	
35-49	2	5.0		5	5	5	5	5	5	5	
50-64	5	14.2	41	8	8	12	20	22	22	22	
65+	12	9.2	23	1	2	9	13	15	18	18	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	85	7.3	31	1	2	6	8	14	18	31	
20-34	21	5.0	60	1	1	3	5	9	22	37	
35-49	45	5.7	33	<1	1	4	7	13	17	30	
50-64	80	8.0	41	1	1	6	11	17	19	33	
65+	311	10.0	71	2	3	8	13	19	25	38	
B. Operated											
0-19 YRS	3	9.7	46	2	2	12	14	15	15	15	
20-34	19	9.1	19	3	3	10	13	14	15	16	
35-49	30	10.1	27	4	4	10	14	17	20	22	
50-64	37	12.5	38	2	5	11	16	21	23	28	
65+	112	15.7	83	4	6	14	21	29	34	69	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	172	7.2	53	1	1	6	9	13	18	37	
B. Operated	22	9.5	30	2	3	8	13	19	21	22	
2. MULTIPLE DX											
A. Not Operated	542	8.7	59	1	2	7	11	18	22	37	
B. Operated	201	13.6	66	4	5	12	17	23	30	49	
1. SINGLE DX	194	7.5	51	1	1	6	9	13	20	36	
2. MULTIPLE DX	743	10.0	65	1	2	8	14	20	25	37	
A. NOT OPERATED	714	8.4	58	1	2	7	11	17	21	37	
B. OPERATED	223	13.2	64	3	4	12	17	22	29	48	
TOTAL 0-19 YRS	151	7.2	25	1	2	6	9	14	16	25	
20-34	52	6.4	36	<1	1	5	8	14	14	37	
35-49	95	7.1	32	1	2	5	10	16	19	26	
50-64	138	9.2	45	1	1	8	13	19	22	29	
65+	501	11.1	83	2	3	9	14	21	29	45	
GRAND TOTAL	937	9.5	63	1	2	7	13	19	23	37	

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.8	14	1	1	2	6	10	12	12
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.8	15	3	4	7	8	14	16	16
20-34	6	8.8	61	3	3	6	9	22	24	24
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.6	10	1	1	2	5	8	11	12
B. Operated										
2. MULTIPLE DX										
A. Not Operated	17	7.5	29	3	3	7	8	15	21	24
B. Operated	3	8.0	31	3	3	7	12	14	14	14
1. SINGLE DX	15	3.6	10	1	1	2	5	8	11	12
2. MULTIPLE DX	20	7.6	27	3	3	7	8	15	20	24
A. NOT OPERATED	32	5.7	23	1	1	4	7	10	16	24
B. OPERATED	3	8.0	31	3	3	7	12	14	14	14
TOTAL 0-19 YRS	19	6.0	20	1	1	6	8	13	15	16
20-34	9	7.0	46	2	2	4	8	18	24	24
35-49	6	4.2	5	1	1	4	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	35	5.9	23	1	1	5	8	12	15	24

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	3.4	13	<1	<1	2	4	8	10	18
20-34	14	4.6	7	1	2	4	6	8	10	11
35-49	29	6.5	42	1	1	3	9	15	22	25
50-64	16	5.3	15	<1	1	4	8	10	13	15
65+	112	8.8	195	1	1	4	10	18	25	93
B. Operated										
0-19 YRS	9	8.7	47	1	2	7	10	20	25	25
20-34	5	14.8	481	4	4	6	18	54	54	54
35-49	8	6.0	12	1	2	5	9	11	11	11
50-64	7	10.7	77	4	4	7	13	26	29	29
65+	18	13.7	58	6	8	11	16	26	32	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	4.0	24	<1	<1	2	5	10	13	26
20-34	28	6.3	33	1	1	5	7	15	22	23
35-49	46	6.4	57	1	1	5	8	12	18	45
50-64	116	6.5	38	1	1	5	10	14	17	29
65+	487	10.0	123	1	1	7	13	21	34	68
B. Operated										
0-19 YRS	13	19.8	256	3	6	19	26	59	91	99+
20-34	9	8.3	4	6	6	8	9	11	12	12
35-49	20	12.3	45	4	5	11	14	18	27	35
50-64	49	22.0	479	5	6	15	22	54	82	95
65+	162	20.1	218	5	7	15	26	42	52	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	250	6.4	103	<1	1	3	8	15	19	43
B. Operated	47	11.1	93	3	4	9	12	24	30	54
2. MULTIPLE DX										
A. Not Operated	774	8.4	96	1	1	6	11	18	26	55
B. Operated	253	19.4	256	5	6	14	25	42	56	95
1. SINGLE DX	297	7.1	104	<1	1	4	9	16	21	49
2. MULTIPLE DX	1027	11.1	158	1	1	8	14	25	39	79
A. NOT OPERATED	1024	7.9	98	<1	1	5	10	17	25	53
B. OPERATED	300	18.1	240	4	6	13	23	40	53	92
TOTAL 0-19 YRS	198	5.0	51	<1	<1	2	7	12	21	51
20-34	56	7.0	61	1	1	6	8	12	20	52
35-49	103	7.5	52	1	1	5	11	14	21	40
50-64	188	10.6	196	1	1	7	12	21	36	86
65+	779	12.0	169	1	1	9	15	27	40	80
GRAND TOTAL	1324	10.2	148	1	1	7	13	23	35	74

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.3	35	1	1	4	5	14	21	22
20-34	2	36.0	2048	4	4	36	68	68	68	68
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.1	46	2	2	6	8	18	24	24
20-34	3	9.0	7	7	7	8	11	12	12	12
35-49	3	7.7	30	4	4	5	12	14	14	14
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	16.5	113	9	9	16	24	24	24	24
B. Operated										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	2	23.5	61	18	18	23	29	29	29	29
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	10.0	333	1	2	4	6	31	61	68
B. Operated										
2. MULTIPLE DX										
A. Not Operated	18	9.7	60	2	2	7	12	24	26	27
B. Operated	5	26.2	388	9	9	18	36	59	59	59
1. SINGLE DX	13	10.0	333	1	2	4	6	31	61	68
2. MULTIPLE DX	23	13.3	165	2	3	8	17	27	39	59
A. NOT OPERATED	31	9.8	167	2	2	5	9	24	27	68
B. OPERATED	5	26.2	388	9	9	18	36	59	59	59
TOTAL 0-19 YRS	21	8.6	170	1	2	4	8	23	40	59
20-34	7	20.9	503	4	5	12	26	60	68	68
35-49	4	9.8	38	4	4	9	15	16	16	16
50-64	1	27.0		27	27	27	27	27	27	27
65+	3	14.0	75	9	9	9	20	24	24	24
GRAND TOTAL	36	12.1	221	2	2	7	15	27	50	68

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	4.1	11	<1	1	3	5	8	10	17
20-34	21	5.5	15	1	1	4	7	11	15	15
35-49	11	4.2	9	1	1	3	6	9	10	10
50-64	20	4.6	7	<1	1	5	6	7	10	12
65+	25	4.8	13	1	2	3	7	11	12	15
B. Operated										
0-19 YRS	36	7.6	33	1	2	6	10	16	18	28
20-34	24	7.9	9	3	3	8	10	11	13	16
35-49	22	8.5	16	5	5	8	9	13	20	20
50-64	11	6.9	24	1	2	5	8	14	19	19
65+	18	12.7	70	4	5	9	18	25	29	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	5.9	20	1	2	4	8	11	15	23
20-34	31	6.2	62	<1	<1	4	7	11	19	43
35-49	36	6.0	24	1	1	4	8	15	16	19
50-64	53	10.8	212	2	3	7	11	25	29	96
65+	106	9.9	68	1	2	8	13	22	34	99+
B. Operated										
0-19 YRS	28	9.0	34	2	2	8	12	16	22	23
20-34	38	10.4	35	3	4	9	15	19	21	24
35-49	24	13.6	185	2	4	9	15	28	43	66
50-64	37	16.2	139	5	6	13	21	31	46	52
65+	62	17.3	200	3	5	14	23	38	45	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	4.4	11	<1	1	4	6	8	11	16
B. Operated	111	8.6	32	2	3	7	10	17	20	29
2. MULTIPLE DX										
A. Not Operated	307	8.2	78	1	2	6	10	18	25	66
B. Operated	189	14.0	137	3	4	10	17	28	39	61
1. SINGLE DX	303	5.9	23	1	1	5	8	11	16	24
2. MULTIPLE DX	496	10.4	108	2	2	7	14	22	30	59
A. NOT OPERATED	499	6.7	55	1	2	5	8	14	20	40
B. OPERATED	300	12.0	104	2	4	9	15	23	31	51
TOTAL 0-19 YRS	260	5.7	22	1	1	4	7	12	16	23
20-34	114	7.8	36	1	2	7	10	15	19	31
35-49	93	8.3	71	1	2	7	9	16	20	52
50-64	121	11.1	154	2	3	7	13	24	30	65
65+	211	11.7	116	2	3	9	15	25	37	86
GRAND TOTAL	799	8.7	80	1	2	6	11	19	25	48

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	344	1.9	1	1	1	2	2	3	4	5
20-34	43	1.7	1	1	1	1	2	3	4	6
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	110	4.3	3	2	2	4	5	6	7	11
20-34	30	4.3	4	2	3	4	5	6	9	12
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	2.3	2	1	1	2	3	4	6	8
20-34	8	1.6		1	1	2	2	2	2	2
35-49	4	2.5		2	2	2	3	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	47	5.0	6	3	3	4	6	7	9	17
20-34	17	6.9	26	3	4	6	7	11	20	25
35-49	5	6.6	4	4	4	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	392	1.9	1	1	1	2	2	3	4	5
B. Operated	141	4.3	4	2	3	4	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	116	2.3	2	1	1	2	3	4	5	8
B. Operated	70	5.7	11	3	3	5	7	8	9	23
1. SINGLE DX	533	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	186	3.6	8	1	1	3	5	7	8	15
A. NOT OPERATED	508	2.0	1	1	1	2	2	4	4	6
B. OPERATED	211	4.8	6	2	3	4	6	7	9	14
TOTAL 0-19 YRS	601	2.7	3	1	1	2	4	5	6	9
20-34	98	3.4	10	1	1	3	4	6	8	19
35-49	14	3.7	7	1	1	3	5	8	8	8
50-64	5	5.2	25	1	1	3	10	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	719	2.8	4	1	1	2	4	5	6	10

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	3.2	6	1	1	2	4	7	9	11
20-34	15	4.3	9	1	1	3	5	10	10	10
35-49	4	4.3	<1	<1	4	6	7	7	7	7
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	2	8.5	41	4	4	8	13	13	13	13
B. Operated										
0-19 YRS	25	5.0	22	<1	1	3	6	12	15	20
20-34	22	3.5	7	<1	1	3	4	8	9	11
35-49	4	4.0	22	<1	<1	2	7	11	11	11
50-64	3	6.3	24	3	3	4	10	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	5.5	20	1	2	4	7	10	16	22
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	5.7	17	<1	<1	7	8	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	7	9.1	42	4	4	7	10	20	23	23
20-34	7	4.0	8	1	1	2	7	8	8	8
35-49	10	11.1	81	1	1	9	16	25	29	29
50-64	4	11.8	114	<1	<1	10	19	26	26	26
65+	4	10.3	144	3	3	5	17	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.6	8	1	1	3	5	8	10	13
B. Operated	55	4.3	15	<1	1	3	5	11	12	20
2. MULTIPLE DX										
A. Not Operated	40	5.3	18	1	1	4	7	10	13	22
B. Operated	32	9.1	66	1	2	7	11	24	28	29
1. SINGLE DX	128	3.9	11	1	1	3	5	9	11	15
2. MULTIPLE DX	72	7.0	42	1	2	5	9	16	23	29
A. NOT OPERATED	113	4.2	12	1	1	3	5	9	10	18
B. OPERATED	87	6.1	39	<1	1	4	8	13	22	29
TOTAL 0-19 YRS	112	4.6	17	1	1	3	6	10	12	22
20-34	46	3.8	7	1	1	3	5	8	10	11
35-49	19	8.1	57	<1	1	7	11	20	26	29
50-64	13	7.2	47	<1	<1	6	10	16	24	26
65+	10	6.9	66	2	2	4	7	20	28	28
GRAND TOTAL	200	5.0	24	1	1	3	6	10	14	27

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.3	26	2	2	5	10	12	12	12
20-34	19	10.8	73	1	2	10	14	27	28	28
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	4	20.3	288	2	2	19	33	41	41	41
65+	11	6.3	39	1	1	4	13	43	92	99+
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	16.5	1	16	16	16	17	17	17	17
20-34	6	18.2	355	1	1	13	32	46	48	48
35-49	3	7.7	20	3	3	8	11	12	12	12
50-64	14	10.6	69	1	3	8	18	23	25	26
65+	41	16.3	310	2	3	10	24	50	93	99+
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	37.0	576	13	13	37	55	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	9.4	86	1	1	6	13	27	33	99+
B. Operated										
2. MULTIPLE DX										
A. Not Operated	66	14.9	241	1	2	10	22	39	65	99+
B. Operated	4	28.5	673	3	3	25	49	61	61	61
1. SINGLE DX	41	9.4	86	1	1	6	13	27	33	99+
2. MULTIPLE DX	70	15.7	267	1	3	10	23	43	62	99+
A. NOT OPERATED	107	12.8	188	1	2	9	19	29	48	99+
B. OPERATED	4	28.5	673	3	3	25	49	61	61	61
TOTAL 0-19 YRS	5	10.4	44	2	2	12	16	17	17	17
20-34	25	12.6	139	1	1	10	15	28	36	48
35-49	7	4.9	16	1	1	4	7	11	12	12
50-64	19	12.3	119	1	2	10	20	26	34	41

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.7	16	<1	<1	2	6	10	12	12
20-34	21	11.0	145	1	1	6	16	32	37	42
35-49	16	17.1	313	2	2	9	29	44	58	63
50-64	22	15.4	323	2	3	7	22	28	51	85
65+	204	17.3	402	2	2	10	24	63	92	99+
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	15.0	392	<1	<1	14	29	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	11.3	147	1	1	7	17	32	35	36
20-34	22	22.8	707	1	2	14	39	77	88	99+
35-49	21	18.8	451	2	3	9	28	44	71	88
50-64	56	19.1	295	3	4	13	27	51	65	98
65+	455	22.2	405	3	4	17	36	76	99+	99+
B. Operated										
0-19 YRS										
20-34	1	64.0		64	64	64	64	64	64	64
35-49	1	50.0		50	50	50	50	50	50	50
50-64	5	23.4	285	4	4	18	40	43	43	43
65+	31	37.2	529	8	9	47	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	16.2	363	1	2	9	22	53	80	99+
B. Operated	3	10.7	252	<1	<1	2	22	29	29	29
2. MULTIPLE DX										
A. Not Operated	566	21.6	403	2	4	16	34	70	99+	99+
B. Operated	38	36.4	509	8	9	46	65	99+	99+	99+
1. SINGLE DX	275	16.2	361	1	2	9	22	53	79	99+
2. MULTIPLE DX	604	22.5	421	2	4	17	38	75	99+	99+
A. NOT OPERATED	838	19.8	396	2	3	14	31	65	99+	99+
B. OPERATED	41	34.5	529	4	8	43	64	99+	99+	99+
TOTAL 0-19 YRS	21	8.0	102	<1	1	3	11	24	33	36
20-34	44	18.1	498	1	1	6	30	64	77	99+
35-49	38	18.9	398	2	2	10	29	49	61	88
50-64	84	18.2	299	3	3	13	26	49	60	95

181 Hospitals, Canada, January-December 1984

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+	2	39.5	1625	11	11	39	68	68	68	68	
B. Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64	1	17.0		17	17	17	17	17	17	17	
65+	38	27.5	532	4	5	21	36	68	77	85	
B. Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+	4	28.8	216	12	12	28	39	47	47	47	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2	39.5	1625	11	11	39	68	68	68	68	
B. Operated											
2. MULTIPLE DX											
A. Not Operated	39	27.2	521	4	5	21	36	67	77	85	
B. Operated	4	28.8	216	12	12	28	39	47	47	47	
1. SINGLE DX	2	39.5	1625	11	11	39	68	68	68	68	
2. MULTIPLE DX	43	27.4	487	4	5	22	36	61	76	85	
A. NOT OPERATED	41	27.8	543	4	5	21	36	70	77	85	
B. OPERATED	4	28.8	216	12	12	28	39	47	47	47	
TOTAL 0-19 YRS											
20-34											
35-49											
50-64	1	17.0		17	17	17	17	17	17	17	
65+	44	28.2	517	4	5	22	36	68	76	85	
GRAND TOTAL	45	27.9	508	4	5	22	36	68	76	85	

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	3	7.3	60	<1	<1	5	13	16	16	16	
20-34	50	3.5	9	1	1	3	4	6	9	17	
35-49	68	4.7	29	1	1	3	5	11	15	28	
50-64	58	5.3	36	1	1	4	6	10	14	39	
65+	25	8.5	208	1	1	4	9	17	33	74	
B. Operated											
0-19 YRS											
20-34											
35-49	1	12.0		12	12	12	12	12	12	12	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	6	13.7	174	3	3	7	29	32	32	32	
20-34	126	5.2	31	1	1	3	6	11	15	29	
35-49	219	5.4	30	1	1	4	7	11	14	31	
50-64	211	9.9	125	1	2	7	12	23	31	70	
65+	98	12.1	186	1	2	8	15	28	35	79	
B. Operated											
0-19 YRS											
20-34	2	10.5	25	7	7	10	14	14	14	14	
35-49	8	24.5	303	9	9	17	35	53	58	58	
50-64	13	36.9	317	14	17	40	47	83	96	99+	
65+	13	29.2	401	7	9	23	55	99+	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	204	5.1	49	1	1	3	5	11	15	35	
B. Operated											
	1	12.0		12	12	12	12	12	12	12	
2. MULTIPLE DX											
A. Not Operated											
	660	7.9	92	1	1	5	9	18	26	58	
B. Operated											
	36	29.9	354	8	9	29	46	77	99+	99+	
1. SINGLE DX	205	5.1	49	1	1	3	5	11	15	34	
2. MULTIPLE DX	696	9.0	129	1	1	5	10	23	32	72	
A. NOT OPERATED	864	7.2	83	1	1	4	8	16	24	43	
B. OPERATED	37	29.4	353	8	9	29	45	75	99+	99+	
TOTAL 0-19 YRS											
	9	11.6	134	<1	1	6	19	31	32	32	
20-34	178	4.8	25	1	1	3	5	10	14	27	
35-49	296	5.8	46	1	1	3	7	12	16	36	
50-64	282	10.2	152	1	2	6	12	24	40	79	
65+	136	13.1	236	1	2	9	17	33	55	99+	
GRAND TOTAL	901	8.1	113	1	1	4	9	19	29	70	

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	21.8	269	2	3	21	34	44	45	45
20-34	22	8.7	109	<1	1	5	13	33	61	99+
35-49	8	5.4	24	2	2	4	6	14	17	17
50-64	7	5.4	16	<1	1	4	9	12	12	12
65+	10	4.8	8	1	1	5	7	8	9	9
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	12.7	94	1	2	9	22	27	28	28
20-34	62	11.9	253	1	2	7	13	23	55	83
35-49	21	10.4	91	2	2	8	13	18	33	45
50-64	27	14.7	163	2	3	12	19	39	45	47
65+	35	12.7	198	2	2	11	17	22	39	75
B. Operated										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49										
50-64	1	88.0		88	88	88	88	88	88	88
65+	5	36.4	565	5	5	36	54	67	67	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	8.5	103	1	1	5	10	27	39	98
B. Operated										
2. MULTIPLE DX										
A. Not Operated	157	12.4	189	1	2	8	15	24	44	75
B. Operated	7	44.1	752	5	9	39	63	84	88	88
1. SINGLE DX	53	8.5	103	1	1	5	10	27	39	98
2. MULTIPLE DX	164	12.8	250	2	2	9	16	26	48	84
A. NOT OPERATED	210	11.4	169	1	2	7	14	24	44	79
B. OPERATED	7	44.1	752	5	9	39	63	84	88	88
TOTAL 0-19 YRS										
20-34	18	15.7	159	1	2	12	26	32	41	45
35-49	85	11.4	222	1	1	7	13	25	53	95
50-64	29	9.0	77	2	2	6	12	16	25	45
65+	35	14.9	303	2	3	10	18	42	46	88
65+	50	13.5	254	1	2	7	17	30	50	75
GRAND TOTAL	217	12.5	218	1	2	7	15	27	45	86

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	27.3	571	5	7	25	81	99+	99+	99+
20-34	189	20.4	381	1	3	15	28	51	70	99+
35-49	102	20.4	401	1	3	14	29	47	78	99+
50-64	37	25.7	353	4	6	22	42	65	91	99+
65+	18	20.2	203	1	3	15	27	40	50	56
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	25.0		25	25	25	25	25	25	25
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	40.4	1218	4	6	25	71	93	96	96
20-34	114	23.0	376	3	4	18	30	49	73	99
35-49	69	21.4	275	1	3	18	29	39	62	83
50-64	48	22.4	252	5	7	18	32	49	59	99+
65+	14	25.6	201	3	5	27	36	44	49	50
B. Operated										
0-19 YRS										
20-34	7	45.9	557	24	25	31	69	79	80	80
35-49	4	22.0	118	14	14	18	28	38	38	38
50-64	4	41.3	260	29	29	35	50	65	65	65
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	354	21.1	379	1	3	16	29	52	80	99+
B. Operated	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. Not Operated	252	23.1	340	2	4	18	31	48	64	98
B. Operated	15	38.3	427	15	17	31	51	74	78	80
1. SINGLE DX	355	21.1	378	1	3	16	29	52	80	99+
2. MULTIPLE DX	267	23.9	356	3	5	19	32	49	73	98
A. NOT OPERATED	606	21.9	363	2	4	17	30	50	73	99+
B. OPERATED	16	37.4	409	15	17	30	46	73	78	80
TOTAL 0-19 YRS										
0-19 YRS	15	33.4	854	4	6	25	81	99	99+	99+
20-34	310	21.9	395	1	3	17	29	51	73	99+
35-49	175	20.9	343	1	3	16	29	46	65	99
50-64	90	24.6	300	5	6	21	36	57	72	99+
65+	32	22.6	203	2	4	19	32	42	49	56
GRAND TOTAL	622	22.3	370	2	4	18	31	51	73	99+

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34	17	29.4	518	1	1	24	40	68	78	80
35-49	10	12.9	107	1	2	10	15	31	31	31
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	1	35.0		35	35	35	35	35	35	35
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	11	30.1	607	7	8	23	44	67	85	87
35-49	9	23.0	578	3	3	8	41	62	64	64
50-64										
65+	2	51.5	1405	25	25	51	78	78	78	78
B. Operated										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	23.6	385	1	2	18	35	45	72	80
B. Operated										
2. MULTIPLE DX										
A. Not Operated	23	29.4	613	3	5	23	44	67	81	87
B. Operated	2	16.5	85	10	10	16	23	23	23	23
1. SINGLE DX	31	23.6	385	1	2	18	35	45	72	80
2. MULTIPLE DX	25	28.4	578	3	5	23	43	64	80	87
A. NOT OPERATED	54	26.1	481	1	3	21	36	59	77	87
B. OPERATED	2	16.5	85	10	10	16	23	23	23	23
TOTAL 0-19 YRS	3	32.7	72	23	23	36	38	39	39	39
20-34	29	29.0	526	1	4	23	42	65	80	87
35-49	19	17.7	337	2	3	10	29	49	61	64
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	3	46.0	793	25	25	35	67	78	78	78
GRAND TOTAL	56	25.7	468	2	3	21	36	57	76	87

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	25.5	354	2	4	25	42	60	86	99+
20-34	409	22.4	391	2	3	17	34	52	69	99+
35-49	242	17.7	206	1	2	15	26	40	51	99+
50-64	90	17.5	163	2	4	16	27	34	51	99+
65+	18	19.7	375	1	2	12	26	48	64	74
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	19.4	212	3	5	14	29	40	45	57
20-34	280	21.9	386	1	3	17	32	56	73	99+
35-49	140	17.6	213	1	3	14	26	39	50	67
50-64	87	29.1	582	3	4	23	41	83	98	99+
65+	36	20.5	334	3	4	16	32	48	77	99+
B. Operated										
0-19 YRS	2	37.0	18	34	34	37	40	40	40	40
20-34	11	45.8	642	14	20	62	96	99+	99+	99+
35-49	5	34.4	251	12	14	40	51	95	99+	99+
50-64	5	39.8	611	10	10	43	56	73	73	73
65+	3	46.7	1336	9	9	49	74	82	82	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	795	20.5	312	2	3	16	30	49	62	99+
B. Operated										
2. MULTIPLE DX										
A. Not Operated	572	21.7	372	2	3	17	31	53	73	99+
B. Operated	26	41.9	526	10	12	49	76	99+	99+	99+
1. SINGLE DX	795	20.5	312	2	3	16	30	49	62	99+
2. MULTIPLE DX	598	22.6	394	2	4	18	33	57	78	99+
A. NOT OPERATED	1367	21.0	337	2	3	16	30	50	66	99+
B. OPERATED	26	41.9	526	10	12	49	76	99+	99+	99+
TOTAL 0-19 YRS	67	23.2	293	2	5	18	35	56	61	99+
20-34	700	22.5	400	2	3	17	34	55	74	99+
35-49	387	17.9	211	1	3	15	26	40	51	99+
50-64	182	23.6	411	2	4	20	33	58	91	99+
65+	57	21.6	406	2	4	15	31	49	79	99
GRAND TOTAL	1393	21.4	348	2	3	17	31	52	70	99+

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	15.7	82	4	4	15	18	30	31	31
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	19.7	193	6	7	16	28	43	45	45
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	15.7	82	4	4	15	18	30	31	31
B. Operated										
2. MULTIPLE DX										
A. Not Operated	9	19.7	193	6	7	16	28	43	45	45
B. Operated										
1. SINGLE DX	10	15.7	82	4	4	15	18	30	31	31
2. MULTIPLE DX	9	19.7	193	6	7	16	28	43	45	45
A. NOT OPERATED	19	17.6	131	4	5	16	23	36	42	45
B. OPERATED										
TOTAL 0-19 YRS	19	17.6	131	4	5	16	23	36	42	45
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	19	17.6	131	4	5	16	23	36	42	45

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	13.0	270	1	1	7	17	32	59	70
20-34	199	16.2	278	1	2	10	21	41	53	75
35-49	273	16.5	263	2	2	12	23	37	52	85
50-64	248	19.5	257	2	3	16	27	44	56	86
65+	171	21.3	248	4	5	18	28	44	62	99+
B. Operated										
0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	53.0		53	53	76	99+	99+	99+	99+
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	16.8	300	2	2	10	27	36	43	94
20-34	316	21.1	378	2	3	16	31	53	69	94
35-49	313	20.5	311	2	3	15	31	46	60	99+
50-64	350	23.7	350	3	5	20	32	52	67	99+
65+	316	24.7	294	5	7	22	34	53	72	99+
B. Operated										
0-19 YRS										
20-34	19	31.1	918	2	3	18	45	81	91	98
35-49	20	35.4	451	11	15	32	55	99	99+	99+
50-64	22	39.4	568	10	12	37	77	99+	99+	99+
65+	22	25.5	236	8	9	26	41	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	926	18.0	265	2	3	14	25	42	56	86
B. Operated	3	34.3	517	9	9	47	76	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	1343	22.4	336	2	4	18	32	50	66	99+
B. Operated	83	32.8	540	5	9	29	49	99	99+	99+
1. SINGLE DX	929	18.1	267	2	3	14	25	42	56	88
2. MULTIPLE DX	1426	23.0	353	2	4	19	34	53	71	99+
A. NOT OPERATED	2269	20.6	312	2	3	16	29	46	62	99+
B. OPERATED	86	32.9	533	5	9	30	51	99+	99+	99+
TOTAL 0-19 YRS	83	15.2	287	1	2	9	22	35	45	86
20-34	535	19.7	368	1	2	14	28	50	64	91
35-49	607	19.2	305	2	3	14	28	43	59	99+
50-64	621	22.6	334	2	4	19	31	52	67	99+
65+	509	23.6	278	4	6	21	34	50	73	99+
GRAND TOTAL	2355	21.0	325	2	3	17	30	48	65	99+

181 Hospitals, Canada, January-December 1984

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	22	21.6	343	3	5	15	30	40	63	85
20-34	253	20.3	234	2	4	18	27	43	56	75
35-49	247	16.0	191	1	2	13	22	32	46	77
50-64	155	19.1	262	2	3	16	24	40	50	90
65+	60	23.6	391	3	5	19	30	50	58	98
<i>B. Operated</i>										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	33.0		33	33	33	33	33	33	33
50-64										
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	26	29.4	673	3	4	20	53	79	91	99+
20-34	197	27.0	410	3	5	23	38	61	77	99+
35-49	193	25.1	379	3	6	20	33	55	68	97
50-64	177	25.5	351	3	6	23	35	58	75	99+
65+	128	26.2	432	4	6	22	38	62	93	99+
<i>B. Operated</i>										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	11	38.5	531	7	12	37	63	81	97	99+
35-49	10	36.5	461	18	18	29	71	99+	99+	99+
50-64	18	34.3	408	11	15	31	43	79	96	99+
65+	11	51.4	444	16	22	49	71	78	79	79
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	737	18.9	245	2	3	16	25	40	53	90
<i>B. Operated</i>	2	24.0	162	15	15	24	33	33	33	33
2. MULTIPLE DX										
<i>A. Not Operated</i>	721	26.1	399	3	6	22	36	60	77	99+
<i>B. Operated</i>	51	39.0	469	14	16	36	60	79	99+	99+
1. SINGLE DX	739	18.9	245	2	3	16	25	40	53	90
2. MULTIPLE DX	772	26.9	413	4	6	23	38	63	78	99+
A. NOT OPERATED	1458	22.5	334	2	4	18	30	51	66	99+
B. OPERATED	53	38.4	463	14	15	34	60	79	99+	99+
TOTAL 0-19 YRS	49	25.7	518	4	5	18	35	68	85	99+
20-34	461	23.6	331	3	4	19	32	55	66	99+
35-49	451	20.4	301	1	3	17	28	46	63	99+
50-64	351	23.1	328	2	4	20	31	49	69	99+
65+	199	26.8	453	4	6	22	38	60	82	99+
GRAND TOTAL	1511	23.0	347	2	4	19	31	53	69	99+

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	24	21.6	309	<1	1	18	34	47	53	62
20-34	126	13.9	204	1	1	10	19	31	46	72
35-49	90	15.0	157	1	2	13	22	31	37	64
50-64	59	16.1	218	1	2	11	26	34	39	75
65+	85	15.6	280	2	2	10	21	38	47	85
<i>B. Operated</i>										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	22	19.4	235	2	3	17	27	38	49	64
20-34	140	18.0	248	1	3	13	25	41	52	71
35-49	86	18.5	195	2	3	16	27	40	53	99+
50-64	99	16.6	236	1	2	13	25	35	49	90
65+	231	15.6	253	2	3	10	21	42	58	99+
<i>B. Operated</i>										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	3	35.3	1196	5	5	28	62	73	73	73
35-49	6	11.3	51	2	2	13	15	20	21	21
50-64	5	23.8	377	8	8	17	34	56	56	56
65+	22	33.3	771	3	3	27	62	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	384	15.4	219	1	2	11	22	35	45	73
<i>B. Operated</i>	3	5.0	7	3	3	4	7	8	8	8
2. MULTIPLE DX										
<i>A. Not Operated</i>	578	16.9	239	2	3	12	25	41	53	99+
<i>B. Operated</i>	38	27.2	648	2	3	19	49	81	94	99+
1. SINGLE DX	387	15.3	219	1	2	11	21	35	45	73
2. MULTIPLE DX	616	17.6	270	2	3	13	25	44	57	99+
A. NOT OPERATED	962	16.3	232	1	2	12	23	37	50	90
B. OPERATED	41	25.6	634	2	3	16	44	79	93	99+
TOTAL 0-19 YRS	49	19.6	268	1	2	16	30	43	50	64
20-34	269	16.3	241	1	2	12	23	39	50	73
35-49	182	16.5	174	1	2	14	23	34	50	89
50-64	164	16.6	231	1	2	13	25	35	49	80
65+	339	16.7	309	2	3	10	23	45	65	99+
GRAND TOTAL	1003	16.7	251	1	2	12	24	40	53	95

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	55	6.2	79	<1	1	2	6	24	31	32	
20-34	199	4.7	23	<1	1	3	6	10	12	25	
35-49	169	6.3	81	1	1	3	7	14	20	54	
50-64	124	6.6	41	1	1	4	8	15	18	29	
65+	117	7.7	87	1	1	5	9	16	23	52	
B. Operated											
0-19 YRS											
20-34	1	10.0		10	10	10	10	10	10	10	
35-49	1	5.0		5	5	5	5	5	5	5	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	64	6.9	78	1	1	3	8	21	32	35	
20-34	313	7.5	93	1	1	4	8	17	26	53	
35-49	334	7.9	110	1	1	5	9	19	25	68	
50-64	296	8.9	138	1	2	5	10	20	28	67	
65+	387	9.3	98	2	2	6	12	21	28	65	
B. Operated											
0-19 YRS	3	13.0	127	6	6	7	21	26	26	26	
20-34	20	10.5	114	2	3	7	18	33	63	99+	
35-49	10	16.5	91	3	5	18	21	62	97	99+	
50-64	15	13.6	117	1	1	13	20	31	35	37	
65+	11	15.8	232	4	5	10	20	37	56	58	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated 664 6.1 58 1 1 4 7 13 18 42											
B. Operated 2 7.5 13 5 5 7 10 10 10 10											
2. MULTIPLE DX											
A. Not Operated 1394 8.4 108 1 1 5 10 20 27 63											
B. Operated 59 13.4 130 2 3 10 21 33 47 99+											
1. SINGLE DX 666 6.1 57 1 1 4 7 13 18 42											
2. MULTIPLE DX 1453 8.6 109 1 1 5 10 21 29 68											
A. NOT OPERATED 2058 7.6 93 1 1 5 9 17 25 52											
B. OPERATED 61 13.2 127 2 3 10 21 33 44 99+											
TOTAL 0-19 YRS 122 6.7 79 1 1 3 7 24 31 35											
20-34 533 6.6 70 1 1 4 8 14 23 42											
35-49 514 7.5 102 1 1 4 8 18 24 68											
50-64 435 8.4 111 1 1 5 10 19 25 49											
65+ 515 9.1 99 1 2 6 11 21 28 61											
GRAND TOTAL 2119 7.8 94 1 1 5 9 18 26 55											

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	47	9.9	116	1	1	5	15	26	32	49	
20-34	288	9.0	71	1	2	7	12	18	27	47	
35-49	245	9.8	83	2	2	7	13	21	26	53	
50-64	157	12.0	119	2	3	8	16	27	33	51	
65+	88	12.7	111	2	3	10	16	27	37	48	
B. Operated											
0-19 YRS											
20-34	1	36.0		36	36	36	36	36	36	36	
35-49											
50-64	1	21.0		21	21	21	21	21	21	21	
65+	3	36.7	101	26	26	38	44	46	46	46	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	65	13.3	139	2	2	9	19	34	37	92	
20-34	446	14.0	224	1	2	9	18	34	43	79	
35-49	397	12.5	151	1	3	8	16	29	41	62	
50-64	272	14.3	160	2	3	11	18	31	44	52	
65+	251	15.3	196	2	4	11	20	31	40	84	
B. Operated											
0-19 YRS	3	46.0	1873	13	13	30	79	95	95	95	
20-34	28	21.0	506	1	2	11	32	71	74	99+	
35-49	23	21.9	222	5	7	18	26	41	52	69	
50-64	17	25.5	655	4	6	19	30	77	86	86	
65+	9	31.9	732	5	8	19	47	77	83	83	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	825	10.3	92	1	2	7	14	23	30	49	
B. Operated	5	33.4	99	21	21	36	40	46	46	46	
2. MULTIPLE DX											
A. Not Operated	1431	13.8	183	2	2	9	18	32	42	67	
B. Operated	80	24.4	519	3	5	18	31	70	84	98	
1. SINGLE DX	830	10.4	95	1	2	7	14	23	31	49	
2. MULTIPLE DX	1511	14.4	206	2	2	10	19	32	44	80	
A. NOT OPERATED	2256	12.5	153	2	2	8	16	28	39	59	
B. OPERATED	85	24.9	497	3	5	18	36	69	83	98	
TOTAL 0-19 YRS	115	12.7	190	1	2	8	18	32	36	97	
20-34	763	12.4	185	1	2	8	15	29	42	72	
35-49	665	11.8	133	2	2	8	15	26	35	60	
50-64	447	13.9	169	2	3	10	19	29	42	53	
65+	351	15.3	198	2	4	11	20	32	44	83	
GRAND TOTAL	2341	13.0	170	2	2	9	16	29	40	68	

181 Hospitals, Canada, January-December 1984

**103: Miscellaneous neuroses and personality disorders
(300.1-300.3; 300.5-300.9; 301-302)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	10.2	277	1	1	3	9	30	52	82
20-34	190	13.5	323	1	1	6	17	38	55	96
35-49	93	10.1	106	1	1	6	13	24	28	52
50-64	47	9.6	81	1	1	6	16	24	36	99+
65+	42	9.1	72	1	2	5	13	22	26	38
B. Operated										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	4	9.0	135	1	1	4	16	26	26	26
35-49	3	5.3	1	4	4	6	6	6	6	6
50-64	8	5.9	6	1	2	6	7	9	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	12.3	292	1	1	6	15	32	63	88
20-34	412	13.5	251	1	1	8	19	35	54	99+
35-49	216	16.0	264	1	2	11	23	41	51	99
50-64	129	14.2	230	1	2	9	21	32	55	96
65+	93	14.2	263	2	3	8	17	28	49	88
B. Operated										
0-19 YRS	3	18.7	250	5	5	15	31	36	36	36
20-34	21	25.6	385	2	4	23	41	55	90	99+
35-49	16	11.1	94	1	2	11	25	99+	99+	99+
50-64	16	14.9	482	3	4	8	25	97	99+	99+
65+	7	25.6	612	<1	2	17	36	67	74	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	469	11.3	226	1	1	6	14	28	44	87
B. Operated										
	19	6.6	30	1	1	6	7	11	19	26
2. MULTIPLE DX										
A. Not Operated										
	974	14.1	258	1	1	8	19	36	54	98
B. Operated										
	63	18.8	371	2	3	15	36	88	99+	99+
1. SINGLE DX	488	11.2	219	1	1	6	14	27	43	87
2. MULTIPLE DX	1037	14.4	266	1	1	9	20	37	56	99+
A. NOT OPERATED	1443	13.2	249	1	1	7	18	34	51	95
B. OPERATED	82	16.0	318	1	2	10	26	65	99+	99+
TOTAL 0-19 YRS										
	226	11.5	282	1	1	5	12	32	55	83
20-34	627	13.9	280	1	1	7	20	37	55	99+
35-49	328	14.0	216	1	2	9	20	36	49	99+
50-64	200	12.8	209	1	2	8	17	30	55	99
65+	144	13.1	230	2	2	8	16	28	46	86
GRAND TOTAL										
	1525	13.3	253	1	1	7	18	36	54	99+

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.9	31	<1	<1	1	1	7	18	24
20-34	185	6.9	63	<1	1	4	8	25	25	30
35-49	311	6.3	45	1	1	4	6	14	25	27
50-64	205	6.2	41	1	2	4	7	14	21	28
65+	59	5.9	28	1	2	4	8	13	16	28
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	5.7	33	<1	<1	4	7	10	18	27
20-34	294	7.5	62	1	1	4	9	22	25	32
35-49	528	7.9	77	1	2	5	9	20	27	43
50-64	484	9.2	91	1	2	6	12	23	28	48
65+	229	12.5	178	2	3	8	16	29	49	99+
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	16.2	60	8	8	16	24	24	24	24
35-49	23	14.5	74	4	7	12	22	28	55	99+
50-64	25	17.7	141	1	3	16	26	35	39	46
65+	19	24.1	513	4	7	21	57	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	778	6.3	47	1	1	4	7	15	25	29
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
	1556	8.9	95	1	2	5	11	23	28	54
B. Operated										
	74	17.8	220	1	5	15	26	43	97	99+
1. SINGLE DX										
	778	6.3	47	1	1	4	7	15	25	29
2. MULTIPLE DX										
	1630	9.3	104	1	2	6	11	24	30	66
A. NOT OPERATED										
	2334	8.0	81	1	1	5	9	22	26	45
B. OPERATED										
	74	17.8	220	1	5	15	26	43	97	99+
TOTAL 0-19 YRS										
	41	4.2	32	<1	<1	1	5	10	16	27
20-34	484	7.4	63	1	1	4	8	24	25	32
35-49	862	7.5	67	1	1	5	8	20	25	42
50-64	714	8.7	83	1	2	5	11	22	26	45
65+	307	12.0	184	2	2	7	15	29	55	99+
GRAND TOTAL										
	2408	8.3	88	1	1	5	10	23	27	51

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	11	14.7	186	4	5	9	16	37	50	51
35-49	7	10.3	129	1	1	6	14	29	33	33
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS										
20-34	2	18.5	181	9	9	18	28	28	28	28
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.7	11	1	1	3	5	9	10	10
B. Operated										
2. MULTIPLE DX										
A. Not Operated	25	11.0	129	1	2	8	13	27	37	51
B. Operated	2	18.5	181	9	9	18	28	28	28	28
1. SINGLE DX	7	3.7	11	1	1	3	5	9	10	10
2. MULTIPLE DX	27	11.6	130	1	2	8	14	28	36	51
A. NOT OPERATED	32	9.4	112	1	1	6	11	21	32	51
B. OPERATED	2	18.5	181	9	9	18	28	28	28	28
TOTAL										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	16	12.9	165	1	2	9	15	28	44	51
35-49	10	8.0	100	1	1	4	12	24	33	33
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	3	6.7	17	2	2	8	9	10	10	10
GRAND TOTAL	34	10.0	115	1	1	7	12	27	32	51

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	11.7	112	2	2	10	20	23	23	23
20-34	11	6.1	16	1	2	4	9	12	13	13
35-49	11	6.2	12	<1	2	4	10	11	11	11
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.5	15	2	3	5	7	50	96	99+
20-34	34	11.5	191	1	2	6	12	25	33	74
35-49	23	15.0	317	1	2	8	24	29	51	82
50-64	12	11.2	63	<1	1	9	18	23	24	24
65+	6	20.0	128	6	6	20	27	35	36	36
B. Operated										
0-19 YRS										
20-34	4	24.8	359	6	6	25	41	43	43	43
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	6.8	24	1	2	4	10	12	15	23
B. Operated										
2. MULTIPLE DX										
A. Not Operated	85	12.3	188	1	2	7	17	27	35	94
B. Operated	4	24.8	359	6	6	25	41	43	43	43
1. SINGLE DX	25	6.8	24	1	2	4	10	12	15	23
2. MULTIPLE DX	89	12.9	198	1	2	8	19	27	39	93
A. NOT OPERATED	110	11.1	155	1	2	7	14	26	34	89
B. OPERATED	4	24.8	359	6	6	25	41	43	43	43
TOTAL										
0-19 YRS	13	6.9	38	2	2	5	10	31	85	99+
20-34	45	10.2	153	1	2	6	12	25	29	74
35-49	38	13.5	252	1	2	8	19	33	41	82
50-64	12	11.2	63	<1	1	9	18	23	24	24
65+	6	20.0	128	6	6	20	27	35	36	36
GRAND TOTAL	114	11.5	166	1	2	7	15	27	36	88

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	1.3	1	<1	<1	1	1	2	3	7
20-34	33	1.2		<1	<1	1	1	2	3	3
35-49	23	1.8	1	<1	<1	1	3	3	4	4
50-64	17	2.2	5	<1	<1	1	3	5	8	9
65+	5	2.6	3	<1	<1	3	4	5	5	5
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	6.4	131	<1	<1	1	4	27	31	49
20-34	81	7.7	120	<1	<1	2	10	25	28	55
35-49	55	6.7	81	<1	<1	3	8	24	27	35
50-64	42	4.4	25	<1	<1	3	5	10	16	25
65+	23	5.9	44	1	1	3	8	15	23	24
B. Operated										
0-19 YRS										
20-34	3	5.3	26	1	1	4	9	11	11	11
35-49										
50-64										
65+	2	5.5	13	3	3	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	1.5	1	<1	<1	1	1	3	4	7
B. Operated										
2. MULTIPLE DX										
A. Not Operated	248	6.5	90	<1	<1	2	6	23	27	38
B. Operated	5	5.4	16	1	1	4	9	11	11	11
1. SINGLE DX	154	1.5	1	<1	<1	1	1	3	4	7
2. MULTIPLE DX	253	6.5	88	<1	<1	2	6	22	27	38
A. NOT OPERATED	402	4.6	62	<1	<1	1	4	14	24	33
B. OPERATED	5	5.4	16	1	1	4	9	11	11	11
TOTAL 0-19 YRS										
0-19 YRS	123	3.2	56	<1	<1	1	1	4	23	41
20-34	117	5.8	92	<1	<1	1	5	20	27	43
35-49	78	5.2	62	<1	<1	2	4	19	26	33
50-64	59	3.8	20	<1	<1	2	5	8	15	24
65+	30	5.3	35	1	1	3	7	12	23	24
GRAND TOTAL	407	4.6	61	<1	<1	1	4	14	24	33

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.6	12	<1	<1	1	2	7	12	13
20-34	8	5.6	117	<1	<1	1	4	24	32	32
35-49	9	4.2	24	1	1	3	4	12	17	17
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	26.5	1301	<1	<1	26	52	52	52	52
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.1	33	1	1	2	2	14	18	18
20-34	70	11.4	180	1	1	7	16	27	29	82
35-49	26	10.6	70	1	2	8	16	26	27	28
50-64	12	7.7	20	2	2	8	9	12	18	19
65+	15	9.0	39	2	3	6	11	20	21	21
B. Operated										
0-19 YRS										
20-34	2	38.0	32	34	34	38	42	42	42	42
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	34	5.2	105	<1	<1	2	3	13	29	52
B. Operated										
	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
	133	10.1	120	1	1	7	14	21	28	50
B. Operated										
	4	23.8	282	9	9	22	38	42	42	42
1. SINGLE DX										
	35	5.1	102	<1	<1	2	3	13	28	52
2. MULTIPLE DX										
	137	10.5	128	1	1	7	15	25	29	49
A. NOT OPERATED										
	167	9.1	120	1	1	5	12	20	28	50
B. OPERATED										
	5	19.4	306	2	2	10	36	42	42	42
TOTAL 0-19 YRS										
	23	3.3	20	<1	1	1	2	11	15	18
20-34	80	11.5	189	<1	1	6	16	29	33	77
35-49	37	9.0	62	1	2	5	15	20	27	28
50-64	14	7.1	19	2	2	7	9	10	17	19
65+	18	10.6	145	1	2	6	12	21	40	52
GRAND TOTAL										
	172	9.4	126	1	1	5	13	21	29	50

109: Psychophysiological disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	24	4.8	16	1	1	3	7	11	13	15
20-34	31	4.7	10	1	1	5	7	9	10	14
35-49	19	4.3	8	<1	1	4	6	8	10	11
50-64	12	4.1	4	<1	1	5	5	6	7	7
65+	15	5.9	29	1	1	3	9	16	17	18
<i>B. Operated</i>										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49										
50-64	3	6.3	22	<1	<1	8	9	10	10	10
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	31	7.5	92	1	1	4	8	20	22	48
20-34	44	7.1	84	<1	1	4	8	15	35	37
35-49	45	6.4	36	1	2	5	8	11	17	35
50-64	43	5.4	34	1	1	4	7	10	16	34
65+	53	6.8	30	1	2	6	8	15	20	26
<i>B. Operated</i>										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	10	16.2	171	1	1	13	24	36	37	37
35-49	4	8.5	16	5	5	7	11	14	14	14
50-64	8	5.6	16	1	1	5	9	11	12	12
65+	4	11.5	47	3	3	12	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	101	4.8	13	1	1	4	6	10	12	17
<i>B. Operated</i>	8	4.4	11	<1	<1	4	6	9	10	10
2. MULTIPLE DX										
<i>A. Not Operated</i>	216	6.6	51	1	1	4	8	14	21	36
<i>B. Operated</i>	27	11.1	91	1	2	9	15	24	35	37
1. SINGLE DX	109	4.7	12	1	1	4	6	10	11	17
2. MULTIPLE DX	243	7.1	57	1	1	5	8	16	23	37
A. NOT OPERATED	317	6.0	40	1	1	4	7	12	18	35
B. OPERATED	35	9.6	80	1	1	7	13	23	32	37
TOTAL 0-19 YRS	57	6.3	59	1	1	4	8	14	21	46
20-34	89	7.1	74	<1	1	4	8	15	35	37
35-49	68	6.0	28	1	2	5	8	11	15	32
50-64	66	5.2	25	<1	1	4	7	10	13	31
65+	72	6.9	31	1	2	6	9	16	18	25
GRAND TOTAL	352	6.4	45	1	1	4	8	13	18	35

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	92	13.3	192	1	1	9	23	39	88	99+
20-34	138	6.8	39	<1	1	5	9	15	21	26
35-49	89	6.9	49	1	1	4	9	18	23	30
50-64	48	6.3	45	1	1	4	9	13	18	36
65+	23	10.9	285	1	1	5	11	30	60	66
<i>B. Operated</i>										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	131	19.3	484	1	2	13	33	92	99+	99+
20-34	269	9.7	121	1	1	6	13	23	30	67
35-49	190	10.5	114	1	2	7	13	26	36	49
50-64	67	10.9	105	2	2	7	15	24	33	46
65+	62	15.0	161	1	3	11	23	38	43	48
<i>B. Operated</i>										
0-19 YRS	3	36.3	1265	11	11	21	63	77	77	77
20-34	12	24.2	626	2	5	18	27	55	91	97
35-49	6	10.7	97	1	1	9	12	27	29	29
50-64	6	9.2	14	4	4	9	13	13	13	13
65+	3	21.7	72	12	12	25	27	28	28	28
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	390	8.5	99	1	1	5	11	23	32	99+
<i>B. Operated</i>										
2. MULTIPLE DX										
<i>A. Not Operated</i>	719	12.2	199	1	2	8	16	32	45	99+
<i>B. Operated</i>	30	19.4	426	2	4	13	25	33	77	97
1. SINGLE DX	390	8.5	99	1	1	5	11	23	32	99+
2. MULTIPLE DX	749	12.5	210	1	2	8	17	32	45	99+
A. NOT OPERATED	1109	10.9	167	1	1	7	14	29	41	99+
B. OPERATED	30	19.4	426	2	4	13	25	33	77	97
TOTAL 0-19 YRS	226	17.1	382	1	2	11	32	80	99+	99+
20-34	419	9.2	115	1	1	6	12	22	27	57
35-49	285	9.4	96	1	1	6	12	23	30	44
50-64	121	9.0	81	1	2	6	11	21	28	45
65+	88	14.2	192	1	2	10	21	36	43	63
GRAND TOTAL	1139	11.2	175	1	1	7	14	29	41	99+

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	255	15.9	193	1	2	11	30	32	39	99
20-34	344	9.8	123	1	2	6	13	22	35	96
35-49	258	10.4	102	2	2	7	14	22	31	51
50-64	167	13.7	178	2	3	9	21	29	36	68
65+	152	14.6	148	3	4	12	19	30	42	71
B. Operated										
0-19 YRS	3	30.7	2465	2	2	2	66	88	88	88
20-34	7	9.6	20	3	4	10	13	16	16	16
35-49	6	4.5	10	1	1	4	7	8	8	8
50-64	1	6.0	6	6	6	6	6	6	6	6
65+	2	19.0	288	7	7	19	31	31	31	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	383	17.3	265	1	2	12	26	37	52	99+
20-34	508	14.5	295	1	1	8	19	37	62	99+
35-49	445	13.1	209	1	2	8	16	32	47	80
50-64	330	13.2	183	2	2	9	17	28	38	80
65+	410	14.9	236	3	4	10	18	35	59	99+
B. Operated										
0-19 YRS	13	18.5	211	1	2	17	32	39	44	45
20-34	33	29.4	533	2	4	25	52	64	81	99+
35-49	24	26.3	579	5	7	17	30	72	83	92
50-64	21	27.7	415	4	5	27	40	67	81	99+
65+	19	30.7	474	9	12	34	43	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1176	12.4	150	1	2	8	17	31	37	71
B. Operated	19	12.1	386	1	2	7	10	25	62	88
2. MULTIPLE DX										
A. Not Operated	2076	14.6	243	1	2	9	19	34	53	99+
B. Operated	110	27.3	469	3	5	23	40	66	96	99+
1. SINGLE DX	1195	12.4	154	1	2	8	17	31	37	74
2. MULTIPLE DX	2186	15.2	262	1	2	10	20	36	57	99+
A. NOT OPERATED	3252	13.8	211	1	2	9	19	32	46	94
B. OPERATED	129	25.1	483	2	4	20	38	65	91	99+
TOTAL 0-19 YRS	654	16.8	243	1	2	12	27	34	45	99+
20-34	892	13.2	249	1	2	8	17	35	56	99+
35-49	733	12.5	190	2	2	8	16	28	44	79
50-64	519	14.0	198	2	2	9	19	30	42	80
65+	583	15.3	227	3	4	10	19	37	57	99+
GRAND TOTAL	3381	14.2	226	1	2	9	19	33	48	99

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	16.3	123	2	5	15	27	55	99+	99+
20-34	21	18.2	176	2	3	21	28	38	41	43
35-49	11	21.5	413	1	6	12	38	78	97	99+
50-64	6	35.0	780	14	14	22	76	97	99+	99+
65+	2	16.0	450	<1	<1	31	83	99+	99+	99+
B. Operated										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.3	16	<1	<1	5	8	10	10	10
B. Operated										
2. MULTIPLE DX										
A. Not Operated	60	19.8	273	1	3	17	30	69	99+	99+
B. Operated	4	6.3	8	2	2	7	8	8	8	8
1. SINGLE DX	4	5.3	16	<1	<1	5	8	10	10	10
2. MULTIPLE DX	64	18.9	267	2	3	15	29	63	99+	99+
A. NOT OPERATED	64	18.9	269	<1	3	15	29	63	99+	99+
B. OPERATED	4	6.3	8	2	2	7	8	8	8	8
TOTAL 0-19 YRS	24	14.7	117	2	4	13	25	36	99+	99+
20-34	23	17.1	174	2	3	15	27	38	41	43
35-49	12	19.8	410	<1	<1	12	33	75	95	99+
50-64	7	31.0	762	7	9	21	69	95	99+	99+
65+	2	16.0	450	<1	<1	31	83	99+	99+	99+
GRAND TOTAL	68	18.1	262	1	3	14	29	58	99+	99+

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	10.8	16	4	5	11	13	15	17	22
20-34	15	8.1	42	2	3	5	12	16	23	25
35-49	8	4.9	28	<1	<1	2	8	13	15	15
50-64	6	18.2	378	1	2	12	21	52	55	55
65+										
B. Operated										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	5	12.8	115	1	1	10	23	25	25	25
35-49	12	13.6	267	<1	1	6	19	45	45	45
50-64	3	8.7	154	1	1	2	18	23	23	23
65+	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	13.3	44	4	8	12	15	18	22	44
20-34	11	10.2	31	4	5	7	14	19	21	21
35-49	8	12.9	68	4	5	10	16	26	30	30
50-64	9	14.8	278	1	1	10	18	43	53	53
65+	11	20.5	317	4	6	13	32	49	59	60
B. Operated										
0-19 YRS	7	18.7	161	4	5	14	27	37	40	40
20-34	9	25.2	364	5	6	36	52	99+	99+	99+
35-49	9	21.0	244	1	3	16	32	43	47	47
50-64	11	17.4	600	2	3	13	89	99+	99+	99+
65+	3	34.0	1659	9	9	12	64	81	81	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	10.3	48	1	3	10	13	16	18	43
B. Operated	25	11.6	167	<1	1	5	17	27	45	45
2. MULTIPLE DX										
A. Not Operated	96	13.9	98	3	6	12	16	21	26	57
B. Operated	39	21.5	421	3	4	15	40	99+	99+	99+
1. SINGLE DX	115	10.6	73	1	2	10	14	17	24	49
2. MULTIPLE DX	135	16.1	201	3	5	12	18	41	70	99+
A. NOT OPERATED	186	12.1	77	2	4	11	15	18	26	54
B. OPERATED	64	17.6	341	1	2	12	30	71	99+	99+
TOTAL 0-19 YRS	127	12.4	38	4	6	11	15	17	23	41
20-34	40	13.1	155	2	3	9	21	42	73	99+
35-49	37	13.4	185	<1	1	9	16	35	45	47
50-64	29	15.8	380	1	1	11	22	92	99+	99+
65+	17	19.9	493	2	4	12	21	56	74	81
GRAND TOTAL	250	13.5	149	1	3	11	15	30	45	99+

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	12.0	40	5	5	10	18	20	20	20
50-64	24	10.9	44	2	4	10	18	21	41	99+
65+	75	11.7	101	2	3	8	16	22	33	90
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	2	27.5	1	27	27	27	28	28	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	27.0		27	27	27	27	27	27	27
35-49	10	19.0	145	4	5	18	33	61	97	99+
50-64	31	18.1	344	3	4	15	22	46	81	99+
65+	240	18.1	277	3	4	13	25	52	98	99+
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	5	21.6	310	6	6	14	39	43	43	43
65+	17	34.5	343	14	19	33	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	11.3	84	2	3	9	17	21	32	99+
B. Operated	4	17.5	142	4	4	19	27	28	28	28
2. MULTIPLE DX										
A. Not Operated	283	18.2	276	3	4	13	25	52	97	99+
B. Operated	22	31.6	351	7	10	33	46	99+	99+	99+
1. SINGLE DX	110	11.6	86	2	3	9	17	22	32	99+
2. MULTIPLE DX	305	19.1	293	3	5	14	28	55	99+	99+
A. NOT OPERATED	389	16.3	233	3	4	12	22	42	80	99+
B. OPERATED	26	29.4	339	6	8	28	41	92	99+	99+
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	10.7	202	1	1	4	21	27	27	27
35-49	15	16.7	116	4	5	16	29	35	81	99+
50-64	62	15.3	223	3	4	13	19	32	80	99+
65+	334	17.6	261	3	4	13	25	49	92	99+
GRAND TOTAL	415	17.1	249	3	4	13	24	46	83	99+

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	9	10.1	24	2	3	10	12	17	18	18	
20-34	141	10.8	83	2	3	10	13	20	25	59	
35-49	115	12.2	115	3	4	10	13	23	29	92	
50-64	60	12.6	141	2	3	10	19	29	83	99+	
65+	5	7.4	8	4	4	8	9	11	11	11	
B. Operated											
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2	
20-34	19	6.8	42	2	2	5	9	22	64	99+	
35-49	13	8.5	52	1	2	7	11	18	26	28	
50-64	8	12.9	56	<1	2	11	19	23	23	23	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	14.0	397	2	2	3	28	37	37	37	
20-34	88	12.5	224	2	3	9	13	42	74	99+	
35-49	108	15.1	233	2	4	11	18	36	93	99+	
50-64	75	16.5	254	3	4	11	22	29	40	90	
65+	16	22.6	535	2	3	15	29	77	92	99+	
B. Operated											
0-19 YRS											
20-34	13	24.9	731	4	6	12	46	83	96	99+	
35-49	35	15.8	166	2	3	13	27	41	45	99+	
50-64	27	20.0	684	3	4	11	17	89	90	99+	
65+	1	20.0		20	20	20	20	20	20	20	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	330	11.6	102	2	3	10	13	23	28	99+	
B. Operated	42	8.2	51	1	2	6	11	22	28	99+	
2. MULTIPLE DX											
A. Not Operated	290	15.1	255	2	3	11	19	35	76	99+	
B. Operated	76	18.9	441	3	3	12	27	66	89	99+	
1. SINGLE DX	372	11.2	97	2	3	10	13	23	28	99+	
2. MULTIPLE DX	366	15.9	295	2	3	11	21	42	84	99+	
A. NOT OPERATED	620	13.2	176	2	3	10	16	28	55	99+	
B. OPERATED	118	15.1	327	2	3	10	18	43	88	99+	
TOTAL											
0-19 YRS	14	9.7	91	1	2	9	11	20	33	37	
20-34	261	11.8	167	2	3	9	13	24	60	99+	
35-49	271	13.6	168	2	3	10	16	29	49	99+	
50-64	170	15.5	275	3	4	11	21	30	75	99+	
65+	22	19.0	425	2	4	12	25	77	85	99+	
GRAND TOTAL	738	13.5	200	2	3	10	16	29	62	99+	

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	370	3.8	14	1	1	3	5	8	11	20	
20-34	263	4.4	34	<1	1	2	5	10	15	28	
35-49	122	4.4	20	1	1	3	6	11	15	20	
50-64	56	5.1	21	1	1	3	7	11	13	24	
65+	47	7.7	50	1	2	5	11	20	23	28	
B. Operated											
0-19 YRS	1	35.0		35	35	35	35	35	35	35	
20-34	7	24.6	694	3	3	15	47	65	67	67	
35-49	5	9.6	92	2	2	4	17	24	24	24	
50-64		7.0		7	7	7	7	7	7	7	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	344	5.9	53	1	1	4	7	12	15	32	
20-34	291	6.5	49	1	1	4	8	15	21	41	
35-49	205	6.2	84	1	1	4	8	13	17	51	
50-64	203	7.3	78	1	2	5	9	15	20	43	
65+	213	9.2	117	1	2	6	12	19	31	97	
B. Operated											
0-19 YRS	11	13.0	142	2	2	8	20	34	35	35	
20-34	22	17.3	267	1	3	11	22	45	55	59	
35-49	20	9.9	70	1	2	9	13	27	64	99+	
50-64	16	19.3	416	1	2	14	25	41	70	82	
65+	19	17.6	162	4	5	12	22	38	44	49	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	858	4.4	24	1	1	3	5	10	14	23	
B. Operated	14	18.7	430	2	3	11	24	57	65	67	
2. MULTIPLE DX											
A. Not Operated	1256	6.9	73	1	1	5	8	14	20	46	
B. Operated	88	15.5	214	2	2	11	22	36	49	93	
1. SINGLE DX	872	4.6	33	1	1	3	5	10	15	26	
2. MULTIPLE DX	1344	7.5	87	1	1	5	9	16	22	55	
A. NOT OPERATED	2114	5.9	55	1	1	4	7	13	18	37	
B. OPERATED	102	16.0	241	2	2	11	22	37	54	90	
TOTAL 0-19 YRS											
20-34	726	5.0	38	1	1	3	6	10	14	32	
35-49	583	6.2	67	1	1	3	7	15	21	51	
50-64	352	5.8	62	1	1	3	8	13	17	42	
65+	276	7.6	93	1	1	5	9	15	21	47	
	279	9.5	113	1	2	6	12	20	31	84	
GRAND TOTAL	2216	6.3	68	1	1	4	8	14	20	44	

**117: Miscellaneous diseases of central nervous system
(330-331; 333-336; 341-344; 347-349; 358-359)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	58	4.6	24	1	1	4	6	8	10	29	
20-34	69	7.6	106	1	1	5	9	16	23	96	
35-49	56	6.7	65	1	2	5	8	14	17	97	
50-64	50	10.1	149	1	2	6	12	24	38	57	
65+	120	15.8	240	2	3	11	21	40	67	99+	
B. Operated											
0-19 YRS	49	8.8	182	1	1	5	9	15	29	72	
20-34	56	8.9	93	<1	2	5	10	24	26	46	
35-49	52	7.9	55	<1	1	6	10	15	26	39	
50-64	44	8.2	59	<1	<1	6	11	21	22	34	
65+	28	12.9	83	1	2	11	17	27	29	32	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	108	7.5	48	1	1	5	9	19	22	30	
20-34	112	10.7	158	1	2	7	12	31	44	78	
35-49	84	9.5	110	2	2	6	11	20	39	85	
50-64	146	14.2	283	2	2	8	17	40	57	99+	
65+	331	18.9	368	2	3	14	26	60	98	99+	
B. Operated											
0-19 YRS	65	10.2	155	2	2	7	13	18	26	73	
20-34	116	13.4	272	1	2	9	17	42	64	99+	
35-49	114	10.9	192	<1	1	6	14	21	34	84	
50-64	109	11.8	124	1	3	9	15	31	52	99+	
65+	142	20.5	446	2	2	14	28	62	81	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	353	10.1	156	1	1	6	12	27	41	99+	
B. Operated											
	229	9.0	96	<1	1	6	11	21	27	50	
2. MULTIPLE DX											
A. Not Operated											
	781	14.3	269	2	2	9	19	39	69	99+	
B. Operated											
	546	14.0	271	1	2	9	17	38	63	99+	
1. SINGLE DX	582	9.7	132	1	1	6	12	24	35	77	
2. MULTIPLE DX	1327	14.2	270	1	2	9	18	38	65	99+	
A. NOT OPERATED	1134	13.0	237	1	2	8	16	35	57	99+	
B. OPERATED	775	12.5	224	1	2	8	16	30	52	99+	
TOTAL 0-19 YRS											
	280	7.8	94	1	1	5	9	17	22	64	
20-34	353	10.7	178	1	2	6	12	27	45	99+	
35-49	306	9.2	125	1	2	6	11	20	32	84	
50-64	349	12.1	189	1	2	8	15	31	50	99+	
65+	621	18.4	351	2	3	13	26	54	87	99+	
GRAND TOTAL	1909	12.8	232	1	2	8	16	33	56	99+	

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	103	3.2	10	1	1	2	4	7	9	17	
20-34	264	2.9	7	<1	1	2	4	6	8	14	
35-49	235	3.3	8	1	1	2	4	7	9	15	
50-64	84	3.3	19	1	1	2	3	6	9	29	
65+	10	6.3	26	1	1	5	10	13	14	14	
B. Operated											
0-19 YRS	3	6.3	8	3	3	8	8	8	8	8	
20-34	8	5.9	6	2	2	6	7	9	9	9	
35-49	12	5.7	5	3	3	5	7	9	10	10	
50-64	4	6.3	20	2	2	6	10	11	11	11	
65+	3	2.3	1	1	1	3	3	3	3	3	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	47	4.1	10	1	1	3	5	8	10	16	
20-34	185	4.3	20	1	1	3	5	9	11	25	
35-49	178	4.8	21	1	1	4	6	9	12	23	
50-64	91	5.1	37	1	1	4	6	8	13	40	
65+	29	5.9	20	1	2	5	7	10	14	24	
B. Operated											
0-19 YRS	3	6.3	5	5	5	5	8	9	9	9	
20-34	9	5.6	18	2	2	4	8	12	15	15	
35-49	9	10.1	89	2	2	9	11	25	33	33	
50-64	13	14.3	214	4	4	9	14	39	52	55	
65+	5	9.2	1	8	8	9	10	11	11	11	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	696	3.2	10	1	1	2	4	7	9	15	
B. Operated	30	5.5	7	2	2	5	8	9	10	11	
2. MULTIPLE DX											
A. Not Operated	530	4.7	22	1	1	3	6	9	12	25	
B. Operated	39	10.1	103	2	3	8	10	15	34	55	
1. SINGLE DX	726	3.3	10	1	1	2	4	7	9	15	
2. MULTIPLE DX	569	5.1	29	1	1	3	6	9	13	30	
A. NOT OPERATED	1226	3.8	16	1	1	3	5	8	10	20	
B. OPERATED	69	8.1	65	2	2	6	9	13	16	51	
TOTAL											
0-19 YRS	156	3.6	10	1	1	3	5	8	9	16	
20-34	466	3.6	13	1	1	2	4	8	9	21	
35-49	434	4.1	16	1	1	3	5	9	11	19	
50-64	192	5.0	46	1	1	3	6	9	13	44	
65+	47	6.1	20	1	1	5	9	11	13	24	
GRAND TOTAL	1295	4.1	19	1	1	3	5	8	10	22	

119: Carpal tunnel syndrome and other lesions of median nerve
(354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	2.0	2	<1	<1	1	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	113	1.9	1	<1	<1	2	2	3	4	6
35-49	148	2.2	2	<1	<1	2	2	3	5	10
50-64	172	2.0	1	<1	<1	2	2	3	4	5
65+	124	2.7	12	<1	1	2	3	4	5	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	5	3.0	7	<1	<1	2	5	7	7	7
35-49	5	4.4	12	1	1	4	6	10	10	10
50-64	6	8.8	159	<1	<1	3	12	31	33	33
65+	5	10.8	126	1	1	6	19	28	28	28
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	29	2.7	5	<1	<1	2	3	4	9	11
35-49	46	3.2	8	<1	<1	2	3	8	12	99+
50-64	102	3.2	14	<1	<1	2	3	6	10	22
65+	106	3.6	12	<1	1	3	4	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.3	2	<1	<1	2	4	4	4	4
B. Operated	562	2.2	4	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	23	6.4	74	<1	<1	3	7	18	30	33
B. Operated	285	3.3	11	<1	1	2	3	6	10	21
1. SINGLE DX	573	2.2	4	<1	<1	2	2	3	4	9
2. MULTIPLE DX	308	3.5	16	<1	<1	2	4	7	12	26
A. NOT OPERATED	34	5.1	54	<1	<1	3	5	12	26	33
B. OPERATED	847	2.6	7	<1	<1	2	3	4	6	16
TOTAL 0-19 YRS	10	1.7		<1	<1	2	2	3	3	3
20-34	150	2.1	2	<1	<1	2	2	3	4	9
35-49	200	2.5	4	<1	<1	2	3	4	7	13
50-64	285	2.6	10	<1	<1	2	2	4	5	19
65+	236	3.3	15	<1	1	2	3	5	8	22
GRAND TOTAL	881	2.7	9	<1	<1	2	3	4	6	17

120: Peripheral nervous system disorder, except sciatica
(337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	6.2	38	2	2	5	7	26	81	99+
20-34	37	6.6	29	1	2	5	8	13	15	28
35-49	47	6.0	31	1	1	5	7	11	14	33
50-64	44	7.4	160	1	1	5	8	11	16	85
65+	63	6.9	22	1	1	6	9	14	15	21
B. Operated										
0-19 YRS	19	6.7	33	2	2	5	8	17	20	21
20-34	176	4.3	8	<1	1	4	6	8	10	14
35-49	183	4.7	33	<1	1	3	5	9	13	28
50-64	154	5.1	71	<1	1	3	6	10	12	32
65+	81	5.1	36	1	1	3	5	14	19	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.0	87	1	1	3	14	21	30	31
20-34	46	6.8	49	1	1	5	10	16	24	99+
35-49	60	7.4	37	1	1	6	10	15	20	30
50-64	90	9.0	54	2	2	7	10	20	22	37
65+	125	12.8	135	2	3	10	15	26	37	62
B. Operated										
0-19 YRS	18	5.6	13	2	2	5	7	10	14	16
20-34	99	8.9	182	2	2	5	8	17	26	82
35-49	133	7.6	68	2	2	5	9	15	20	56
50-64	145	8.1	107	1	2	5	10	19	23	70
65+	107	10.8	124	1	2	7	13	28	36	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	6.7	55	1	1	6	8	13	15	56
B. Operated	613	4.8	36	<1	1	3	6	10	13	23
2. MULTIPLE DX										
A. Not Operated	332	9.8	87	1	2	8	12	21	29	54
B. Operated	502	8.6	113	1	2	5	10	19	27	63
1. SINGLE DX	818	5.3	41	<1	1	4	6	11	14	29
2. MULTIPLE DX	834	9.1	103	1	2	6	11	20	28	58
A. NOT OPERATED	537	8.6	77	1	2	6	11	18	25	54
B. OPERATED	1115	6.5	74	1	2	4	7	13	20	45
TOTAL 0-19 YRS	62	6.5	36	1	2	5	8	15	23	91
20-34	358	6.1	67	1	2	4	7	12	16	65
35-49	423	6.2	46	1	1	4	7	12	18	34
50-64	433	7.2	90	1	2	5	9	15	20	44
65+	376	9.6	101	1	2	7	12	22	29	50
GRAND TOTAL	1652	7.2	76	1	2	5	8	15	21	48

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	3	1.3		1	1	1	2	2	2	2	
50-64	3	5.0	3	4	4	4	6	7	7	7	
65+	2	3.5	5	2	2	3	5	5	5	5	
B. Operated											
0-19 YRS	18	5.4	5	3	3	5	7	9	10	10	
20-34	70	5.9	6	2	3	6	8	9	10	11	
35-49	62	6.3	9	2	3	6	8	10	12	16	
50-64	113	6.2	12	2	2	5	8	10	12	18	
65+	109	6.9	11	2	3	7	9	11	12	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	2	1.5	1	1	1	1	2	2	2	2	
35-49	4	1.3		<1	<1	1	2	2	2	2	
50-64	2	3.0	2	2	2	3	4	4	4	4	
65+	8	3.8	19	<1	<1	2	4	11	14	14	
B. Operated											
0-19 YRS	12	6.9	10	3	3	7	9	12	13	13	
20-34	41	6.5	35	3	3	5	7	9	12	40	
35-49	50	5.9	8	2	3	5	7	10	13	13	
50-64	109	6.8	15	3	3	6	8	11	13	24	
65+	141	7.5	21	3	3	7	9	12	14	31	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	8	3.3	5	1	1	3	5	6	7	7	
B. Operated	372	6.3	10	2	3	6	8	10	12	16	
2. MULTIPLE DX											
A. Not Operated	16	2.8	11	<1	<1	2	3	5	11	14	
B. Operated	353	6.9	18	3	3	6	8	11	13	25	
1. SINGLE DX	380	6.3	10	2	3	6	8	10	12	16	
2. MULTIPLE DX	369	6.7	19	2	3	6	8	11	13	25	
A. NOT OPERATED	24	2.9	8	<1	<1	2	4	5	9	14	
B. OPERATED	725	6.6	14	2	3	6	8	10	13	18	
TOTAL 0-19 YRS	30	6.0	7	3	3	5	8	10	11	13	
20-34	113	6.0	17	2	3	5	8	9	10	24	
35-49	119	5.8	9	2	2	5	8	10	12	15	
50-64	227	6.4	13	2	3	6	8	10	12	21	
65+	260	7.1	17	2	3	7	9	12	14	18	
GRAND TOTAL	749	6.5	14	2	3	6	8	10	13	18	

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	2	6.0	50	1	1	6	11	11	11	11	
35-49	4	2.0	1	1	1	2	3	3	3	3	
50-64	6	7.0	21	2	2	6	11	13	13	13	
65+	6	3.2	6	1	1	3	7	82	99+	99+	
B. Operated											
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7	
20-34	5	4.2	24	2	2	2	5	13	13	13	
35-49	12	6.2	17	1	2	6	9	11	14	15	
50-64	47	5.7	13	2	2	5	8	11	13	17	
65+	82	6.1	19	2	2	5	8	12	14	23	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	3	3.3	6	1	1	3	5	6	6	6	
50-64	8	5.9	18	2	2	5	8	13	14	14	
65+	14	8.7	66	2	2	5	11	25	27	27	
B. Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	3	14.0	93	7	7	10	21	25	25	25	
35-49	6	7.0	16	4	4	6	8	13	14	14	
50-64	22	10.0	211	2	2	6	10	17	42	71	
65+	73	9.3	49	1	2	8	12	19	26	30	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	18	4.5	16	1	1	3	9	12	61	99+	
B. Operated	149	5.9	17	2	2	5	8	12	14	20	
2. MULTIPLE DX											
A. Not Operated	25	7.2	45	1	2	5	8	15	25	27	
B. Operated	105	9.4	81	2	2	7	12	19	25	49	
1. SINGLE DX	167	5.8	17	2	2	5	8	12	14	23	
2. MULTIPLE DX	130	8.9	74	2	2	7	11	18	25	39	
A. NOT OPERATED	43	6.0	34	1	2	4	8	14	26	99+	
B. OPERATED	254	7.3	46	2	2	6	9	14	19	28	
TOTAL 0-19 YRS	4	4.8	5	2	2	5	6	7	7	7	
20-34	10	7.5	58	1	1	5	11	19	25	25	
35-49	25	5.4	15	1	1	4	8	10	14	15	
50-64	83	7.0	68	2	2	5	8	12	15	55	
65+	175	7.5	37	2	2	6	10	15	24	30	
GRAND TOTAL	297	7.2	44	2	2	6	9	14	19	30	

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	6	5.5	4	3	3	6	8	82	99+	99+
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	6.5	14	1	1	8	9	10	10	10
35-49	5	6.2	20	1	1	6	10	12	12	12
50-64	23	4.9	7	1	2	4	6	9	10	10
65+	32	5.1	11	1	2	4	7	9	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.7		2	2	3	3	3	3	3
35-49										
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	24	8.8	122	2	3	6	8	15	43	45
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	4.0	9	1	1	3	5	9	9	9
35-49	5	8.0	2	7	7	8	9	10	10	10
50-64	16	12.7	291	1	2	6	13	41	57	63
65+	55	7.6	59	1	2	6	8	13	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.1	3	3	3	5	7	54	99+	99+
B. Operated	69	5.2	10	1	1	5	7	10	10	14
2. MULTIPLE DX										
A. Not Operated	33	7.2	95	2	2	4	7	12	38	45
B. Operated	83	8.3	98	1	2	6	8	14	27	57
1. SINGLE DX	78	5.2	10	1	2	5	7	10	11	75
2. MULTIPLE DX	116	8.0	97	1	2	6	8	13	30	52
A. NOT OPERATED	42	6.8	75	2	2	5	7	12	43	99+
B. OPERATED	152	6.9	60	1	2	5	8	11	15	46
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	17	4.9	12	1	1	5	9	10	10	10
35-49	11	6.8	10	1	2	7	9	11	12	12
50-64	47	7.3	114	1	2	4	7	12	25	63
65+	117	7.1	57	2	2	6	8	12	22	63
GRAND TOTAL	194	6.9	63	1	2	5	8	11	18	55

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	11	8.0	73	1	1	7	9	24	26	26
B. Operated										
0-19 YRS										
20-34										
35-49	139	3.3	1	2	2	3	4	5	5	7
50-64	733	3.7	3	2	2	3	5	6	7	11
65+	2821	3.8	4	2	2	3	5	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	12	1.8	2	<1	<1	1	2	3	6	6
50-64	20	2.3	3	<1	<1	2	2	5	6	7
65+	123	2.4	6	<1	<1	2	3	5	9	12
B. Operated										
0-19 YRS										
20-34										
35-49	93	4.6	7	2	2	4	6	7	9	16
50-64	663	4.0	10	2	2	3	5	7	8	18
65+	3351	4.5	13	2	2	4	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.8	62	1	1	3	8	22	25	26
B. Operated	3693	3.8	4	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	155	2.3	5	<1	<1	2	2	5	8	12
B. Operated	4107	4.4	12	2	2	4	5	7	10	19
1. SINGLE DX	3707	3.8	4	2	2	3	5	6	7	11
2. MULTIPLE DX	4262	4.3	12	2	2	3	5	7	10	19
A. NOT OPERATED	169	2.7	11	<1	<1	2	3	6	9	20
B. OPERATED	7800	4.1	9	2	2	3	5	7	9	15
TOTAL 0-19 YRS										
20-34										
35-49	245	3.7	4	1	2	3	5	6	7	12
50-64	1418	3.8	7	2	2	3	5	6	7	12
65+	6306	4.2	9	2	2	3	5	7	9	16
GRAND TOTAL	7969	4.1	9	2	2	3	5	7	9	15

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	16	3.2	2	2	2	3	4	5	7	8
20-34	14	3.4	1	2	2	3	4	5	5	5
35-49	19	4.1	5	1	2	4	5	7	9	11
50-64	25	3.1	1	2	2	3	4	4	5	5
65+	51	3.4	6	1	1	3	4	5	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	9	3.8	5	2	2	3	5	7	9	9
20-34	16	3.8	2	2	2	4	5	5	6	7
35-49	14	3.3	2	1	2	3	5	5	6	6
50-64	23	3.8	3	1	2	4	4	6	8	9
65+	49	4.6	10	1	2	4	6	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	125	3.4	4	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. Not Operated	5	4.4	18	1	1	3	7	11	11	11
B. Operated	111	4.1	6	2	2	4	5	7	9	14
1. SINGLE DX	125	3.4	4	1	2	3	4	5	6	12
2. MULTIPLE DX	116	4.1	7	1	2	4	5	7	9	14
A. NOT OPERATED	5	4.4	18	1	1	3	7	11	11	11
B. OPERATED	236	3.7	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	27	3.4	4	1	2	3	4	6	8	9
20-34	32	3.8	3	2	2	4	4	5	7	11
35-49	33	3.7	4	1	2	3	5	6	7	11
50-64	48	3.4	2	2	2	3	4	5	6	9
65+	101	4.0	8	1	2	3	4	7	11	15
GRAND TOTAL	241	3.7	5	1	2	3	4	6	8	12

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.2	7	1	1	3	4	8	9	9
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	5.3	16	2	2	4	8	11	11	11
50-64	4	11.5	38	7	7	10	16	20	20	20
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	435	1.6		<1	<1	2	2	2	2	3
20-34	177	2.1		<1	2	2	2	3	3	5
35-49	82	2.0		<1	1	2	2	3	3	4
50-64	40	2.4	3	1	2	2	2	3	5	11
65+	21	2.6	3	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.6	2	<1	<1	1	1	5	5	5
20-34	8	3.5	10	<1	<1	2	5	9	10	10
35-49	5	2.4	4	<1	<1	1	4	5	5	5
50-64	10	9.1	80	1	1	8	14	22	28	28
65+	10	7.9	12	4	5	7	8	13	16	16
B. Operated										
0-19 YRS	82	2.1	2	<1	1	2	2	3	5	8
20-34	58	2.2	1	<1	1	2	3	3	4	5
35-49	19	2.0	1	<1	<1	2	3	3	3	3
50-64	26	4.3	19	2	2	3	3	13	16	18
65+	15	3.3	9	2	2	2	3	4	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	5.8	26	1	1	4	9	12	17	20
B. Operated	755	1.8	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	52	4.6	29	<1	<1	2	6	11	16	28
B. Operated	200	2.5	5	<1	1	2	3	3	5	14
1. SINGLE DX	774	1.9	2	<1	<1	2	2	3	3	7
2. MULTIPLE DX	252	2.9	10	<1	1	2	3	6	9	17
A. NOT OPERATED	71	4.9	28	<1	<1	3	7	12	16	26
B. OPERATED	955	2.0	2	<1	<1	2	2	3	3	7
TOTAL 0-19 YRS	545	1.7	1	<1	<1	2	2	2	3	6
20-34	244	2.2	1	<1	1	2	2	3	3	6
35-49	110	2.1	1	<1	<1	2	2	3	4	7
50-64	80	4.3	25	1	2	2	3	12	16	26
65+	47	3.9	11	2	2	2	4	8	11	16
GRAND TOTAL	1026	2.2	4	<1	<1	2	2	3	4	12

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	2.2	4	<1	<1	1	3	5	6	10
20-34	42	2.7	5	<1	1	2	3	5	7	12
35-49	23	4.5	31	<1	1	2	6	11	16	25
50-64	27	4.4	15	1	1	3	6	8	10	20
65+	31	8.0	76	1	2	5	8	17	34	36
B. Operated										
0-19 YRS	92	2.0	4	<1	<1	1	2	4	6	11
20-34	115	3.3	8	<1	<1	3	4	6	8	16
35-49	146	2.7	2	<1	<1	2	4	5	6	7
50-64	169	2.8	3	<1	<1	2	3	5	6	10
65+	240	3.3	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	5.7	33	<1	1	4	7	11	13	36
20-34	32	4.6	7	<1	1	5	6	9	9	11
35-49	23	5.7	94	<1	1	3	5	12	30	45
50-64	25	7.7	41	1	2	7	9	14	22	31
65+	84	9.1	65	1	1	8	12	19	24	43
B. Operated										
0-19 YRS	25	2.9	4	<1	<1	3	4	6	7	8
20-34	48	4.8	25	<1	<1	3	6	11	18	25
35-49	52	5.9	94	<1	1	3	5	12	17	52
50-64	113	4.7	41	<1	<1	3	5	9	20	36
65+	257	4.8	15	<1	2	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	3.4	19	<1	1	2	4	7	11	25
B. Operated	762	2.9	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	288	6.7	47	1	1	5	9	13	19	41
B. Operated	495	4.8	29	<1	1	3	5	9	14	31
1. SINGLE DX	1017	3.0	8	<1	<1	2	4	6	7	13
2. MULTIPLE DX	783	5.5	37	<1	1	4	7	11	16	34
A. NOT OPERATED	543	5.2	37	<1	1	3	7	11	15	34
B. OPERATED	1257	3.6	15	<1	<1	3	4	7	9	20
TOTAL 0-19 YRS	373	3.4	16	<1	<1	2	4	7	10	16
20-34	237	3.7	11	<1	<1	3	5	7	9	19
35-49	244	3.8	35	<1	<1	2	4	7	10	45
50-64	334	3.9	22	<1	<1	3	4	7	10	29
65+	612	4.9	24	<1	1	3	6	10	14	28
GRAND TOTAL	1800	4.1	22	<1	<1	3	5	8	12	26

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	4.4	12	1	1	4	6	7	10	21
20-34	69	5.4	16	2	2	4	7	9	12	22
35-49	38	5.0	10	1	1	5	7	8	9	17
50-64	34	6.8	26	2	2	6	8	12	21	24
65+	31	5.4	12	1	1	5	6	10	13	15
B. Operated										
0-19 YRS	11	2.1	2	<1	<1	2	3	4	6	6
20-34	29	3.9	7	<1	<1	3	5	7	10	12
35-49	32	4.3	10	2	2	4	5	8	11	16
50-64	87	3.8	10	1	2	3	4	7	9	20
65+	207	3.5	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	4.8	10	1	1	4	7	10	11	14
20-34	46	5.8	17	1	1	5	7	12	14	21
35-49	31	5.6	10	2	2	5	8	9	11	17
50-64	43	4.6	12	1	1	4	6	8	11	18
65+	84	7.9	114	2	2	6	8	13	19	71
B. Operated										
0-19 YRS	17	4.4	8	1	2	4	5	8	11	12
20-34	46	6.8	30	2	3	5	7	13	18	33
35-49	50	5.3	9	2	2	5	7	9	11	14
50-64	105	5.8	22	2	2	4	7	12	14	27
65+	229	6.0	50	2	2	4	7	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	5.3	15	1	2	5	7	9	12	23
B. Operated	366	3.6	7	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	271	6.0	45	1	1	5	7	10	13	25
B. Operated	447	5.9	35	2	2	4	7	11	16	28
1. SINGLE DX	593	4.3	11	1	2	3	5	8	11	19
2. MULTIPLE DX	718	5.9	39	1	2	4	7	11	14	27
A. NOT OPERATED	498	5.7	31	1	2	5	7	10	13	24
B. OPERATED	813	4.9	24	1	2	4	6	9	12	25
TOTAL 0-19 YRS	150	4.4	10	<1	1	4	6	8	11	14
20-34	190	5.6	19	1	2	5	7	10	13	22
35-49	151	5.1	9	1	2	4	7	8	11	17
50-64	269	5.1	18	1	2	4	6	10	12	25
65+	551	5.3	43	1	2	4	6	10	13	27
GRAND TOTAL	1311	5.2	27	1	2	4	6	9	12	24

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.9	19	1	1	2	7	11	12	12
20-34	8	4.4	6	1	1	5	6	7	8	8
35-49	9	5.7	19	2	2	3	8	13	15	15
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	4.2	5	2	2	4	5	8	8	8
35-49	8	3.8	4	2	2	3	5	7	8	8
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	4	12.3	139	4	4	8	20	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.2	6	<1	<1	3	4	7	8	9
20-34	4	7.5	26	1	1	8	11	12	12	12
35-49	9	6.4	34	1	1	4	9	16	18	18
50-64	13	5.5	9	2	2	5	8	10	10	10
65+	20	8.6	38	1	2	7	11	20	21	21
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	3.4	8	1	1	2	5	8	8	8
35-49	14	6.3	19	2	2	5	8	13	17	18
50-64	6	6.5	10	4	4	5	10	11	11	11
65+	9	7.4	27	2	3	6	9	16	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.5	12	1	1	3	7	9	12	15
B. Operated	21	5.5	35	2	2	4	6	10	20	29
2. MULTIPLE DX										
A. Not Operated	63	6.1	25	1	1	4	8	12	18	21
B. Operated	35	6.1	18	2	2	5	8	11	16	20
1. SINGLE DX	52	4.9	21	1	1	4	6	9	12	29
2. MULTIPLE DX	98	6.1	22	1	1	5	8	12	18	21
A. NOT OPERATED	94	5.6	21	1	1	4	8	12	15	21
B. OPERATED	56	5.9	24	2	2	5	7	11	16	28
TOTAL 0-19 YRS	26	3.4	8	<1	1	2	4	8	10	12
20-34	23	4.7	10	1	1	4	6	9	11	12
35-49	40	5.7	19	1	2	4	8	12	16	18
50-64	24	5.8	8	2	2	5	8	10	11	11
65+	37	8.0	44	1	2	6	10	20	21	29
GRAND TOTAL	150	5.7	22	1	1	4	8	11	15	21

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	659	3.6	10	1	1	3	4	7	9	15
20-34	20	3.1	3	<1	<1	3	4	6	7	7
35-49	4	5.0	18	1	1	4	8	10	10	10
50-64	6	3.3	8	<1	<1	2	3	8	9	9
65+	4	6.3	14	1	1	7	9	10	10	10
B. Operated										
0-19 YRS	798	1.3	2	<1	<1	1	1	2	3	7
20-34	113	2.4	2	<1	<1	2	3	4	5	7
35-49	69	2.9	7	<1	1	2	3	5	6	18
50-64	67	2.9	6	1	1	2	3	5	6	17
65+	18	3.7	10	1	1	2	4	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1298	4.7	14	1	1	4	6	9	12	20
20-34	28	4.6	13	1	1	4	6	9	12	17
35-49	9	5.1	14	1	2	4	5	11	14	14
50-64	15	5.1	8	1	2	5	7	9	10	10
65+	22	7.4	40	<1	1	5	9	18	22	23
B. Operated										
0-19 YRS	656	2.1	5	<1	<1	2	2	3	6	15
20-34	113	2.9	3	1	2	3	3	4	6	11
35-49	80	3.0	3	<1	2	3	3	6	7	9
50-64	60	2.5	2	<1	1	2	3	4	6	7
65+	26	3.6	9	1	1	3	4	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	693	3.6	10	1	1	3	4	7	9	15
B. Operated	1065	1.7	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	1372	4.8	14	1	1	4	6	9	12	21
B. Operated	935	2.4	5	<1	<1	2	2	4	7	12
1. SINGLE DX	1758	2.4	7	<1	<1	1	3	5	7	13
2. MULTIPLE DX	2307	3.8	12	<1	1	3	5	8	10	17
A. NOT OPERATED	2065	4.4	13	1	1	3	6	9	11	20
B. OPERATED	2000	2.0	4	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	3411	3.2	10	<1	<1	2	4	7	9	15
20-34	274	2.9	4	<1	1	2	3	5	6	11
35-49	162	3.1	6	<1	1	2	3	6	7	14
50-64	148	3.0	5	1	1	2	3	6	7	10
65+	70	5.0	21	1	1	3	7	10	15	23
GRAND TOTAL	4065	3.2	10	<1	<1	2	4	7	9	16

131: Other inflammation of ear and mastoid

(380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	3.7	5	1	1	3	5	7	9	10
20-34	32	3.7	4	1	1	3	5	6	8	8
35-49	14	5.0	8	3	3	4	5	7	12	14
50-64										
65+	6	7.2	19	3	3	6	9	14	15	15
B. Operated										
0-19 YRS	83	2.8	10	<1	<1	1	4	6	8	17
20-34	27	4.3	3	1	2	4	6	6	7	8
35-49	23	4.6	3	2	2	5	6	7	8	8
50-64	13	3.2	2	1	2	3	3	6	6	6
65+	6	4.3	3	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	4.9	13	1	1	4	7	10	12	17
20-34	31	4.4	5	1	2	4	6	8	8	11
35-49	14	7.4	12	3	3	7	9	11	15	16
50-64	9	6.2	5	3	4	6	7	9	11	11
65+	17	8.8	57	1	2	6	11	21	26	28
B. Operated										
0-19 YRS	92	3.1	9	<1	<1	2	3	8	9	14
20-34	38	4.1	4	2	2	3	5	7	8	12
35-49	27	3.7	4	2	2	3	4	6	7	11
50-64	24	7.0	116	2	3	4	6	11	25	56
65+	16	10.3	83	2	2	7	15	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	4.0	6	1	1	4	5	7	9	14
B. Operated	152	3.4	7	<1	<1	3	5	6	8	14
2. MULTIPLE DX										
A. Not Operated	258	5.3	16	1	1	4	7	10	12	21
B. Operated	197	4.4	30	<1	1	3	5	9	11	29
1. SINGLE DX	274	3.7	7	<1	<1	3	5	7	8	14
2. MULTIPLE DX	455	4.9	22	1	1	3	6	9	12	23
A. NOT OPERATED	380	4.9	13	1	1	4	6	9	12	17
B. OPERATED	349	4.0	20	<1	<1	3	5	8	9	23
TOTAL 0-19 YRS	432	3.9	11	<1	<1	3	5	9	11	16
20-34	128	4.1	4	1	2	4	5	7	8	11
35-49	78	4.9	7	2	2	4	6	8	10	15
50-64	46	5.7	64	2	2	3	6	9	11	56
65+	45	8.5	55	2	2	6	10	22	28	29
GRAND TOTAL	729	4.5	17	<1	1	3	6	9	11	19

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.8	4	1	1	2	3	6	8	8
20-34	68	2.9	3	1	1	3	4	5	6	10
35-49	86	3.6	7	1	1	3	4	8	9	13
50-64	121	3.7	8	1	1	3	5	7	9	13
65+	137	5.2	23	1	1	4	7	11	16	23
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	14	4.0	4	1	2	4	4	7	9	9
50-64	17	4.6	9	2	2	3	6	10	11	12
65+	8	5.9	12	2	2	5	7	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.9	3	1	1	3	4	5	6	6
20-34	29	4.1	7	1	1	3	5	8	10	12
35-49	57	5.1	12	1	1	4	8	11	12	13
50-64	137	5.2	17	1	2	4	7	11	15	20
65+	304	7.1	73	1	2	5	8	13	17	40
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	14.0	332	3	3	3	23	45	45	45
35-49	3	3.3		3	3	3	4	4	4	4
50-64	10	7.3	19	2	2	6	12	14	15	15
65+	14	13.4	176	2	3	8	19	32	45	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	421	4.0	12	1	1	3	5	8	11	18
B. Operated	44	4.5	7	2	2	4	5	8	11	13
2. MULTIPLE DX										
A. Not Operated	538	6.2	48	1	2	4	8	12	14	30
B. Operated	33	10.4	134	2	3	5	13	24	43	49
1. SINGLE DX	465	4.1	12	1	1	3	5	8	11	17
2. MULTIPLE DX	571	6.4	54	1	2	4	8	12	16	33
A. NOT OPERATED	959	5.2	34	1	1	4	7	10	13	22
B. OPERATED	77	7.0	69	2	2	4	8	15	22	48
TOTAL 0-19 YRS	23	3.0	4	1	1	3	4	6	7	8
20-34	105	3.8	22	1	1	3	4	6	8	29
35-49	160	4.2	9	1	1	3	6	9	11	13
50-64	285	4.6	13	1	1	3	6	9	12	18
65+	463	6.7	62	1	2	5	8	13	17	34
GRAND TOTAL	1036	5.3	36	1	1	4	7	10	14	29

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4	
20-34	80	3.0	1	2	2	3	3	4	4	5	
35-49	99	2.8	1	2	2	3	3	4	4	6	
50-64	63	3.1	1	2	2	3	3	4	5	8	
65+	12	2.8	2	1	1	3	3	5	6	6	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	1	1.0		1	1	1	1	1	1	1	
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1	
65+											
B. Operated											
0-19 YRS	3	3.0		3	3	3	3	3	3	3	
20-34	23	4.0	3	2	2	3	5	7	8	8	
35-49	36	2.9	1	<1	1	3	3	4	5	6	
50-64	23	2.9	1	1	2	3	3	4	5	6	
65+	4	2.5	2	1	1	2	3	4	4	4	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
B. Operated	258	2.9	1	2	2	3	3	4	4	6	
2. MULTIPLE DX											
A. Not Operated	2	1.0		<1	<1	<1	1	1	1	1	
B. Operated	89	3.1	2	1	2	3	3	5	6	8	
1. SINGLE DX	258	2.9	1	2	2	3	3	4	4	6	
2. MULTIPLE DX	91	3.1	2	1	2	3	3	5	6	8	
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1	
B. OPERATED	347	3.0	1	2	2	3	3	4	5	7	
TOTAL 0-19 YRS	7	3.0	1	2	2	3	4	4	4	4	
20-34	103	3.2	1	2	2	3	4	4	5	8	
35-49	136	2.8	1	1	2	3	3	4	4	6	
50-64	87	3.0	1	2	2	3	3	4	5	8	
65+	16	2.8	2	1	1	3	3	4	5	6	
GRAND TOTAL	349	3.0	1	2	2	3	3	4	5	7	

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	16	3.6	10	<1	1	3	4	6	12	14	
20-34	6	5.8	25	1	1	5	10	13	13	13	
35-49	19	3.5	5	<1	<1	3	4	7	8	9	
50-64	6	6.0	20	2	2	4	10	13	13	13	
65+	1	4.0		4	4	4	4	4	4	4	
B. Operated											
0-19 YRS	127	2.4	2	1	1	2	3	4	5	8	
20-34	193	2.7	1	2	2	2	3	4	5	8	
35-49	134	2.8	2	2	2	2	3	4	5	10	
50-64	83	2.7	2	1	2	3	3	4	5	8	
65+	24	2.8	2	2	2	2	3	4	6	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	28	7.1	69	<1	<1	5	8	16	20	42	
20-34	15	2.4	4	<1	<1	1	4	5	7	7	
35-49	14	3.5	6	<1	1	3	6	7	8	8	
50-64	17	9.2	135	<1	1	6	9	33	39	40	
65+	22	8.7	49	1	2	6	13	20	22	23	
B. Operated											
0-19 YRS	116	2.3	2	<1	1	2	3	3	4	9	
20-34	147	2.8	2	1	2	2	3	4	5	9	
35-49	120	3.0	6	1	2	2	3	4	8	14	
50-64	79	3.2	6	1	2	3	3	5	7	16	
65+	34	4.9	33	1	1	3	5	13	18	27	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	48	4.2	11	<1	1	3	5	10	13	14	
B. Operated											
	561	2.7	2	1	2	2	3	4	5	9	
2. MULTIPLE DX											
A. Not Operated											
	96	6.6	61	<1	<1	4	8	16	20	41	
B. Operated											
	496	2.9	6	1	1	2	3	4	7	15	
1. SINGLE DX	609	2.8	3	1	2	2	3	4	5	10	
2. MULTIPLE DX	592	3.5	17	1	1	2	3	7	10	20	
A. NOT OPERATED	144	5.8	45	<1	1	4	7	13	18	40	
B. OPERATED	1057	2.8	4	1	2	2	3	4	6	11	
TOTAL 0-19 YRS											
	287	2.9	11	1	1	2	3	5	7	16	
20-34	361	2.8	2	1	2	2	3	4	5	9	
35-49	287	3.0	4	1	2	3	3	4	7	12	
50-64	185	3.6	19	1	2	3	3	6	9	31	
65+	81	5.3	32	1	2	3	5	14	19	26	
GRAND TOTAL	1201	3.1	10	1	1	2	3	5	7	17	

135: Rheumatic fever, acute (390-392)

135: Rheumatic fever, acute (390-392)				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	7.6	80	<1	1	5	6	22	31	31
20-34	8	6.0	12	3	3	5	6	12	14	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34										
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	11.3	143	3	3	6	18	29	29	29
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	20.0	648	2	2	20	38	38	38	38
50-64	7	11.4	135	1	2	8	13	31	36	36
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	42.0		42	42	42	42	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	6.6	47	1	2	5	6	14	23	31
B. Operated	2	18.5	61	13	13	18	24	24	24	24
2. MULTIPLE DX										
A. Not Operated	15	11.3	157	1	1	6	13	36	37	38
B. Operated	3	16.0	511	1	1	5	33	42	42	42
1. SINGLE DX										
	21	7.8	58	1	2	5	8	18	27	31
2. MULTIPLE DX										
	18	12.1	193	1	1	6	13	37	40	42
A. NOT OPERATED										
	34	8.7	98	1	2	5	8	29	35	38
B. OPERATED										
	5	17.0	273	1	1	13	28	42	42	42
TOTAL 0-19 YRS										
	15	9.7	101	<1	2	6	12	29	30	31
20-34	9	5.8	11	3	3	5	6	11	14	14
35-49	3	14.0	432	2	2	2	29	38	38	38
50-64	9	9.6	116	1	1	6	12	27	36	36
65+	3	18.7	444	1	1	13	35	42	42	42
GRAND TOTAL										
	39	9.8	121	1	1	5	13	30	37	42

136: Chronic rheumatic heart disease (393-398)

136: Chronic rheumatic heart disease (333-335)				PERCENTILES							
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8	
20-34	3	7.3	5	6	6	6	9	10	10	10	
35-49	5	4.0	7	1	1	3	6	8	8	8	
50-64	5	13.0	199	4	4	8	16	38	38	38	
65+											
B. Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	16	9.3	33	<1	<1	10	14	17	18	18	
35-49	34	5.2	22	1	1	3	9	12	14	17	
50-64	34	6.8	65	1	2	3	11	13	19	43	
65+	8	5.8	40	1	1	3	8	17	19	19	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	5.0	19	2	2	3	8	10	10	10	
20-34	7	4.6	12	2	2	3	5	11	12	12	
35-49	26	7.4	23	2	3	6	9	14	16	22	
50-64	55	9.4	59	2	3	8	12	19	31	97	
65+	93	11.3	104	2	3	9	14	19	29	61	
B. Operated											
0-19 YRS	1	28.0		28	28	28	28	28	28	28	
20-34	18	9.3	40	1	2	10	11	17	22	25	
35-49	53	10.5	52	2	3	11	14	20	23	31	
50-64	102	13.8	172	2	3	11	19	31	46	85	
65+	68	14.2	209	1	1	12	18	31	47	81	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	15	8.0	75	1	3	6	8	10	31	38	
B. Operated	93	6.5	42	1	1	3	11	14	17	33	
2. MULTIPLE DX											
A. Not Operated	184	9.8	77	2	3	8	12	18	26	63	
B. Operated	242	12.9	148	1	2	11	18	26	39	72	
1. SINGLE DX											
	108	6.7	46	1	1	3	10	14	17	40	
2. MULTIPLE DX											
	426	11.6	120	2	2	10	15	22	33	70	
A. NOT OPERATED											
	199	9.7	77	2	3	8	12	18	26	60	
B. OPERATED											
	335	11.1	127	1	2	10	15	22	33	62	
TOTAL 0-19 YRS											
	5	9.2	121	2	2	3	14	28	28	28	
20-34	43	8.4	33	<1	2	9	12	16	18	25	
35-49	116	8.2	40	1	2	7	12	17	21	30	
50-64	196	11.1	126	2	2	9	13	24	41	86	
65+	174	12.2	147	2	2	10	15	24	37	65	
GRAND TOTAL											
	534	10.6	108	2	2	9	13	20	31	62	

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.6	2	1	1	3	4	4	4	4
20-34	36	5.5	24	1	2	4	6	10	15	28
35-49	98	5.1	14	1	2	4	6	9	12	21
50-64	174	5.7	22	1	2	5	7	10	14	21
65+	252	6.2	23	1	2	5	8	13	16	22
B. Operated										
0-19 YRS										
20-34	7	6.3	18	<1	<1	6	8	13	14	14
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	10	6.6	50	1	1	3	10	18	22	22
65+	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	6.0	23	1	2	4	9	14	15	15
20-34	80	5.0	14	1	1	4	7	10	14	18
35-49	231	6.5	21	1	2	6	8	13	16	22
50-64	558	7.2	32	2	2	6	9	13	17	29
65+	1104	8.6	54	2	2	7	11	16	22	46
B. Operated										
0-19 YRS	3	6.0	21	1	1	7	9	10	10	10
20-34	13	5.7	11	1	1	5	8	10	12	12
35-49	31	9.4	37	2	3	9	13	18	22	23
50-64	62	13.1	253	1	2	8	16	30	53	99
65+	63	12.8	223	1	2	8	14	29	44	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	570	5.8	21	1	2	4	7	11	14	22
B. Operated	24	5.5	32	<1	1	3	8	14	17	22
2. MULTIPLE DX										
A. Not Operated	1985	7.8	43	2	2	6	10	15	19	39
B. Operated	172	11.7	184	1	2	8	14	24	39	88
1. SINGLE DX	594	5.7	21	1	2	4	7	11	14	22
2. MULTIPLE DX	2157	8.1	56	2	2	6	10	15	20	42
A. NOT OPERATED	2555	7.3	39	2	2	6	9	14	18	35
B. OPERATED	196	10.9	169	1	1	7	14	22	36	85
TOTAL 0-19 YRS	25	4.6	16	1	1	3	5	10	14	15
20-34	136	5.3	16	1	1	4	7	10	14	19
35-49	364	6.3	21	1	2	5	8	13	15	23
50-64	1424	7.3	50	1	2	6	9	14	18	37
65+	1422	8.4	58	2	2	6	11	16	21	46
GRAND TOTAL	2751	7.6	49	2	2	6	10	15	19	39

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	15	5.8	20	2	2	5	6	12	17	19
65+	30	6.2	14	1	2	6	9	12	14	15
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	10	5.1	5	3	3	4	6	9	10	10
50-64	42	8.7	131	2	2	5	10	18	20	73
65+	233	12.0	79	3	4	10	15	23	28	59
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	11	13.1	45	1	5	13	16	23	25	25
65+	16	23.8	235	4	7	24	42	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	5.9	16	1	2	5	8	12	14	19
B. Operated										
2. MULTIPLE DX										
A. Not Operated	286	11.3	86	3	3	9	14	21	27	60
B. Operated	27	19.4	182	3	6	19	29	81	99+	99+
1. SINGLE DX	47	5.9	16	1	2	5	8	12	14	19
2. MULTIPLE DX	313	12.0	99	3	3	10	16	24	32	99+
A. NOT OPERATED	333	10.5	80	2	3	8	13	21	26	59
B. OPERATED	27	19.4	182	3	6	19	29	81	99+	99+
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	4.7	6	1	2	4	6	9	10	10
50-64	68	8.8	96	2	2	6	11	18	21	64
65+	279	12.1	92	3	4	10	16	25	34	99+
GRAND TOTAL	360	11.2	93	2	3	9	14	23	30	96

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34	4	4.5	2	3	3	4	5	6	6	6	
35-49	3	6.3		6	6	6	7	7	7	7	
50-64	9	5.4	12	1	1	5	8	10	12	12	
65+	12	10.0	56	2	3	8	11	21	29	30	
B. Operated											
0-19 YRS	3	15.3	42	9	9	15	20	22	22	22	
20-34	1	4.0		4	4	4	4	4	4	4	
35-49	4	6.3	11	3	3	6	9	10	10	10	
50-64	8	8.9	54	2	3	5	13	21	24	24	
65+	3	6.7	44	1	1	5	12	14	14	14	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8	
20-34	9	5.9	7	2	2	6	7	9	10	10	
35-49	14	7.0	9	3	3	7	9	11	13	13	
50-64	32	12.5	204	2	2	8	13	28	52	62	
65+	63	12.7	198	1	1	10	13	28	42	71	
B. Operated											
0-19 YRS	4	12.5	66	2	2	13	18	21	21	21	
20-34	8	13.9	60	2	3	15	20	23	23	23	
35-49	16	18.1	166	4	5	15	22	42	48	50	
50-64	55	19.9	265	1	3	15	27	47	55	60	
65+	28	19.3	146	3	3	17	29	37	38	48	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	29	7.3	31	2	2	6	8	12	18	30	
B. Operated	19	8.7	43	1	2	5	13	19	23	24	
2. MULTIPLE DX											
A. Not Operated	120	11.4	164	1	2	8	13	25	40	66	
B. Operated	111	18.8	198	2	3	15	24	43	48	59	
1. SINGLE DX	48	7.9	36	2	2	6	10	15	22	30	
2. MULTIPLE DX	231	14.9	193	1	2	11	19	35	47	62	
A. NOT OPERATED	149	10.6	140	1	2	7	12	24	34	63	
B. OPERATED	130	17.3	188	2	3	15	22	37	48	58	
TOTAL 0-19 YRS	10	11.5	46	2	3	10	16	21	22	22	
20-34	22	8.5	41	2	2	6	10	20	22	23	
35-49	37	11.6	105	3	3	8	14	23	37	50	
50-64	104	15.5	230	1	2	10	20	42	54	61	
65+	106	14.0	173	1	1	11	17	32	40	67	
GRAND TOTAL	279	13.7	173	1	2	10	17	31	45	61	

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	14.0	8	12	12	14	16	16	16	16	
20-34	25	9.9	12	3	5	10	13	13	15	15	
35-49	232	10.9	18	3	6	11	13	16	18	24	
50-64	557	12.3	28	3	6	12	15	19	21	28	
65+	539	13.7	47	6	7	12	16	21	26	38	
B. Operated											
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11	
20-34	1	12.0		12	12	12	12	12	12	12	
35-49	24	10.1	21	1	2	11	13	15	17	17	
50-64	37	13.4	57	1	1	14	17	24	27	32	
65+	26	12.4	39	1	4	12	16	19	26	28	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	15.0		15	15	15	15	15	15	15	
20-34	31	11.6	11	7	8	11	13	16	19	23	
35-49	374	12.2	30	5	7	12	15	18	21	34	
50-64	1269	13.4	38	5	8	12	16	20	24	36	
65+	1967	15.6	96	5	8	14	18	25	32	63	
B. Operated											
0-19 YRS											
20-34	11	13.5	35	3	6	13	17	22	23	23	
35-49	80	13.4	70	2	3	12	17	24	33	81	
50-64	190	17.2	90	7	9	15	19	29	36	54	
65+	227	21.6	154	8	10	18	26	39	47	78	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	1355	12.6	34	4	7	12	15	19	22	34	
B. Operated											
	90	12.0	43	1	1	12	15	19	25	30	
2. MULTIPLE DX											
A. Not Operated											
	3642	14.4	70	5	7	13	17	23	28	53	
B. Operated											
	508	18.5	124	6	9	15	23	34	41	67	
1. SINGLE DX	1445	12.5	35	4	6	12	15	19	22	32	
2. MULTIPLE DX	4150	14.9	78	5	8	13	17	24	31	56	
A. NOT OPERATED	4997	13.9	61	5	7	13	16	22	26	47	
B. OPERATED	598	17.5	117	3	8	15	21	33	40	66	
TOTAL 0-19 YRS											
	5	11.0	36	1	1	12	15	16	16	16	
20-34	68	11.3	16	5	7	11	13	16	19	23	
35-49	710	11.9	31	3	6	11	14	18	21	35	
50-64	2053	13.4	42	5	7	12	16	20	24	38	
65+	2759	15.7	95	6	8	14	18	25	33	63	
GRAND TOTAL	5595	14.3	68	5	7	13	17	23	28	51	

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	9	3.7	6	1	1	3	5	7	9	9
35-49	105	4.6	12	1	1	4	5	10	12	15
50-64	249	5.0	19	1	2	4	6	9	11	19
65+	339	4.9	11	1	2	4	7	10	12	17
B. Operated										
0-19 YRS										
20-34	4	3.5	14	1	1	2	6	9	9	9
35-49	17	3.2	12	<1	<1	2	4	8	12	14
50-64	40	3.9	26	<1	<1	1	4	12	16	23
65+	14	2.1	3	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	16	3.4	12	<1	1	2	4	6	12	15
35-49	191	5.3	27	1	1	4	7	10	14	28
50-64	716	6.0	25	1	2	5	8	12	16	23
65+	1196	7.5	42	2	2	6	9	14	18	35
B. Operated										
0-19 YRS										
20-34	16	5.6	12	1	3	4	9	11	12	12
35-49	257	5.2	20	<1	<1	3	9	11	12	17
50-64	656	5.6	31	<1	<1	3	9	12	15	29
65+	304	8.0	60	<1	<1	4	11	18	27	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	702	4.9	14	1	1	4	6	9	12	17
B. Operated	75	3.4	18	<1	<1	1	3	8	14	21
2. MULTIPLE DX										
A. Not Operated	2122	6.7	35	1	2	5	8	13	17	32
B. Operated	1233	6.1	37	<1	<1	3	10	13	17	30
1. SINGLE DX	777	4.7	14	<1	1	4	6	9	12	17
2. MULTIPLE DX	3355	6.5	36	<1	1	5	9	13	17	31
A. NOT OPERATED	2824	6.3	30	1	2	5	8	12	16	28
B. OPERATED	1308	6.0	36	<1	<1	3	10	13	16	30
TOTAL 0-19 YRS	3	7.0	9	4	4	7	9	10	10	10
20-34	45	4.2	11	<1	1	3	5	9	11	15
35-49	570	5.0	21	<1	1	3	7	11	12	22
50-64	1661	5.7	26	<1	1	4	8	12	15	23
65+	1853	7.0	40	1	2	5	9	14	18	33
GRAND TOTAL	4132	6.2	32	<1	1	4	8	12	16	29

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	6.7	30	3	3	4	11	13	13	13
35-49	84	5.5	10	1	2	5	8	10	11	13
50-64	230	7.3	22	1	2	6	10	13	16	21
65+	314	8.0	34	2	3	7	10	14	18	28
B. Operated										
0-19 YRS										
20-34										
35-49	5	8.8	14	4	4	9	11	14	14	14
50-64	15	9.2	24	3	3	8	12	17	18	19
65+	10	10.4	28	2	3	11	13	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.7	52	3	3	4	13	16	16	16
20-34	9	3.6	3	1	1	4	5	6	6	6
35-49	177	6.7	31	1	2	6	9	12	15	23
50-64	729	7.9	29	2	3	7	10	14	17	27
65+	1485	9.4	55	2	3	8	12	17	21	38
B. Operated										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	84	10.4	67	<1	2	9	13	20	25	44
50-64	239	11.6	58	1	3	10	14	22	26	38
65+	211	17.3	149	3	6	14	22	32	45	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	631	7.4	27	1	2	6	10	13	16	27
B. Operated	30	9.5	23	3	3	9	13	16	19	19
2. MULTIPLE DX										
A. Not Operated	2403	8.7	46	2	3	7	11	16	19	35
B. Operated	535	13.7	104	2	3	11	18	26	34	58
1. SINGLE DX	661	7.5	27	1	2	6	10	13	16	27
2. MULTIPLE DX	2938	9.6	60	2	3	8	12	18	22	42
A. NOT OPERATED	3034	8.4	42	2	3	7	11	15	19	33
B. OPERATED	565	13.4	101	2	3	11	17	26	33	57
TOTAL 0-19 YRS	3	7.7	52	3	3	4	13	16	16	16
20-34	13	4.6	10	1	2	4	6	9	12	13
35-49	350	7.4	37	1	2	6	10	13	17	36
50-64	1213	8.5	36	2	3	7	11	15	19	32
65+	2020	10.0	68	2	3	8	12	18	24	46
GRAND TOTAL	3599	9.2	55	2	3	8	12	17	22	39

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	57	5.3	17	1	2	4	7	10	12	24
50-64	156	6.4	24	1	1	5	8	13	18	21
65+	271	8.4	65	1	2	6	10	17	23	41
B. Operated										
0-19 YRS										
20-34	9	3.8	12	<1	<1	3	5	10	10	10
35-49	171	4.4	24	<1	1	2	6	11	13	25
50-64	446	4.2	22	<1	<1	2	5	11	13	22
65+	188	4.4	30	<1	1	2	5	11	14	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	3.7	14	<1	<1	1	6	9	10	10
35-49	171	5.6	22	1	2	4	7	10	15	26
50-64	662	7.2	35	1	2	6	9	14	18	27
65+	1579	10.4	115	2	3	7	13	20	31	90
B. Operated										
0-19 YRS	3	1.3	<1	<1	<1	2	2	2	2	2
20-34	26	3.5	11	<1	<1	2	3	9	12	12
35-49	350	5.5	51	<1	<1	2	8	14	18	29
50-64	998	6.1	65	<1	<1	3	9	15	20	37
65+	464	9.1	121	<1	1	5	13	21	31	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	487	7.3	47	1	2	5	9	15	20	34
B. Operated	814	4.2	24	<1	<1	2	5	11	13	22
2. MULTIPLE DX										
A. Not Operated	2424	9.2	89	2	2	7	11	18	26	80
B. Operated	1841	6.7	77	<1	<1	3	10	16	21	52
1. SINGLE DX	1301	5.4	35	<1	1	3	8	12	16	26
2. MULTIPLE DX	4265	8.1	86	1	1	5	11	17	24	63
A. NOT OPERATED	2911	8.9	83	2	2	6	11	18	24	74
B. OPERATED	2655	5.9	62	<1	<1	2	9	15	20	42
TOTAL 0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	48	3.6	11	<1	<1	2	5	9	10	12
35-49	749	5.2	35	<1	1	3	7	12	16	27
50-64	2262	6.1	46	<1	1	3	9	13	18	27
65+	2502	9.5	107	1	2	7	12	20	29	84
GRAND TOTAL	5566	7.5	75	<1	1	5	10	16	22	52

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	18.5	5	17	17	18	20	20	20	20
20-34	20	12.2	11	8	9	11	14	17	19	20
35-49	24	11.8	18	6	7	11	14	17	21	22
50-64	27	11.6	21	5	6	11	14	16	20	26
65+	40	14.9	110	4	6	12	16	32	41	48
B. Operated										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	5	9.4	8	7	7	8	11	14	14	14
35-49	5	16.2	71	9	9	15	20	30	30	30
50-64	7	13.0	21	8	8	14	16	19	20	20
65+	5	19.2	53	11	11	19	26	27	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	10.5	32	1	1	13	14	15	15	15
20-34	32	11.5	20	6	7	11	13	18	22	25
35-49	46	11.5	26	3	4	12	14	18	20	25
50-64	86	13.1	33	7	8	12	16	18	23	39
65+	158	15.4	121	6	7	13	17	26	40	85
B. Operated										
0-19 YRS	13	17.7	180	6	8	15	17	30	54	60
20-34	9	13.4	38	6	6	12	18	23	25	25
35-49	40	18.9	181	6	9	14	21	35	56	64
50-64	45	22.6	318	9	11	17	27	47	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	13.0	51	6	7	11	15	19	26	44
B. Operated	24	13.8	45	6	8	13	17	26	28	30
2. MULTIPLE DX										
A. Not Operated	328	13.8	76	5	7	12	16	21	27	61
B. Operated	107	19.9	230	7	9	15	23	39	60	99+
1. SINGLE DX	137	13.2	50	6	7	11	15	20	27	43
2. MULTIPLE DX	435	15.3	120	6	7	13	17	25	38	90
A. NOT OPERATED	441	13.6	69	5	7	12	15	20	27	49
B. OPERATED	131	18.8	201	7	8	15	22	35	57	99+
TOTAL 0-19 YRS	10	11.7	36	1	2	13	15	18	20	20
20-34	70	12.7	50	7	7	11	15	18	22	53
35-49	84	12.1	27	4	6	12	15	19	22	28
50-64	160	14.3	73	6	8	13	16	21	28	57
65+	248	16.7	160	6	7	13	18	31	43	99+
GRAND TOTAL	572	14.8	104	6	7	13	16	24	35	81

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	23.0	532	5	5	15	40	49	49	49
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	29.0	72	23	23	29	35	35	35	35
20-34	2	14.5	113	7	7	14	22	22	22	22
35-49	7	33.0	131	10	14	33	42	43	43	43
50-64	4	23.3	480	4	4	21	42	46	46	46
65+	10	31.8	73	14	21	31	34	44	46	46
B. Operated										
0-19 YRS	1	47.0		47	47	47	47	47	47	47
20-34	2	37.5	113	30	30	37	45	45	45	45
35-49	3	28.0	361	7	7	33	41	44	44	44
50-64	7	38.4	104	21	23	37	47	50	50	50
65+	2	39.0	162	30	30	39	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	20.0	388	1	1	15	35	49	49	49
B. Operated										
2. MULTIPLE DX										
A. Not Operated	25	29.2	158	5	7	32	39	43	46	46
B. Operated	15	36.9	142	10	21	37	47	48	50	50
1. SINGLE DX	5	20.0	388	1	1	15	35	49	49	49
2. MULTIPLE DX	40	32.1	163	6	9	33	43	47	48	50
A. NOT OPERATED	30	27.6	197	4	5	31	38	44	46	49
B. OPERATED	15	36.9	142	10	21	37	47	48	50	50
TOTAL 0-19 YRS	3	35.0	144	23	23	35	44	47	47	47
20-34	5	26.8	192	7	7	30	34	45	45	45
35-49	11	28.7	240	1	5	33	42	43	44	44
50-64	14	30.8	303	4	5	36	46	49	50	50
65+	12	33.0	82	15	24	31	38	47	48	48
GRAND TOTAL	45	30.7	194	5	7	32	42	47	48	50

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	23	1.4		<1	<1	1	2	2	3	3
35-49	34	2.1	3	<1	<1	2	3	5	7	8
50-64	52	3.3	7	<1	1	2	5	7	8	12
65+	49	2.7	5	<1	1	2	3	7	7	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.3	18	<1	<1	1	4	10	15	15
20-34	25	3.2	12	<1	<1	2	3	10	11	13
35-49	33	3.0	4	1	1	2	4	6	8	9
50-64	78	4.7	14	1	1	3	7	10	13	18
65+	116	6.9	70	1	1	5	8	13	16	55
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.3	30	1	1	10	11	11	11	11
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	8	10.4	57	1	2	10	20	69	99+	99+
65+	5	15.0	73	9	9	12	17	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	2.6	5	<1	1	2	3	6	7	10
B. Operated	4	3.0	8	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	263	5.2	40	1	1	4	7	11	14	23
B. Operated	19	10.3	56	1	2	10	13	26	65	99+
1. SINGLE DX	167	2.6	5	<1	1	2	3	6	7	10
2. MULTIPLE DX	282	5.6	42	1	1	4	7	13	14	41
A. NOT OPERATED	426	4.2	28	<1	1	3	5	9	13	19
B. OPERATED	23	9.0	55	1	1	9	12	23	51	99+
TOTAL 0-19 YRS	18	2.8	12	<1	1	1	3	6	11	15
20-34	52	2.6	9	<1	<1	1	3	8	11	13
35-49	69	2.7	5	<1	1	2	3	6	8	11
50-64	140	4.5	16	1	1	3	6	10	13	29
65+	170	5.9	57	1	1	4	7	13	14	44
GRAND TOTAL	449	4.5	30	1	1	3	6	10	13	23

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.0	28	<1	<1	3	9	11	11	11
20-34	24	1.9	1	<1	<1	2	2	3	5	5
35-49	48	2.6	4	<1	1	2	3	5	6	9
50-64	134	3.5	9	<1	1	3	4	7	11	15
65+	197	4.9	29	1	1	4	6	9	13	37
B. Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	2	4.0	18	<1	<1	3	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	26	4.5	23	1	1	3	6	8	13	24
35-49	92	4.3	31	1	1	3	4	10	14	31
50-64	352	6.0	31	1	1	4	8	14	17	25
65+	893	8.0	71	1	2	6	10	16	22	62
B. Operated										
0-19 YRS										
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	6	5.5	10	<1	<1	5	9	9	9	9
50-64	27	14.9	296	1	2	8	20	38	46	77
65+	74	16.7	276	3	4	11	23	35	47	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	406	4.0	19	<1	1	3	5	8	10	21
B. Operated	8	3.3	7	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	1365	7.2	58	1	1	5	9	15	20	45
B. Operated	110	15.4	266	2	3	10	21	34	43	86
1. SINGLE DX	414	4.0	19	<1	1	3	5	8	10	21
2. MULTIPLE DX	1475	7.8	78	1	1	5	10	16	23	53
A. NOT OPERATED	1771	6.5	51	1	1	4	8	14	18	38
B. OPERATED	118	14.5	258	1	2	9	19	33	42	85
TOTAL 0-19 YRS	5	4.8	15	<1	<1	3	7	11	11	11
20-34	54	3.4	14	<1	1	2	4	8	9	23
35-49	147	3.8	22	<1	1	2	4	8	11	23
50-64	517	5.8	44	1	1	4	7	13	17	33
65+	1166	8.1	83	1	2	6	10	16	23	59
GRAND TOTAL	1889	7.0	68	1	1	5	8	15	21	45

148: Other arrhythmia and conduction disorders
(426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.3	23	<1	<1	2	3	8	14	24
20-34	46	4.5	27	1	1	3	4	10	18	23
35-49	66	3.2	9	<1	1	2	4	6	9	17
50-64	122	4.3	14	<1	1	3	6	8	11	21
65+	169	5.7	22	1	2	4	7	12	14	25
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	6.1	24	<1	1	4	9	13	17	18
35-49	17	4.7	17	<1	<1	4	7	12	13	13
50-64	46	5.9	24	1	1	5	8	12	17	24
65+	124	6.3	19	2	3	5	8	12	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.6	10	<1	<1	3	5	9	13	99+
20-34	73	4.1	16	<1	1	3	5	8	14	19
35-49	138	5.3	40	1	1	4	6	10	16	42
50-64	429	7.0	74	1	1	5	8	14	20	45
65+	841	8.8	89	1	2	6	11	18	23	72
B. Operated										
0-19 YRS	6	8.8	191	2	2	3	4	34	37	37
20-34	13	10.4	99	3	4	9	22	99+	99+	99+
35-49	35	8.8	77	<1	1	6	11	17	29	43
50-64	147	11.2	165	1	2	8	13	24	32	67
65+	471	11.7	121	3	4	9	14	23	29	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	4.7	19	1	1	3	6	10	14	23
B. Operated	202	6.0	20	1	1	5	8	12	16	24
2. MULTIPLE DX										
A. Not Operated	1511	7.6	78	1	1	5	9	16	21	55
B. Operated	672	11.4	128	2	3	8	14	23	32	84
1. SINGLE DX	631	5.1	20	1	1	4	6	10	14	23
2. MULTIPLE DX	2183	8.8	96	1	2	6	11	18	25	65
A. NOT OPERATED	1940	7.0	66	1	1	5	9	14	20	43
B. OPERATED	874	10.2	108	1	3	7	12	20	28	67
TOTAL 0-19 YRS	63	4.0	32	<1	1	2	4	9	16	91
20-34	146	5.0	30	<1	1	3	6	12	18	99+
35-49	256	5.2	38	<1	1	4	6	11	16	41
50-64	744	7.3	84	1	1	5	9	15	21	54
65+	1605	9.1	90	2	2	7	11	18	24	64
GRAND TOTAL	2814	8.0	81	1	1	5	10	17	23	59

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	5	7.8	12	2	2	9	10	11	11	11
20-34	4	12.8	165	2	2	9	21	31	31	31
35-49	14	8.1	61	2	2	5	11	18	27	30
50-64	77	9.1	78	2	3	7	10	17	26	48
65+	607	9.4	103	2	2	7	11	19	24	68
<i>B. Operated</i>										
0-19 YRS										
20-34										
35-49										
50-64	3	6.7	24	<1	<1	9	10	10	10	10
65+	5	15.6	12	11	11	15	19	19	19	19
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	23	5.4	18	2	2	4	6	12	16	19
20-34	17	9.1	73	2	2	7	11	16	30	38
35-49	87	9.9	124	2	2	7	13	18	23	70
50-64	641	10.2	78	3	3	8	13	19	28	51
65+	3961	12.5	143	2	3	9	15	26	39	83
<i>B. Operated</i>										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	20.0		20	20	20	20	20	20	20
35-49	8	13.4	120	2	3	11	22	29	31	31
50-64	46	17.9	145	2	4	16	24	34	38	57
65+	277	23.4	297	5	7	19	32	56	81	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	707	9.3	99	2	2	7	11	18	25	58
<i>B. Operated</i>	8	12.3	35	<1	3	12	17	19	19	19
2. MULTIPLE DX										
<i>A. Not Operated</i>	4729	12.1	133	2	3	9	15	25	36	77
<i>B. Operated</i>	333	22.4	275	4	7	19	30	52	72	99+
1. SINGLE DX	715	9.3	98	2	2	7	11	19	25	57
2. MULTIPLE DX	5062	12.8	149	2	3	9	16	27	40	84
A. NOT OPERATED	5436	11.8	130	2	3	8	14	24	35	75
B. OPERATED	341	22.1	271	4	7	19	30	52	71	99+
TOTAL 0-19 YRS	29	6.0	17	2	2	5	8	12	14	19
20-34	22	10.3	86	2	2	8	12	23	34	38
35-49	109	9.9	115	2	2	7	13	20	25	67
50-64	767	10.6	85	2	3	8	13	20	29	51
65+	4850	12.8	154	2	3	9	16	27	40	87
GRAND TOTAL	5777	12.4	144	2	3	9	15	26	38	82

150: Miscellaneous diseases of heart
(415.0; 416.420; 422.425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	22	7.3	84	1	2	4	8	17	29	43
20-34	88	4.7	15	1	2	4	6	9	12	21
35-49	65	6.1	101	1	2	4	6	10	14	71
50-64	72	5.7	20	1	1	4	7	12	15	24
65+	35	9.0	74	2	3	6	10	15	31	41
<i>B. Operated</i>										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	20	5.3	29	<1	<1	3	8	13	17	19
35-49	41	5.1	18	<1	<1	3	8	12	14	15
50-64	57	6.0	60	<1	1	3	9	16	26	34
65+	45	8.1	85	1	1	4	13	16	26	42
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	28	9.9	68	1	2	7	14	21	27	35
20-34	73	5.7	23	1	2	4	6	13	15	28
35-49	120	6.9	33	1	1	5	9	15	18	27
50-64	205	8.8	76	2	2	6	11	17	22	48
65+	329	12.0	141	2	3	9	14	25	39	86
<i>B. Operated</i>										
0-19 YRS	8	4.1	14	1	1	3	6	10	11	11
20-34	29	12.0	210	2	2	10	12	20	29	81
35-49	77	11.4	196	<1	1	9	14	26	43	94
50-64	196	9.8	118	<1	1	7	14	23	31	65
65+	170	13.4	172	<1	1	11	19	33	39	97
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	282	6.0	50	1	2	4	7	11	15	38
<i>B. Operated</i>	169	6.1	52	<1	1	3	10	15	18	39
2. MULTIPLE DX										
<i>A. Not Operated</i>	755	9.6	97	1	2	7	12	19	29	65
<i>B. Operated</i>	480	11.4	156	<1	1	9	15	27	35	86
1. SINGLE DX	451	6.1	50	1	1	4	8	13	16	40
2. MULTIPLE DX	1235	10.3	120	1	2	7	13	22	32	76
A. NOT OPERATED	1037	8.6	87	1	2	6	11	17	25	55
B. OPERATED	649	10.0	134	<1	1	7	14	24	33	80
TOTAL 0-19 YRS	64	7.6	65	1	2	5	9	17	24	42
20-34	210	6.1	50	1	2	4	7	13	15	28
35-49	303	7.6	91	1	1	5	10	15	22	77
50-64	530	8.5	84	1	1	5	11	18	27	51
65+	579	11.9	143	1	2	9	15	28	39	86
GRAND TOTAL	1686	9.2	105	1	1	6	12	19	30	67

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	15.0	25	10	10	15	19	20	20	20
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	9	14.1	89	2	4	10	25	26	26	26
65+	37	17.1	319	2	3	10	24	42	55	80
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	10.5	61	5	5	10	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	15.0	25	10	10	15	19	20	20	20
B. Operated										
2. MULTIPLE DX										
A. Not Operated	47	16.2	271	2	3	10	24	37	51	80
B. Operated	2	10.5	61	5	5	10	16	16	16	16
1. SINGLE DX	3	15.0	25	10	10	15	19	20	20	20
2. MULTIPLE DX	49	16.0	262	2	3	10	24	37	50	80
A. NOT OPERATED	50	16.1	255	2	3	10	24	36	50	80
B. OPERATED	2	10.5	61	5	5	10	16	16	16	16
TOTAL 0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	9	14.1	89	2	4	10	25	26	26	26
65+	42	16.6	285	2	3	11	21	39	53	80
GRAND TOTAL	52	15.9	248	2	3	10	22	36	49	80

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	3	4.7	12	1	1	5	7	8	8	8
50-64	3	4.3	12	1	1	4	7	8	8	8
65+										
B. Operated										
0-19 YRS	2	13.0	8	11	11	13	15	15	15	15
20-34	10	17.6	130	2	3	17	21	34	44	44
35-49	10	18.8	264	2	2	15	34	42	45	45
50-64	4	19.3	335	5	5	13	30	46	46	46
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	2	14.0	288	2	2	14	26	26	26	26
65+	6	28.0	379	7	7	25	42	56	58	58
B. Operated										
0-19 YRS	3	42.7	1122	19	19	28	68	81	81	81
20-34	7	29.7	319	10	11	32	42	55	58	58
35-49	8	27.8	195	8	11	25	32	50	56	56
50-64	28	33.3	716	7	9	23	59	99	99+	99+
65+	6	28.2	286	13	14	32	79	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.7	9	1	1	4	6	8	8	8
B. Operated	27	18.6	188	2	3	15	25	43	45	46
2. MULTIPLE DX										
A. Not Operated	8	24.5	354	2	3	23	36	53	58	58
B. Operated	52	31.9	528	8	10	26	54	97	99+	99+
1. SINGLE DX	36	14.9	185	1	1	12	19	39	45	46
2. MULTIPLE DX	60	30.9	505	7	9	26	50	89	99+	99+
A. NOT OPERATED	17	13.5	274	1	1	7	21	40	52	58
B. OPERATED	79	27.4	449	5	7	22	41	82	99+	99+
TOTAL 0-19 YRS	5	30.8	827	11	11	19	41	81	81	81
20-34	20	19.5	251	1	2	16	28	44	51	58
35-49	21	20.2	248	1	2	19	30	41	50	56
50-64	37	28.4	661	3	5	21	48	94	99+	99+
65+	13	28.6	281	8	11	32	54	99+	99+	99+
GRAND TOTAL	96	24.9	443	2	4	20	36	65	99	99+

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	1	68.0		68	68	68	68	68	68	68
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	49.0		49	49	49	49	49	49	49
65+	2	44.5	5	43	43	44	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	1	41.0		41	41	41	41	41	41	41
B. Operated	5	43.2	440	10	10	46	54	68	68	68
1. SINGLE DX										
2. MULTIPLE DX	6	42.8	353	10	13	44	49	66	68	68
A. NOT OPERATED	1	41.0		41	41	41	41	41	41	41
B. OPERATED	5	43.2	440	10	10	46	54	68	68	68
TOTAL 0-19 YRS										
20-34	1	68.0		68	68	68	68	68	68	68
35-49	2	25.5	481	10	10	25	41	41	41	41
50-64	1	49.0		49	49	49	49	49	49	49
65+	2	44.5	5	43	43	44	46	46	46	46
GRAND TOTAL	6	42.8	353	10	13	44	49	66	68	68

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	16.3	465	<1	<1	7	32	41	41	41
50-64	9	10.7	14	7	7	10	15	59	99+	99+
B. Operated										
0-19 YRS										
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	4	11.0	25	5	5	11	14	17	17	17
50-64	6	16.2	95	6	6	14	21	32	33	33
65+	15	12.9	36	5	5	13	19	20	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	8	22.8	591	8	8	13	23	64	81	81
65+	35	23.5	422	3	4	18	40	68	90	99+
B. Operated										
0-19 YRS	4	19.8	333	2	2	16	32	45	45	45
20-34	4	28.8	267	15	15	25	42	49	49	49
35-49	3	59.3	2010	9	9	95	99+	99+	99+	99+
50-64	20	17.0	124	7	7	14	20	31	43	52
65+	27	26.4	224	9	10	24	41	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	12.1	93	1	6	10	15	47	88	99+
B. Operated	27	13.1	44	5	5	12	18	21	24	33
2. MULTIPLE DX										
A. Not Operated	48	21.8	418	3	4	13	33	65	81	99+
B. Operated	58	24.6	334	7	9	20	38	78	99+	99+
1. SINGLE DX	40	12.8	58	5	6	11	17	22	37	99+
2. MULTIPLE DX	106	23.3	370	4	7	18	36	70	99+	99+
A. NOT OPERATED	61	19.8	362	3	5	12	29	63	87	99+
B. OPERATED	85	20.9	269	6	7	17	30	55	99+	99+
TOTAL 0-19 YRS	6	15.7	240	2	2	10	19	42	45	45
20-34	7	22.0	214	9	9	16	31	46	49	49
35-49	10	24.2	1052	2	4	12	84	99+	99+	99+
50-64	37	18.1	226	6	7	14	22	34	48	81
65+	86	21.2	279	5	6	18	33	61	99+	99+
GRAND TOTAL	146	20.4	306	5	7	15	30	60	99	99+

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	4	48.8	1001	21	21	47	76	80	80	80
65+	12	39.1	731	14	16	47	87	99+	99+	99+
B. Operated										
0-19 YRS										
20-34	2	56.5	113	49	49	56	64	64	64	64
35-49	1	19.0		19	19	59	99+	99+	99+	99+
50-64	11	25.2	274	7	8	25	43	46	47	47
65+	3	24.0	511	9	9	31	75	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	16	41.5	755	15	17	47	78	99+	99+	99+
B. Operated	17	28.3	357	8	9	26	48	85	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	33	34.7	577	9	10	34	67	99+	99+	99+
A. NOT OPERATED	16	41.5	755	15	17	47	78	99+	99+	99+
B. OPERATED	17	28.3	357	8	9	26	48	85	99+	99+
TOTAL 0-19 YRS										
20-34	2	56.5	113	49	49	56	64	64	64	64
35-49	1	19.0		19	19	59	99+	99+	99+	99+
50-64	15	31.5	526	7	9	25	45	72	78	80
65+	15	36.1	686	11	13	47	87	99+	99+	99+
GRAND TOTAL	33	34.7	577	9	10	34	67	99+	99+	99+

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	11.0	72	5	5	11	17	17	17	17
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	8.5	26	5	5	6	11	16	16	16
65+	4	6.3	14	2	2	6	9	11	11	11
B. Operated										
0-19 YRS										
20-34	2	15.0	392	<1	<1	14	29	29	29	29
35-49	8	10.3	71	3	4	7	13	24	29	29
50-64	58	7.4	20	1	2	7	9	12	17	22
65+	110	8.2	37	1	1	7	12	17	19	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	8.8	31	1	1	10	12	14	14	14
35-49	12	7.7	26	1	2	6	10	17	18	18
50-64	16	9.7	55	2	3	8	12	18	28	32
65+										
B. Operated										
0-19 YRS										
20-34	17	8.9	54	1	2	8	14	26	71	99+
35-49	204	10.0	59	1	1	9	14	20	23	39
50-64	342	11.0	105	1	1	9	14	22	28	59
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	7.7	24	2	3	6	10	16	17	17
B. Operated	178	8.1	35	1	1	7	11	17	20	29
2. MULTIPLE DX										
A. Not Operated	33	8.7	39	1	3	7	11	16	18	32
B. Operated	563	10.6	87	1	1	9	14	20	27	55
1. SINGLE DX	189	8.1	35	1	1	7	11	17	19	28
2. MULTIPLE DX	596	10.5	85	1	1	9	14	20	27	53
A. NOT OPERATED	44	8.4	35	2	3	7	11	16	18	32
B. OPERATED	741	10.0	76	1	1	8	13	20	25	47
TOTAL 0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	13.0	160	<1	<1	11	23	29	29	29
50-64	30	9.1	51	1	2	7	13	23	29	99+
65+	278	9.4	50	1	2	8	12	18	21	32
65+	472	10.2	88	1	1	8	13	20	27	49
GRAND TOTAL	785	9.9	74	1	1	8	13	19	25	46

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	21.2	444	4	4	16	21	58	62	62
B. Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	51	99+	99+	99+	99+
50-64	18	19.5	334	4	5	15	22	47	63	73
65+	21	17.4	315	2	4	12	17	48	63	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	6	21.2	444	4	4	16	21	58	62	62
B. Operated	40	18.0	315	3	4	12	20	52	71	99+
1. SINGLE DX										
2. MULTIPLE DX	46	18.4	323	3	4	12	21	56	70	99+
A. NOT OPERATED	6	21.2	444	4	4	16	21	58	62	62
B. OPERATED	40	18.0	315	3	4	12	20	52	71	99+
TOTAL 0-19 YRS										
20-34	1	2.0		2	2	51	99+	99+	99+	99+
35-49	18	19.5	334	4	5	15	22	47	63	73
50-64	27	18.2	330	3	4	12	20	55	63	70
65+										
GRAND TOTAL	46	18.4	323	3	4	12	21	56	70	99+

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	9.0	50	2	2	7	16	19	19	19
50-64	18	12.6	144	2	3	8	21	23	40	51
65+	33	12.6	136	2	3	9	15	28	41	52
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	16.7	192	5	5	13	27	32	32	32
35-49	7	14.1	202	5	5	8	18	39	44	44
50-64	9	12.9	63	2	3	10	20	23	24	24
65+	3	13.7	5	11	11	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	3	12.7	96	7	7	7	20	24	24	24
35-49	20	20.6	449	2	3	13	26	54	65	74
50-64	92	15.9	218	4	4	11	18	38	50	70
65+	261	19.0	299	3	5	14	25	54	85	99+
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	16	16.9	66	4	6	17	22	28	31	33
50-64	45	12.2	123	4	4	9	14	30	52	99+
65+	57	22.1	272	5	7	18	32	52	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	12.1	126	2	2	8	16	23	39	52
B. Operated	23	13.3	105	2	4	10	19	26	36	44
2. MULTIPLE DX										
A. Not Operated	378	18.2	285	3	5	13	24	51	67	99+
B. Operated	122	17.2	204	4	5	13	24	39	55	99+
1. SINGLE DX	81	12.5	119	2	3	9	17	24	38	52
2. MULTIPLE DX	500	18.0	265	4	5	13	24	50	66	99+
A. NOT OPERATED	436	17.4	267	3	4	12	22	47	64	99+
B. OPERATED	145	16.6	189	4	5	13	22	38	52	99+
TOTAL 0-19 YRS	4	7.8	28	1	1	8	11	14	14	14
20-34	10	10.9	91	4	4	6	13	28	32	32
35-49	49	17.1	244	2	3	13	20	40	52	74
50-64	164	14.3	176	3	4	10	18	32	50	74
65+	354	18.9	281	3	5	14	25	52	79	99+
GRAND TOTAL	581	17.2	248	3	4	12	22	44	61	99+

**159: Occlusion of cerebral arteries, thrombosis and embolism
with paralysis (434 plus 342 or 344)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	45.0		45	45	45	45	45	45	45
50-64	26	21.1	269	6	7	16	32	59	99+	99+
65+	74	28.2	477	5	8	23	45	87	99+	99+
B. Operated										
0-19 YRS										
20-34	2	12.5	61	7	7	12	18	18	18	18
35-49	7	30.0	1211	5	6	42	99+	99+	99+	99+
50-64	12	32.6	702	12	15	30	99+	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	101	26.6	429	5	7	19	45	85	99+	99+
B. Operated	21	29.8	787	7	8	28	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	122	27.1	486	6	7	21	52	99+	99+	99+
A. NOT OPERATED	101	26.6	429	5	7	19	45	85	99+	99+
B. OPERATED	21	29.8	787	7	8	28	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	23.3	382	7	7	18	38	45	45	45
50-64	33	23.0	451	6	7	17	51	99+	99+	99+
65+	86	28.8	503	6	10	24	52	99+	99+	99+
GRAND TOTAL	122	27.1	486	6	7	21	52	99+	99+	99+

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	6	5.7	40	1	1	4	6	17	18	18
35-49	15	3.5	8	<1	1	2	5	7	10	11
50-64	85	5.2	18	1	1	4	7	11	14	22
65+	291	6.0	41	1	1	4	7	11	16	40
B. Operated										
0-19 YRS										
20-34	4	6.5	30	2	2	5	10	14	14	14
35-49	17	4.8	16	1	2	4	6	8	15	18
50-64	53	4.9	18	<1	1	4	6	11	15	18
65+	52	5.5	19	1	1	4	7	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	11	4.8	24	1	1	3	5	13	18	18
35-49	23	6.9	121	<1	1	4	8	12	27	55
50-64	196	7.0	28	1	2	6	9	14	16	21
65+	968	8.7	96	1	2	6	11	18	26	70
B. Operated										
0-19 YRS										
20-34	4	7.8	16	3	3	8	11	12	12	12
35-49	37	7.0	20	1	1	7	9	12	16	22
50-64	142	7.5	32	1	2	6	10	14	19	26
65+	192	11.4	118	1	2	9	15	23	29	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	397	5.7	35	1	1	4	7	11	15	37
B. Operated	126	5.2	18	1	1	4	7	12	15	19
2. MULTIPLE DX										
A. Not Operated	1198	8.4	85	1	2	6	10	17	23	63
B. Operated	375	9.4	78	1	2	7	11	20	24	52
1. SINGLE DX	523	5.6	31	1	1	4	7	11	15	34
2. MULTIPLE DX	1573	8.6	83	1	2	6	11	17	24	59
A. NOT OPERATED	1595	7.7	74	1	2	5	9	15	21	54
B. OPERATED	501	8.4	66	1	1	7	11	17	23	42
TOTAL 0-19 YRS										
20-34	25	5.8	25	1	1	3	7	14	18	18
35-49	92	6.0	43	1	1	5	8	11	13	41
50-64	476	6.6	27	1	1	5	9	13	16	24
65+	1503	8.4	88	1	2	6	10	17	24	60
GRAND TOTAL	2096	7.9	72	1	2	6	10	16	22	53

161: Acute, but ill-defined, cerebrovascular disease without paralysis
(436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12	
20-34	1	2.0		2	2	2	2	2	2	2	
35-49	4	12.8	552	1	1	1	25	48	48	48	
50-64	59	10.9	204	1	2	8	12	20	52	98	
65+	248	16.3	250	2	3	11	23	40	59	99+	
B. Operated											
0-19 YRS	1	1.0		1	1	1	1	1	1	1	
20-34											
35-49	4	11.8	12	8	8	11	14	16	16	16	
50-64	12	6.1	9	2	3	5	9	10	11	11	
65+	8	12.6	55	5	5	11	19	23	24	24	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7	
20-34	7	10.1	46	4	4	8	13	21	23	23	
35-49	21	11.0	123	2	2	8	14	24	37	50	
50-64	172	14.0	179	3	3	10	18	33	57	99+	
65+	818	22.3	395	3	5	16	33	64	92	99+	
B. Operated											
0-19 YRS											
20-34	3	17.7	129	5	5	21	25	27	27	27	
35-49	7	25.4	439	8	9	22	29	61	69	69	
50-64	41	16.1	181	3	4	10	22	34	48	56	
65+	96	25.0	407	5	8	20	49	99+	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	314	15.1	246	2	3	10	19	39	58	99+	
B. Operated	25	8.9	34	2	3	8	11	16	22	24	
2. MULTIPLE DX											
A. Not Operated	1021	20.5	362	3	4	15	29	60	89	99+	
B. Operated	147	22.4	351	4	6	18	33	82	99+	99+	
1. SINGLE DX	339	14.7	233	2	3	10	18	38	57	99+	
2. MULTIPLE DX	1168	20.8	361	3	4	15	30	63	94	99+	
A. NOT OPERATED	1335	19.3	340	3	4	14	27	55	83	99+	
B. OPERATED	172	20.4	327	4	5	16	31	70	99+	99+	
TOTAL 0-19 YRS	6	5.2	17	1	1	5	7	11	12	12	
20-34	11	11.5	75	2	3	8	19	25	27	27	
35-49	36	14.1	226	1	2	9	16	30	49	69	
50-64	284	13.3	181	2	3	9	16	31	48	99+	
65+	1170	21.2	370	3	4	15	32	63	94	99+	
GRAND TOTAL	1507	19.4	336	3	4	14	27	56	88	99+	

162: Acute, but ill-defined, cerebrovascular disease with paralysis
(436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10	
20-34											
35-49	5	23.4	911	7	7	10	31	77	77	77	
50-64	38	21.8	372	3	6	19	34	97	99+	99+	
65+	244	28.3	582	4	6	25	57	99+	99+	99+	
B. Operated											
0-19 YRS											
20-34	1	15.0		15	15	15	15	15	15	15	
35-49	3	19.3	352	8	8	9	33	41	41	41	
50-64	8	28.5	494	1	3	25	49	56	59	59	
65+	19	37.8	958	6	7	66	99+	99+	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
B. Operated											
2. MULTIPLE DX											
A. Not Operated	289	27.2	559	4	6	22	53	99+	99+	99+	
B. Operated	31	32.9	763	5	7	40	89	99+	99+	99+	
1. SINGLE DX											
2. MULTIPLE DX	320	27.8	579	4	6	24	60	99+	99+	99+	
A. NOT OPERATED	289	27.2	559	4	6	22	53	99+	99+	99+	
B. OPERATED	31	32.9	763	5	7	40	89	99+	99+	99+	
TOTAL 0-19 YRS	2	8.0	8	6	6	8	10	10	10	10	
20-34	1	15.0		15	15	15	15	15	15	15	
35-49	8	21.9	626	7	7	9	28	66	77	77	
50-64	46	23.0	389	2	5	19	34	82	99+	99+	
65+	263	29.0	612	4	6	26	67	99+	99+	99+	
GRAND TOTAL	320	27.8	579	4	6	24	60	99+	99+	99+	

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	3.7		3	3	4	4	4	4	4
35-49	9	3.0	5	1	1	2	4	7	8	8
50-64	24	7.1	34	1	2	6	9	15	21	23
65+	82	12.1	114	2	3	11	18	30	47	99+
B. Operated										
0-19 YRS										
20-34	6	9.0	38	2	2	7	15	18	18	18
35-49	8	4.3	13	<1	<1	3	7	10	10	10
50-64	12	8.4	146	<1	<1	5	9	22	42	45
65+	16	6.8	63	<1	<1	4	8	18	27	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	14	5.4	14	1	2	4	6	12	12	12
50-64	80	13.1	338	2	2	7	14	34	86	99+
65+	411	15.0	272	2	3	11	20	55	99+	99+
B. Operated										
0-19 YRS										
20-34	6	11.7	80	2	2	11	22	22	22	22
35-49	16	16.3	405	2	4	11	18	25	68	87
50-64	36	11.2	115	1	2	7	15	25	29	54
65+	51	17.9	407	<1	1	11	25	62	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	10.2	96	2	2	7	14	23	43	99+
B. Operated	42	7.1	72	<1	<1	5	8	16	23	45
2. MULTIPLE DX										
A. Not Operated	510	14.4	276	2	3	10	19	52	99+	99+
B. Operated	109	15.1	295	1	2	11	20	39	70	99+
1. SINGLE DX	160	9.4	91	1	2	6	13	22	35	99+
2. MULTIPLE DX	619	14.5	279	2	3	10	19	49	94	99+
A. NOT OPERATED	628	13.6	244	2	2	9	18	45	95	99+
B. OPERATED	151	12.9	245	<1	1	8	15	31	54	99
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	19	7.8	46	2	2	5	11	20	22	22
35-49	47	8.4	172	1	1	4	11	15	23	87
50-64	152	11.4	224	1	2	6	13	27	43	99+
65+	560	14.6	258	2	3	10	20	51	99+	99+
GRAND TOTAL	779	13.5	244	1	2	9	18	42	85	99+

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	5.9	41	<1	<1	3	10	16	17	17
65+	33	14.3	134	2	3	14	19	28	41	53
B. Operated										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	5.4	28	<1	<1	3	10	13	14	14
50-64	39	5.7	35	<1	1	4	9	14	17	26
65+	47	4.9	31	<1	1	2	8	13	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	11	7.6	24	3	3	5	11	15	18	18
65+	110	13.1	146	2	3	9	23	38	99+	99+
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	14.5	25	11	11	14	18	18	18	18
35-49	38	13.8	227	2	3	11	15	27	33	92
50-64	171	13.3	157	1	1	12	16	29	39	88
65+	288	15.6	272	1	1	12	22	42	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	12.4	123	1	2	11	17	23	36	53
B. Operated	95	5.2	32	<1	1	2	9	14	16	25
2. MULTIPLE DX										
A. Not Operated	124	12.4	136	2	3	9	22	36	98	99+
B. Operated	500	14.7	228	1	1	12	19	36	58	99+
1. SINGLE DX	138	7.4	71	<1	1	4	11	18	22	43
2. MULTIPLE DX	624	14.2	210	1	1	11	19	36	60	99+
A. NOT OPERATED	167	12.4	132	2	2	9	19	34	52	99+
B. OPERATED	595	13.1	209	1	1	10	17	31	51	99+
TOTAL 0-19 YRS	2	15.0	32	11	11	15	19	19	19	19
20-34	3	10.0	73	<1	<1	11	16	18	18	18
35-49	50	11.6	192	1	1	10	13	20	30	92
50-64	229	11.5	135	1	1	10	15	24	36	66
65+	478	13.9	219	1	1	10	20	37	69	99+
GRAND TOTAL	762	13.0	192	1	1	10	17	32	51	99+

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	14	6.8	75	1	1	4	7	19	30	33
B. Operated										
0-19 YRS										
20-34										
35-49	2	16.0	200	6	6	16	26	26	26	26
50-64	18	10.6	37	1	2	10	12	17	24	28
65+	59	13.2	49	2	3	13	16	21	28	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	6	8.2	59	1	1	6	13	20	21	21
65+	54	9.0	42	2	2	7	12	18	25	27
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	11.0	19	6	6	13	14	14	14	14
35-49	3	12.0	43	5	5	13	17	18	18	18
50-64	136	16.1	140	3	8	13	18	26	34	85
65+	284	18.9	117	8	10	16	23	33	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	16	6.4	67	1	1	4	7	16	28	33
B. Operated										
	79	12.7	49	2	3	12	16	21	27	34
2. MULTIPLE DX										
A. Not Operated										
	62	9.0	42	1	2	7	12	19	24	27
B. Operated										
	427	17.9	125	7	9	15	21	31	39	99+
1. SINGLE DX	95	11.6	57	1	2	11	15	20	28	35
2. MULTIPLE DX	489	16.8	123	4	7	14	21	29	37	96
A. NOT OPERATED	78	8.5	48	1	2	6	11	18	25	31
B. OPERATED	506	17.1	116	5	9	14	20	29	37	94
TOTAL 0-19 YRS										
	2	10.5	85	4	4	10	17	17	17	17
20-34	3	11.0	19	6	6	13	14	14	14	14
35-49	6	14.2	63	5	5	15	18	25	26	26
50-64	162	15.1	130	2	5	13	17	24	33	83
65+	411	16.4	111	3	6	14	21	29	37	94
GRAND TOTAL	584	15.9	116	3	5	14	19	27	35	88

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	5	8.2	33	2	2	11	12	14	14	14
35-49	1	10.0		10	10	10	10	10	10	10
50-64	11	7.1	16	<1	<1	8	10	11	11	11
65+	9	11.6	41	1	3	11	15	21	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	7	11.0	28	5	5	9	16	18	18	18
B. Operated										
0-19 YRS										
20-34	5	18.8	258	<1	<1	19	26	44	44	44
35-49	10	11.3	144	1	1	7	17	28	39	39
50-64	24	13.1	58	1	2	12	18	25	27	28
65+	66	15.2	156	2	6	13	19	28	35	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-19 YRS										
20-34	10	13.5	161	<1	1	11	19	32	44	44
35-49	11	11.2	130	1	1	10	17	26	38	39
50-64	37	10.8	52	<1	1	11	15	20	26	28
65+	82	14.4	134	2	5	13	18	25	32	96
GRAND TOTAL	140	13.2	114	1	2	11	17	24	31	90

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	11.0	11	8	8	10	14	15	15	15
35-49	6	7.0	15	2	2	7	9	13	13	13
50-64	9	8.7	40	2	2	10	11	18	22	22
65+	15	10.8	142	2	2	9	11	13	42	52
B. Operated										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34	8	7.1	27	<1	1	6	10	15	16	16
35-49	46	8.1	26	1	2	8	12	14	16	19
50-64	138	8.0	39	1	2	8	11	15	19	31
65+	166	8.7	59	1	2	8	12	18	21	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	113	4	4	11	19	19	19	19
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	8	6.1	37	1	1	4	11	15	16	16
50-64	23	8.3	68	<1	1	6	11	20	28	33
65+	33	10.6	65	1	2	11	13	16	23	44
B. Operated										
0-19 YRS	3	13.7	20	9	9	14	17	18	18	18
20-34	8	11.1	61	2	3	10	17	21	23	23
35-49	89	12.5	141	1	1	11	16	24	32	99+
50-64	487	12.8	141	1	1	11	17	24	37	69
65+	631	14.3	163	1	1	12	19	31	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	9.6	74	2	2	9	11	14	20	52
B. Operated	361	8.3	46	1	2	8	12	16	20	31
2. MULTIPLE DX										
A. Not Operated	68	9.3	62	1	1	8	13	18	23	42
B. Operated	1218	13.5	152	1	1	12	18	28	40	99+
1. SINGLE DX	396	8.4	48	1	2	8	12	16	20	34
2. MULTIPLE DX	1286	13.3	148	1	1	12	17	27	39	99+
A. NOT OPERATED	103	9.4	65	1	2	8	12	15	22	48
B. OPERATED	1579	12.3	133	1	1	11	16	25	36	97
TOTAL 0-19 YRS	8	9.5	46	1	2	8	16	19	19	19
20-34	23	9.4	34	1	2	8	14	17	20	23
35-49	149	10.6	100	1	1	11	14	19	27	99+
50-64	657	11.5	120	1	1	10	15	22	32	59
65+	845	13.0	143	1	1	11	17	28	40	99+
GRAND TOTAL	1682	12.2	129	1	1	11	16	24	35	90

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	7.5	20	1	2	7	10	14	16	16
20-34	5	5.8	35	2	2	3	8	16	16	16
35-49	10	3.8	14	<1	<1	3	4	9	14	14
50-64	31	6.5	67	1	1	4	7	15	19	43
65+	50	5.5	15	1	1	5	7	10	13	18
B. Operated										
0-19 YRS	7	7.1	38	<1	<1	8	13	16	16	16
20-34	9	6.2	43	<1	<1	2	10	16	19	19
35-49	47	6.9	54	<1	1	4	10	16	19	38
50-64	113	7.9	81	<1	<1	4	12	18	25	49
65+	125	9.0	137	<1	<1	4	12	20	31	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	6.0	14	1	1	6	9	11	11	11
20-34	14	4.7	23	<1	1	3	7	11	16	18
35-49	25	8.8	132	<1	<1	6	10	19	30	57
50-64	51	8.1	55	1	2	6	11	18	23	99
65+	153	11.0	153	1	2	8	14	26	39	99+
B. Operated										
0-19 YRS	10	14.7	148	3	3	11	17	36	39	39
20-34	21	20.5	571	<1	1	12	23	69	79	82
35-49	67	11.9	159	1	1	9	17	22	29	80
50-64	240	13.5	222	1	1	9	17	32	48	98
65+	303	16.0	214	1	2	13	22	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	5.8	31	1	1	5	7	13	16	29
B. Operated	301	8.1	97	<1	<1	4	11	18	26	53
2. MULTIPLE DX										
A. Not Operated	252	9.7	121	1	2	7	12	21	33	99+
B. Operated	641	14.8	223	1	2	11	19	35	49	99+
1. SINGLE DX	408	7.5	81	<1	<1	4	10	17	23	49
2. MULTIPLE DX	893	13.3	200	1	2	10	17	32	48	99+
A. NOT OPERATED	359	8.5	97	1	1	6	11	18	27	99+
B. OPERATED	942	12.6	192	<1	1	9	17	30	45	98
TOTAL 0-19 YRS	37	9.0	65	1	1	8	11	16	27	39
20-34	49	11.9	312	<1	<1	6	13	24	64	82
35-49	149	9.2	117	<1	1	6	13	19	26	57
50-64	435	10.9	162	<1	1	8	13	26	41	90
65+	631	12.6	180	1	1	9	17	31	46	99+
GRAND TOTAL	1301	11.5	169	<1	1	8	15	27	41	99+

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	6.2	14	2	2	4	10	12	13	13
20-34	52	7.7	31	1	2	6	10	16	18	30
35-49	88	8.6	18	3	4	8	11	14	15	24
50-64	73	8.2	26	2	3	7	10	14	15	32
65+	97	10.7	60	3	4	9	13	19	28	43
B. Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	23	9.1	30	2	3	8	12	17	19	23
35-49	23	7.6	29	1	1	7	10	16	19	19
50-64	34	9.7	100	1	2	8	12	16	22	58
65+	26	10.0	13	3	4	10	12	15	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.3	16	1	2	7	10	12	13	13
20-34	36	9.2	35	3	4	8	10	13	25	30
35-49	67	11.4	29	4	5	10	14	18	21	29
50-64	168	10.1	40	3	3	8	14	19	25	32
65+	224	12.7	105	2	4	10	16	24	35	55
B. Operated										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	30	12.7	175	3	4	10	12	16	44	71
35-49	23	12.1	71	3	4	10	14	19	30	44
50-64	62	12.5	66	3	4	11	16	24	27	43
65+	78	18.5	209	6	7	15	19	29	52	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	8.9	36	2	3	8	11	15	18	36
B. Operated	107	9.3	48	1	2	9	12	16	18	38
2. MULTIPLE DX										
A. Not Operated	502	11.3	68	3	4	9	14	20	28	52
B. Operated	195	14.9	147	4	5	12	17	25	42	69
1. SINGLE DX	432	9.0	39	2	3	8	11	15	18	36
2. MULTIPLE DX	697	12.3	93	3	4	10	15	22	30	56
A. NOT OPERATED	827	10.4	57	2	4	9	13	18	24	42
B. OPERATED	302	12.9	119	2	4	11	15	22	29	65
TOTAL 0-19 YRS										
20-34	25	7.3	19	2	2	7	11	13	14	18
35-49	141	9.4	64	2	3	8	11	17	19	46
50-64	201	9.8	31	3	4	9	13	16	19	29
65+	337	10.1	49	2	3	9	13	18	24	37
	425	13.1	115	3	4	10	16	23	34	57
GRAND TOTAL	1129	11.0	75	2	4	9	14	19	26	52

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	9	7.8	28	1	2	7	11	16	18	18
50-64	19	10.3	72	1	1	7	14	24	29	32
65+	62	18.2	304	1	2	14	21	39	65	76
B. Operated										
0-19 YRS	6	5.3	20	2	2	4	5	13	14	14
20-34	357	3.8	3	2	2	4	5	6	7	9
35-49	579	4.4	18	2	2	4	5	7	8	12
50-64	390	5.5	35	2	2	4	6	9	14	36
65+	114	7.9	79	1	2	5	7	21	31	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	12.5	11	8	8	13	15	15	15	15
20-34	10	6.6	58	1	1	3	10	19	24	24
35-49	20	11.2	111	<1	<1	9	14	22	35	46
50-64	53	18.0	319	2	3	10	25	48	62	99
65+	201	24.0	386	4	5	20	33	55	77	99+
B. Operated										
0-19 YRS	4	6.8	7	3	3	7	8	9	9	9
20-34	65	5.7	24	2	3	5	6	9	13	31
35-49	187	6.2	50	2	3	5	6	9	16	34
50-64	232	8.7	116	2	3	5	9	19	32	62
65+	147	20.4	441	2	3	13	31	60	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	15.1	239	1	2	11	18	32	50	74
B. Operated	1446	4.8	24	2	2	4	5	7	10	27
2. MULTIPLE DX										
A. Not Operated	288	21.2	359	2	4	15	31	49	68	99+
B. Operated	635	10.3	193	2	3	5	9	26	43	93
1. SINGLE DX	1539	5.5	43	2	2	4	5	8	14	35
2. MULTIPLE DX	923	13.7	270	2	3	7	17	37	53	99+
A. NOT OPERATED	381	19.7	336	2	3	14	28	47	65	99+
B. OPERATED	2081	6.5	82	2	2	4	6	11	20	56
TOTAL 0-19 YRS										
20-34	15	7.3	23	1	2	7	11	15	15	15
35-49	434	4.2	7	2	2	4	5	6	8	14
50-64	795	5.0	29	2	2	4	5	8	10	20
65+	694	7.6	95	2	2	5	7	15	29	56
	524	18.8	360	2	3	12	27	47	69	99+
GRAND TOTAL	2462	8.6	144	2	2	5	8	20	34	76

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	33	3.3	5	<1	1	3	5	6	7	9
35-49	34	2.6	3	<1	<1	2	3	5	6	7
50-64	30	5.3	42	1	1	3	6	14	15	33
65+	20	7.6	182	1	1	5	6	9	37	64
B. Operated										
0-19 YRS	9	4.0	3	<1	1	4	5	6	7	7
20-34	312	4.9	5	2	3	5	6	8	8	10
35-49	467	5.2	11	3	3	5	6	8	8	11
50-64	262	5.5	6	2	3	5	6	8	10	13
65+	87	5.7	9	2	2	6	7	9	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	30	3.3	13	<1	<1	2	4	9	13	14
35-49	30	3.9	26	1	1	3	4	6	8	29
50-64	48	5.6	23	<1	<1	5	7	11	16	23
65+	63	10.0	131	2	2	7	12	20	30	62
B. Operated										
0-19 YRS	5	9.4	25	5	5	8	11	18	18	18
20-34	315	5.5	6	2	3	5	7	8	9	12
35-49	477	5.6	9	3	3	5	6	8	10	15
50-64	379	6.4	13	3	3	6	7	10	13	22
65+	187	7.4	36	2	3	6	9	14	17	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	4.3	45	<1	1	3	5	7	10	42
B. Operated	1137	5.2	8	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	172	6.5	68	<1	1	4	8	13	20	55
B. Operated	1363	6.0	14	3	3	5	7	9	11	22
1. SINGLE DX	1257	5.1	12	2	3	5	6	8	9	13
2. MULTIPLE DX	1535	6.1	20	2	3	5	7	10	13	23
A. NOT OPERATED	292	5.6	59	<1	1	4	6	11	16	51
B. OPERATED	2500	5.7	11	2	3	5	7	9	10	18
TOTAL 0-19 YRS										
20-34	18	5.3	15	<1	1	5	7	9	14	18
35-49	690	5.0	6	1	2	5	6	8	9	12
50-64	1008	5.3	11	2	3	5	6	8	9	14
65+	719	6.0	13	2	3	5	7	10	12	21
65+	357	7.5	56	2	3	6	8	13	17	46
GRAND TOTAL	2792	5.7	16	2	3	5	7	9	10	21

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	7.0	17	1	1	7	9	14	15	15
20-34	66	6.9	28	1	1	7	10	13	15	29
35-49	72	7.4	18	1	2	6	10	13	16	18
50-64	76	8.8	30	2	2	8	11	14	17	32
65+	102	9.8	53	2	3	8	12	18	26	37
B. Operated										
0-19 YRS	40	4.1	9	1	2	3	4	9	11	14
20-34	115	4.5	15	<1	1	3	5	10	13	19
35-49	46	7.6	36	1	2	6	11	17	21	22
50-64	50	8.3	27	2	3	8	11	13	22	25
65+	44	9.5	64	1	2	8	12	18	23	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.3	3	1	1	3	4	6	7	7
20-34	48	8.3	31	1	2	7	13	17	18	22
35-49	59	7.8	41	1	2	7	10	14	20	37
50-64	162	9.4	45	2	2	8	13	17	22	31
65+	315	10.6	74	2	3	9	14	19	26	45
B. Operated										
0-19 YRS	22	4.8	16	1	2	4	6	11	14	18
20-34	76	5.4	25	1	2	4	7	12	16	27
35-49	72	11.7	142	2	2	9	14	22	31	73
50-64	124	13.5	70	3	5	11	18	25	30	62
65+	147	17.5	194	4	7	13	22	41	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	332	8.3	35	1	2	8	11	15	18	31
B. Operated										
	295	6.3	31	1	2	4	9	14	17	24
2. MULTIPLE DX										
A. Not Operated										
	595	9.7	59	2	2	8	13	18	23	42
B. Operated										
	441	12.7	132	2	2	10	17	26	37	99+
1. SINGLE DX	627	7.4	34	1	2	6	10	14	18	29
2. MULTIPLE DX	1036	11.0	93	2	2	9	14	22	30	65
A. NOT OPERATED	927	9.2	51	1	2	8	12	17	21	39
B. OPERATED	736	10.2	102	1	2	8	14	22	30	75
TOTAL 0-19 YRS										
	89	4.7	13	1	2	3	7	10	11	17
20-34	305	5.8	25	1	1	4	8	13	16	23
35-49	249	8.8	65	1	2	7	11	17	21	36
50-64	412	10.4	52	2	3	9	13	19	25	38
65+	608	12.1	108	2	3	10	15	24	36	73
GRAND TOTAL	1663	9.6	73	1	2	8	13	19	25	48

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VAR- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	4212	3.2	6	1	1	3	4	6	8	13	
20-34	278	3.3	4	1	1	3	4	6	7	10	
35-49	93	4.0	9	1	2	3	5	7	7	19	
50-64	58	4.3	7	1	1	4	6	8	10	13	
65+	99	7.3	38	1	2	6	9	13	20	34	
B. Operated											
0-19 YRS	171	3.4	49	2	2	2	3	4	7	40	
20-34	36	4.0	12	1	2	3	4	10	12	17	
35-49	6	3.3	1	2	2	3	4	5	5	5	
50-64	6	3.2	15	1	1	2	2	10	11	11	
65+	2	2.0		2	2	2	2	2	2	2	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	4266	4.5	13	1	1	4	6	9	11	18	
20-34	332	4.0	7	1	1	3	5	7	9	16	
35-49	135	4.3	8	1	2	4	5	8	10	14	
50-64	146	5.5	12	2	2	5	7	10	13	15	
65+	425	9.0	67	2	3	7	11	18	25	39	
B. Operated											
0-19 YRS	67	5.8	37	2	2	3	8	14	17	32	
20-34	20	6.7	29	1	2	4	11	14	18	21	
35-49	10	6.6	30	1	1	4	13	15	16	16	
50-64	9	10.1	56	2	2	11	17	61	99+	99+	
65+	22	15.3	93	2	4	15	18	29	34	40	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	4740	3.4	7	1	1	3	4	6	8	13	
B. Operated											
	221	3.5	40	1	2	2	3	5	9	26	
2. MULTIPLE DX											
A. Not Operated											
	5304	4.9	19	1	1	4	6	9	12	21	
B. Operated											
	128	8.0	57	2	2	5	13	18	26	53	
1. SINGLE DX	4961	3.4	9	1	1	3	4	6	8	13	
2. MULTIPLE DX	5432	4.9	20	1	1	4	6	9	13	22	
A. NOT OPERATED	10044	4.1	14	1	1	3	5	8	10	19	
B. OPERATED	349	5.1	51	2	2	3	5	13	17	40	
TOTAL 0-19 YRS											
	8716	3.9	11	1	1	3	5	7	10	16	
20-34	666	3.8	7	1	1	3	5	7	8	15	
35-49	244	4.2	9	1	2	4	5	7	10	16	
50-64	219	5.3	13	1	2	4	7	11	13	19	
65+	548	8.9	65	2	3	7	11	18	25	38	
GRAND TOTAL	10393	4.2	15	1	1	3	5	8	11	19	

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2324	4.5	10	1	2	4	6	8	10	17	
20-34	87	3.8	5	1	1	3	5	7	8	10	
35-49	73	4.9	9	1	2	4	6	8	9	18	
50-64	71	5.8	13	1	2	5	7	9	11	23	
65+	127	6.3	12	2	2	6	8	11	13	16	
B. Operated											
0-19 YRS	1	11.0		11	11	11	11	11	11	11	
20-34	1	5.0		5	5	5	5	5	5	5	
35-49	1	9.0		9	9	9	9	9	9	9	
50-64	1	8.0		8	8	8	8	8	8	8	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1749	5.6	19	1	2	5	7	11	13	22	
20-34	102	4.1	6	1	1	4	5	8	9	12	
35-49	132	5.6	18	1	2	5	7	9	13	27	
50-64	306	7.1	26	2	3	6	9	13	16	26	
65+	774	9.1	50	3	3	7	11	17	22	35	
B. Operated											
0-19 YRS	11	12.4	190	3	3	8	12	33	49	51	
20-34	3	9.0	97	1	1	6	16	20	20	20	
35-49	7	8.1	3	6	6	8	10	11	11	11	
50-64	10	8.1	64	<1	1	5	11	21	27	27	
65+	14	25.6	397	5	6	22	33	57	72	76	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2682	4.6	10	1	2	4	6	9	10	17	
B. Operated	4	8.3	6	5	5	8	10	11	11	11	
2. MULTIPLE DX											
A. Not Operated	3063	6.6	30	2	2	5	8	12	16	27	
B. Operated	45	14.7	237	2	3	9	20	33	52	76	
1. SINGLE DX	2686	4.6	10	1	2	4	6	9	10	17	
2. MULTIPLE DX	3108	6.7	34	2	2	5	8	13	16	28	
A. NOT OPERATED	5745	5.7	22	1	2	5	7	11	13	24	
B. OPERATED	49	14.1	221	2	3	9	19	32	51	76	
TOTAL 0-19 YRS	4085	5.0	15	1	2	4	6	9	12	19	
20-34	193	4.1	7	1	1	3	5	7	9	12	
35-49	213	5.4	15	1	2	5	7	9	11	24	
50-64	388	6.9	25	2	3	6	9	13	16	26	
65+	915	9.0	55	2	3	7	11	16	22	36	
GRAND TOTAL	5794	5.8	24	1	2	5	7	11	14	24	

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	168	2.8	1	2	2	3	3	4	5	7	
20-34	602	2.8	1	2	2	3	3	4	4	6	
35-49	231	2.8	1	2	2	3	3	4	4	5	
50-64	104	2.7	1	2	2	2	3	4	5	6	
65+	13	3.0	2	2	2	3	3	5	7	7	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2	
20-34	12	1.2		<1	<1	1	1	2	2	2	
35-49	8	1.6	1	<1	<1	1	2	3	3	3	
50-64	5	1.2		<1	<1	1	1	2	2	2	
65+											
B. Operated											
0-19 YRS	238	2.7	1	2	2	3	3	3	4	7	
20-34	770	2.8	1	2	2	3	3	3	4	6	
35-49	365	2.8	1	2	2	3	3	4	5	6	
50-64	191	2.9	2	2	2	3	3	4	4	10	
65+	41	3.4	8	1	2	3	3	5	7	19	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1	2.0		2	2	2	2	2	2	2	
B. Operated	1118	2.8	1	2	2	3	3	4	4	6	
2. MULTIPLE DX											
A. Not Operated	30	1.3		<1	<1	1	2	2	2	3	
B. Operated	1605	2.8	1	2	2	3	3	4	4	6	
1. SINGLE DX	1119	2.8	1	2	2	3	3	4	4	6	
2. MULTIPLE DX	1635	2.8	1	1	2	3	3	4	4	6	
A. NOT OPERATED	31	1.3		<1	<1	1	2	2	2	3	
B. OPERATED	2723	2.8	1	2	2	3	3	4	4	6	
TOTAL 0-19 YRS	412	2.7	1	2	2	3	3	4	4	7	
20-34	1384	2.8	1	1	2	3	3	4	4	6	
35-49	604	2.8	1	2	2	3	3	4	4	6	
50-64	300	2.8	2	2	2	3	3	4	4	8	
65+	54	3.3	7	2	2	3	3	5	7	19	
GRAND TOTAL	2754	2.8	1	2	2	3	3	4	4	6	

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	17	2.4	1	1	2	2	3	4	5	5	
20-34	20	2.6	1	1	2	2	3	4	4	4	
35-49	32	2.7	1	<1	2	2	3	4	4	5	
50-64	62	2.5	1	<1	1	2	3	4	5	7	
65+	29	3.0	2	1	1	3	4	5	6	7	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	1.0		1	1	1	1	1	1	1	
20-34											
35-49	2	1.0		1	1	1	1	1	1	1	
50-64	5	2.0	3	<1	<1	1	3	5	5	5	
65+	2	1.0		<1	<1	<1	1	1	1	1	
B. Operated											
0-19 YRS	25	2.5	2	<1	1	2	3	5	6	6	
20-34	54	2.9	1	1	2	3	4	5	5	6	
35-49	82	2.7	1	1	1	3	3	4	5	7	
50-64	116	3.1	6	2	2	3	3	5	7	16	
65+	57	2.9	2	1	2	3	3	5	5	10	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
B. Operated	160	2.6	1	<1	1	2	3	4	5	7	
2. MULTIPLE DX											
A. Not Operated	10	1.5	2	<1	<1	1	1	3	5	5	
B. Operated	334	2.9	3	1	2	3	3	5	5	10	
1. SINGLE DX	160	2.6	1	<1	1	2	3	4	5	7	
2. MULTIPLE DX	344	2.9	3	1	1	2	3	5	5	10	
A. NOT OPERATED	10	1.5	2	<1	<1	1	1	3	5	5	
B. OPERATED	494	2.8	3	1	2	2	3	4	5	9	
TOTAL 0-19 YRS	43	2.4	2	<1	1	2	3	4	5	6	
20-34	74	2.6	1	1	2	3	3	4	5	6	
35-49	116	2.6	1	1	1	2	3	4	5	6	
50-64	183	2.9	5	1	2	2	3	4	5	12	
65+	88	2.9	2	1	1	3	3	5	6	9	
GRAND TOTAL	504	2.8	3	1	1	2	3	4	5	8	

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	2.6	2	1	1	2	4	4	5	6
20-34	19	2.6	1	1	1	2	4	4	5	5
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. Operated										
0-19 YRS	6496	2.0	1	1	1	2	2	3	3	4
20-34	1184	2.6	1	1	2	3	3	4	4	6
35-49	114	2.7	1	2	2	3	3	4	4	6
50-64	23	3.0	4	2	2	2	3	4	8	11
65+	11	2.8	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	159	2.0	2	<1	<1	1	3	4	5	7
20-34	21	2.0	3	<1	<1	1	3	5	6	7
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	3	2.3	5	1	1	1	4	5	5	5
65+										
B. Operated										
0-19 YRS	2659	2.0	1	1	1	2	2	3	3	6
20-34	208	3.1	2	1	2	3	3	5	6	8
35-49	31	2.4	1	1	2	2	3	4	5	6
50-64	11	2.6	1	1	1	3	3	4	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.6	2	1	1	2	4	4	5	6
B. Operated	7828	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	186	2.0	3	<1	<1	1	3	4	5	7
B. Operated	2911	2.1	1	1	1	2	2	3	4	6
1. SINGLE DX	7919	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX	3097	2.1	1	1	1	2	2	3	4	6
A. NOT OPERATED	277	2.2	2	<1	<1	2	3	4	5	7
B. OPERATED	10739	2.1	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	9381	2.0	1	1	1	2	2	3	3	5
20-34	1432	2.7	1	1	2	3	3	4	4	6
35-49	151	2.6	1	1	2	2	3	4	4	6
50-64	39	2.8	3	1	1	2	3	5	6	11
65+	13	2.8	1	1	1	3	4	4	5	5
GRAND TOTAL	11016	2.1	1	1	1	2	2	3	3	5

178: Miscellaneous diseases of upper respiratory system
(472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	225	3.8	11	<1	1	3	4	7	9	17
20-34	145	3.5	10	1	2	3	4	5	6	11
35-49	82	3.3	4	<1	1	3	5	6	6	9
50-64	33	3.0	8	<1	1	2	4	5	6	17
65+	24	4.0	9	<1	1	3	5	10	10	11
B. Operated										
0-19 YRS	129	2.8	4	1	1	2	3	6	7	9
20-34	220	2.9	3	1	1	3	3	4	6	10
35-49	150	2.7	5	<1	1	2	3	4	6	13
50-64	163	2.5	3	<1	1	2	3	4	5	12
65+	76	3.6	17	1	2	2	3	7	11	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	4.3	10	1	1	3	6	8	11	14
20-34	77	4.6	51	1	1	3	5	7	9	50
35-49	39	4.1	8	<1	1	3	5	9	11	11
50-64	45	4.9	12	1	2	4	6	8	11	18
65+	61	7.6	64	1	2	6	8	15	25	46
B. Operated										
0-19 YRS	111	3.1	7	<1	1	2	3	7	10	14
20-34	268	3.1	6	<1	<1	3	3	5	7	16
35-49	183	3.1	4	<1	1	3	3	5	6	12
50-64	200	3.8	14	1	2	3	4	9	12	20
65+	121	4.4	21	1	1	3	4	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	509	3.6	9	1	1	3	4	6	8	13
B. Operated	738	2.8	5	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	368	5.0	29	1	1	4	6	9	13	26
B. Operated	883	3.4	10	<1	1	3	3	7	10	17
1. SINGLE DX	1247	3.1	7	1	1	2	4	5	7	13
2. MULTIPLE DX	1251	3.9	16	<1	1	3	4	8	11	18
A. NOT OPERATED	877	4.2	18	1	1	3	5	7	10	19
B. OPERATED	1621	3.2	8	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	611	3.6	9	1	1	3	4	7	9	14
20-34	710	3.3	11	<1	1	3	4	5	7	13
35-49	454	3.1	5	<1	1	3	3	5	7	11
50-64	441	3.4	10	<1	1	2	3	6	10	17
65+	282	4.8	30	1	1	3	6	11	15	29
GRAND TOTAL	2498	3.5	11	<1	1	3	4	7	9	17

181 Hospitals, Canada, January-December 1984

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2837	5.7	19	2	2	5	7	10	13	22
20-34	436	5.1	7	2	2	4	6	8	10	14
35-49	286	6.1	11	2	3	5	8	11	12	16
50-64	306	7.1	19	2	3	6	9	12	15	24
65+	653	9.2	40	3	4	8	11	16	22	36
B. Operated										
0-19 YRS	11	11.5	83	5	5	9	11	23	37	38
20-34	5	11.8	23	7	7	12	14	19	19	19
35-49	17	11.7	49	1	2	11	19	21	21	21
50-64	19	13.1	123	2	2	10	18	31	38	42
65+	24	11.9	65	3	4	11	16	29	51	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2360	6.9	29	2	2	6	9	13	16	26
20-34	292	7.4	49	2	3	6	8	13	16	47
35-49	317	8.3	54	2	3	7	10	14	18	33
50-64	673	9.4	69	3	3	7	11	17	22	41
65+	2425	12.8	121	3	4	10	15	24	34	72
B. Operated										
0-19 YRS	43	15.6	137	3	4	12	20	27	45	53
20-34	27	16.3	137	4	6	13	19	36	41	42
35-49	40	16.4	74	4	6	15	22	28	37	99+
50-64	113	18.1	154	6	8	14	22	31	41	87
65+	227	26.4	342	6	9	22	35	55	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4518	6.2	22	2	2	5	8	11	14	25
B. Operated	76	12.1	73	2	3	10	16	22	34	84
2. MULTIPLE DX										
A. Not Operated	6067	9.6	80	2	3	7	12	18	24	53
B. Operated	450	21.8	260	5	7	17	29	47	56	99+
1. SINGLE DX	4594	6.3	24	2	2	5	8	11	15	25
2. MULTIPLE DX	6517	10.5	102	2	3	8	13	20	29	59
A. NOT OPERATED	10585	8.2	58	2	2	6	10	15	21	41
B. OPERATED	526	20.4	245	4	6	16	27	43	55	99+
TOTAL 0-19 YRS	5251	6.3	26	2	2	5	8	12	15	25
20-34	760	6.4	33	2	2	5	7	11	14	33
35-49	660	7.9	42	2	3	6	10	14	19	32
50-64	1111	9.7	74	3	3	7	12	17	24	43
65+	3329	13.0	135	3	4	10	15	25	36	77
GRAND TOTAL	11111	8.7	74	2	2	6	10	17	23	50

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	427	4.0	11	1	1	3	5	7	10	19
20-34	194	3.2	5	1	1	3	4	5	7	11
35-49	93	3.6	12	1	1	3	4	6	9	22
50-64	79	4.1	5	1	2	3	5	7	8	14
65+	184	5.9	28	1	2	5	8	10	13	31
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	262	4.2	11	1	1	3	5	9	11	16
20-34	195	3.8	10	1	1	3	4	7	10	18
35-49	119	4.6	9	1	1	4	6	9	10	14
50-64	186	5.8	14	2	2	5	8	11	14	18
65+	560	8.6	65	2	3	6	11	17	21	37
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	11.0	18	8	8	11	14	14	14	14
50-64	4	12.0	184	2	2	7	20	32	32	32
65+	13	13.2	100	2	3	12	20	27	34	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	977	4.2	13	1	1	3	5	8	10	19
B. Operated	3	4.7	22	1	1	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	1322	6.3	38	1	2	5	8	12	17	26
B. Operated	23	11.0	96	2	2	8	14	26	33	36
1. SINGLE DX	980	4.2	13	1	1	3	5	8	10	19
2. MULTIPLE DX	1345	6.4	40	1	2	5	8	12	17	26
A. NOT OPERATED	2299	5.4	29	1	2	4	7	11	14	24
B. OPERATED	26	10.3	90	2	2	7	13	24	33	36
TOTAL 0-19 YRS	693	4.1	11	1	1	3	5	8	11	17
20-34	390	3.5	8	1	1	3	4	6	8	17
35-49	215	4.3	11	1	1	3	5	9	10	16
50-64	269	5.4	14	2	2	4	7	9	13	18
65+	758	8.0	59	2	2	6	10	16	21	37
GRAND TOTAL	2325	5.4	30	1	2	4	7	11	14	24

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	857	4.4	10	1	2	4	6	8	10	16	
20-34	67	3.7	4	1	2	3	4	6	8	12	
35-49	68	5.2	11	2	2	4	7	10	11	17	
50-64	142	6.7	25	1	2	5	8	11	16	26	
65+	258	8.2	51	2	3	7	10	13	16	42	
B. Operated											
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4	
20-34	2	3.0	8	<1	<1	2	5	5	5	5	
35-49	9	2.8	2	<1	<1	3	4	5	5	5	
50-64	28	5.5	21	<1	<1	4	8	11	14	19	
65+	20	6.5	24	<1	1	5	8	12	18	22	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	717	5.6	18	1	2	4	7	11	13	21	
20-34	93	5.3	10	2	2	5	7	9	11	17	
35-49	129	5.9	15	1	2	5	7	11	14	19	
50-64	297	8.0	36	2	3	7	10	14	21	38	
65+	786	10.1	88	2	3	7	12	20	29	58	
B. Operated											
0-19 YRS	7	7.6	11	2	3	9	10	11	11	11	
20-34	7	6.1	39	2	2	2	10	17	18	18	
35-49	22	8.1	27	1	2	6	12	15	18	20	
50-64	63	12.3	83	2	3	9	18	25	31	41	
65+	73	15.9	166	2	4	13	21	32	37	69	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1392	5.3	21	1	2	4	7	10	12	23	
B. Operated	62	5.2	19	<1	<1	4	7	11	13	22	
2. MULTIPLE DX											
A. Not Operated	2022	7.7	51	2	2	6	9	15	20	39	
B. Operated	172	12.8	115	2	2	10	19	24	33	54	
1. SINGLE DX	1454	5.3	21	1	2	4	7	10	12	22	
2. MULTIPLE DX	2194	8.1	58	2	2	6	10	16	22	42	
A. NOT OPERATED	3414	6.7	41	1	2	5	8	13	17	34	
B. OPERATED	234	10.8	101	1	2	8	14	22	31	51	
TOTAL 0-19 YRS	1584	4.9	14	1	2	4	6	9	12	19	
20-34	169	4.7	9	1	2	4	6	8	10	17	
35-49	228	5.8	15	1	2	5	7	11	14	19	
50-64	530	8.0	41	2	2	6	10	15	22	37	
65+	1137	10.0	86	2	3	7	12	19	27	55	
GRAND TOTAL	3648	7.0	45	1	2	5	9	13	19	36	

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	1	1.0		1	1	1	1	1	1	1	
35-49	5	5.4	6	3	3	4	7	9	9	9	
50-64	40	9.0	38	3	3	6	12	18	21	25	
65+	91	10.9	85	3	3	8	13	22	32	49	
B. Operated											
0-19 YRS											
20-34	4	8.0	5	6	6	7	9	11	11	11	
35-49	5	14.0	84	7	7	8	23	25	25	25	
50-64	2	12.0	32	8	8	12	16	16	16	16	
65+	4	5.8	12	1	1	6	8	9	9	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	1	25.0		25	25	25	25	25	25	25	
35-49	17	9.2	63	1	2	6	11	24	27	28	
50-64	130	12.6	144	3	4	10	16	29	51	99+	
65+	306	13.5	171	2	4	9	17	28	52	99+	
B. Operated											
0-19 YRS											
20-34	2	10.5	13	8	8	10	13	13	13	13	
35-49											
50-64	17	17.4	248	1	1	13	24	39	52	58	
65+	32	22.5	321	4	6	17	35	59	76	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	137	10.1	69	3	3	8	12	21	24	48	
B. Operated	15	9.9	42	2	6	8	10	23	24	25	
2. MULTIPLE DX											
A. Not Operated	454	13.1	159	2	4	9	17	28	51	99+	
B. Operated	51	20.3	289	2	5	15	29	50	59	99+	
1. SINGLE DX	152	10.0	66	3	3	8	12	21	25	47	
2. MULTIPLE DX	505	13.8	176	2	4	10	17	30	52	99+	
A. NOT OPERATED	591	12.4	140	2	3	9	16	26	46	99+	
B. OPERATED	66	17.9	250	1	5	13	23	40	59	96	
TOTAL 0-19 YRS											
20-34	8	9.9	50	1	2	8	12	21	25	25	
35-49	27	9.4	60	1	2	7	11	24	26	28	
50-64	189	12.3	132	2	3	9	16	25	46	99+	
65+	433	13.5	169	2	4	9	17	29	50	99+	
GRAND TOTAL	657	12.9	153	2	3	9	17	28	47	99+	

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	3820	3.8	7	1	1	3	5	7	9	14	
20-34	713	3.9	8	1	1	3	5	7	9	13	
35-49	523	5.1	16	1	2	4	6	9	11	18	
50-64	649	5.7	19	1	2	5	7	11	14	22	
65+	538	6.7	25	1	2	6	9	12	15	24	
B. Operated											
0-19 YRS	6	6.3	11	2	2	6	9	11	11	11	
20-34	5	7.0	12	5	5	6	8	13	13	13	
35-49	7	10.0	43	3	3	9	15	20	21	21	
50-64	7	8.6	5	5	6	8	10	12	12	12	
65+	6	6.7	15	4	4	5	8	13	14	14	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1869	4.7	16	1	2	4	6	9	12	23	
20-34	374	4.6	13	1	1	4	6	9	11	21	
35-49	310	6.9	37	2	2	5	9	14	17	30	
50-64	741	8.2	51	2	3	6	10	15	21	46	
65+	1025	9.2	55	2	3	8	11	17	24	49	
B. Operated											
0-19 YRS	25	9.6	51	3	3	8	13	20	48	99+	
20-34	14	15.4	266	2	4	10	24	32	56	63	
35-49	25	14.2	176	4	5	9	20	27	39	65	
50-64	56	15.8	244	3	4	10	17	38	45	85	
65+	41	18.5	275	4	6	14	22	41	71	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	6243	4.4	12	1	1	3	6	8	10	17	
B. Operated											
	31	7.8	17	3	4	6	10	13	16	21	
2. MULTIPLE DX											
A. Not Operated											
	4319	6.5	37	1	2	5	8	13	17	33	
B. Operated											
	161	15.2	216	3	4	10	20	35	47	99	
1. SINGLE DX	6274	4.4	12	1	1	4	6	8	10	17	
2. MULTIPLE DX	4480	6.9	46	1	2	5	8	13	18	39	
A. NOT OPERATED	10562	5.3	23	1	2	4	6	10	13	25	
B. OPERATED	192	14.0	191	3	4	9	16	31	42	97	
TOTAL 0-19 YRS											
	5720	4.1	11	1	1	3	5	8	10	17	
20-34	1106	4.3	14	1	1	3	5	8	10	17	
35-49	865	6.1	31	1	2	5	7	11	16	27	
50-64	1453	7.4	48	2	2	6	9	14	18	41	
65+	1610	8.6	54	2	3	7	10	16	22	46	
GRAND TOTAL	10754	5.4	27	1	2	4	7	10	14	28	

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	12	6.4	12	2	3	5	9	11	14	14	
20-34	23	9.4	241	<1	1	3	8	30	52	60	
35-49	36	6.2	10	2	2	6	8	10	13	15	
50-64	227	9.3	86	2	2	7	12	18	22	63	
65+	593	9.2	65	2	3	7	11	17	24	53	
B. Operated											
0-19 YRS	1	14.0		14	14	14	14	14	14	14	
20-34	4	15.0	42	8	8	14	20	23	23	23	
35-49	1	6.0		6	6	6	6	6	6	6	
50-64	14	10.6	26	4	4	10	15	17	19	20	
65+	7	9.3	28	4	4	7	14	16	17	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	22	6.7	14	1	2	6	8	13	15	16	
20-34	21	7.0	14	2	3	7	8	12	14	16	
35-49	73	8.3	49	1	2	6	11	18	24	32	
50-64	613	11.3	106	2	3	9	14	22	31	57	
65+	1754	12.1	136	2	3	9	14	26	35	90	
B. Operated											
0-19 YRS	6	20.8	218	5	6	16	25	46	48	48	
20-34	7	13.4	70	3	4	11	17	27	29	29	
35-49	19	12.9	57	4	6	10	19	26	28	28	
50-64	79	22.1	364	4	6	16	24	56	67	85	
65+	153	22.1	309	4	5	18	29	51	65	99	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	891	9.1	72	2	3	7	11	17	23	58	
B. Operated	27	10.9	29	4	4	11	15	17	20	23	
2. MULTIPLE DX											
A. Not Operated	2483	11.7	125	2	3	9	14	24	33	76	
B. Operated	264	21.2	303	4	5	16	26	47	65	89	
1. SINGLE DX	918	9.1	70	2	3	7	11	17	23	58	
2. MULTIPLE DX	2747	12.6	150	2	3	9	15	26	38	81	
A. NOT OPERATED	3374	11.0	112	2	3	8	13	22	32	72	
B. OPERATED	291	20.2	287	4	5	15	24	45	63	88	
TOTAL 0-19 YRS											
20-34	41	8.9	64	2	3	6	10	16	21	48	
35-49	55	9.4	120	1	1	6	11	23	28	59	
50-64	129	8.4	43	2	2	7	11	18	24	31	
65+	933	11.7	132	2	3	9	14	22	33	68	
	2507	12.0	137	2	3	9	14	26	36	82	
GRAND TOTAL	3665	11.8	132	2	3	8	14	24	34	75	

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.9	10	1	1	3	5	9	10	11
20-34	45	4.2	11	1	1	3	6	7	9	20
35-49	19	4.7	8	<1	1	4	6	9	11	12
50-64	5	5.2	5	3	3	5	7	8	8	8
65+	6		16	1	1	5	7	11	12	12
B. Operated										
0-19 YRS	29	5.9	13	3	3	6	7	9	11	21
20-34	134	6.5	28	2	3	5	7	12	13	33
35-49	28	6.8	12	2	3	6	9	11	15	15
50-64	16	7.0	15	2	2	6	9	13	15	16
65+	5	6.8	18	3	3	5	9	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	8	3.3	3	1	1	3	4	6	6	6
35-49	6	6.0	18	<1	<1	6	9	12	12	12
50-64	5	16.2	224	<1	<1	8	30	36	36	36
65+	11	11.0	88	3	3	9	14	28	31	31
B. Operated										
0-19 YRS	16	9.2	28	3	4	8	13	17	18	19
20-34	63	9.7	33	3	4	8	12	19	23	29
35-49	21	9.3	41	3	3	7	12	20	22	23
50-64	29	8.8	38	3	3	7	12	16	18	32
65+	34	12.3	65	4	4	12	16	26	30	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	4.4	10	1	1	3	6	8	10	17
B. Operated	212	6.5	22	2	3	5	8	12	14	30
2. MULTIPLE DX										
A. Not Operated	32	8.7	82	<1	2	6	9	27	31	36
B. Operated	163	10.0	42	3	4	8	13	19	23	32
1. SINGLE DX	303	5.9	20	2	2	5	7	11	13	25
2. MULTIPLE DX	195	9.8	48	3	3	8	12	19	25	32
A. NOT OPERATED	123	5.5	31	1	1	4	7	9	13	32
B. OPERATED	375	8.0	34	2	3	6	10	15	20	31
TOTAL 0-19 YRS	63	6.3	19	2	2	5	8	11	17	21
20-34	250	6.8	29	2	2	5	8	12	16	30
35-49	74	6.9	22	2	3	6	9	12	18	23
50-64	55	8.6	48	2	3	7	10	16	25	36
65+	56	10.8	64	3	3	7	14	25	30	32
GRAND TOTAL	498	7.4	34	2	2	6	9	14	19	31

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	317	4.5	11	1	1	4	6	9	11	15
20-34	69	4.5	27	1	1	3	4	8	13	30
35-49	76	5.6	25	1	1	4	7	12	17	25
50-64	98	6.7	55	2	2	4	7	13	22	41
65+	127	7.2	34	1	2	5	10	15	19	29
B. Operated										
0-19 YRS	13	4.9	18	1	1	3	10	11	12	12
20-34	23	9.3	26	2	4	9	12	15	18	24
35-49	40	8.9	31	3	4	7	11	15	22	28
50-64	51	10.9	62	1	3	9	14	21	30	38
65+	58	11.5	195	2	2	9	13	20	37	88
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	500	6.1	44	1	2	4	7	11	15	36
20-34	105	6.4	85	1	2	4	7	12	24	85
35-49	113	6.1	18	2	2	5	8	13	17	48
50-64	293	8.4	56	1	2	6	11	16	24	44
65+	724	11.2	102	2	3	8	14	23	30	64
B. Operated										
0-19 YRS	25	13.8	240	1	2	9	16	29	59	63
20-34	36	15.6	141	2	2	12	21	35	38	43
35-49	69	14.7	162	2	3	11	17	34	45	62
50-64	173	15.4	164	2	3	13	20	29	41	86
65+	201	18.0	248	2	4	14	24	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	687	5.4	26	1	1	4	7	11	15	29
B. Operated	185	10.1	91	2	2	8	12	18	25	44
2. MULTIPLE DX										
A. Not Operated	1735	8.6	76	1	2	6	11	17	24	50
B. Operated	504	16.3	200	2	3	13	20	34	47	92
1. SINGLE DX	872	6.4	43	1	1	5	8	13	17	31
2. MULTIPLE DX	2239	10.3	114	2	2	7	13	22	30	64
A. NOT OPERATED	2422	7.7	64	1	2	5	10	16	22	45
B. OPERATED	689	14.6	178	2	3	11	18	30	43	86
TOTAL 0-19 YRS	855	5.7	39	1	1	4	7	11	14	30
20-34	233	7.6	83	1	1	4	9	18	28	50
35-49	298	8.3	68	1	2	6	11	17	22	52
50-64	615	10.3	97	2	2	8	13	22	29	53
65+	1110	12.0	135	2	3	9	15	25	34	73
GRAND TOTAL	3111	9.2	97	1	2	6	12	19	28	57

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	3.6	6	1	1	3	4	6	8	12
20-34	62	3.3	4	1	1	3	4	7	8	10
35-49	17	5.4	71	1	1	3	5	9	28	37
50-64	11	3.6	3	1	1	4	4	6	7	7
65+	7	5.3	13	2	2	3	7	11	12	12
B. Operated										
0-19 YRS	754	1.8	2	<1	<1	1	2	4	5	7
20-34	970	2.3	2	<1	<1	2	3	4	5	6
35-49	367	2.1	3	<1	<1	2	2	4	5	7
50-64	180	2.3	8	<1	1	2	3	4	5	10
65+	68	2.8	5	1	1	2	3	5	6	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	3.4	6	<1	1	3	4	7	8	10
20-34	76	3.8	12	<1	1	3	5	7	10	20
35-49	30	3.9	19	<1	<1	3	5	8	10	23
50-64	31	3.7	19	<1	1	2	5	9	13	20
65+	13	9.2	127	2	2	5	9	22	40	44
B. Operated										
0-19 YRS	449	3.1	4	<1	1	3	4	6	7	10
20-34	487	3.0	5	<1	<1	2	4	5	6	10
35-49	246	3.1	10	<1	<1	2	4	6	7	21
50-64	237	3.6	49	<1	1	2	3	5	8	43
65+	149	3.5	10	1	1	2	4	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	3.7	12	1	1	3	4	7	9	13
B. Operated	2339	2.1	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	248	3.9	18	<1	1	3	5	8	10	21
B. Operated	1568	3.2	13	<1	1	2	4	6	7	16
1. SINGLE DX	2513	2.2	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1816	3.3	14	<1	1	2	4	6	8	17
A. NOT OPERATED	422	3.9	15	<1	1	3	5	7	9	20
B. OPERATED	3907	2.5	7	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	1378	2.4	4	<1	<1	2	4	5	6	9
20-34	1595	2.6	4	<1	<1	2	4	5	6	9
35-49	660	2.6	8	<1	<1	2	3	5	7	16
50-64	459	3.1	30	<1	1	2	3	5	7	32
65+	237	3.6	17	1	1	2	4	7	11	17
GRAND TOTAL	4329	2.7	8	<1	<1	2	3	5	6	11

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	4.8	12	1	1	4	7	9	11	19
20-34	18	3.9	3	1	2	4	5	7	7	7
35-49	15	4.4	5	<1	1	5	6	7	8	8
50-64	10	4.2	2	2	2	4	6	6	6	6
65+	14	4.4	8	1	1	4	6	9	9	9
B. Operated										
0-19 YRS	56	3.4	8	<1	1	2	5	7	10	12
20-34	75	3.4	5	<1	1	3	4	6	6	13
35-49	48	4.6	12	<1	2	4	5	8	10	22
50-64	47	4.6	12	<1	2	4	6	8	11	19
65+	28	3.4	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	6.3	35	1	2	5	8	13	16	33
20-34	28	5.6	30	1	2	5	7	11	14	29
35-49	16	7.6	28	2	2	6	12	14	18	20
50-64	15	5.9	14	<1	1	6	9	10	12	13
65+	47	8.9	35	2	3	7	11	18	21	26
B. Operated										
0-19 YRS	26	3.9	6	1	2	3	5	7	9	12
20-34	46	6.0	60	1	2	4	6	10	22	44
35-49	36	4.9	8	2	3	4	6	10	10	14
50-64	36	5.0	8	2	2	4	6	10	12	12
65+	46	5.6	28	1	2	4	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	4.6	9	1	1	4	6	8	9	14
B. Operated	254	3.9	8	<1	1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	242	6.8	34	1	2	5	9	13	18	29
B. Operated	190	5.2	25	2	2	4	6	10	12	31
1. SINGLE DX	406	4.1	9	1	1	3	5	8	9	14
2. MULTIPLE DX	432	6.1	30	1	2	4	7	12	16	29
A. NOT OPERATED	394	5.9	25	1	2	5	8	11	15	25
B. OPERATED	444	4.4	16	1	1	3	5	8	11	22
TOTAL 0-19 YRS	313	5.1	22	1	1	4	7	10	13	23
20-34	167	4.5	25	1	2	3	5	7	11	32
35-49	115	5.1	13	1	2	4	6	10	12	21
50-64	108	4.9	10	1	2	4	6	9	11	16
65+	135	6.2	28	1	2	5	8	13	18	26
GRAND TOTAL	838	5.1	21	1	2	4	6	10	13	24

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	66	4.4	14	1	1	4	5	10	13	18	
20-34	75	2.7	6	<1	1	2	4	6	8	13	
35-49	67	3.6	6	<1	1	3	4	7	9	12	
50-64	101	4.7	15	<1	1	3	6	10	12	19	
65+	85	5.4	24	1	1	4	7	11	14	27	
B. Operated											
0-19 YRS	9	6.9	29	1	1	6	9	15	18	18	
20-34	27	6.4	13	1	2	7	9	11	13	14	
35-49	59	7.8	19	1	2	8	10	12	16	22	
50-64	52	6.5	26	1	2	5	9	14	15	28	
65+	58	5.6	23	<1	2	4	8	13	16	21	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	100	4.4	9	1	1	4	6	9	12	13	
20-34	84	4.1	14	1	1	3	5	8	10	20	
35-49	131	4.9	14	1	1	4	7	11	14	16	
50-64	229	5.7	27	1	1	4	8	11	15	21	
65+	322	8.5	91	1	2	6	10	18	26	62	
B. Operated											
0-19 YRS	41	11.2	136	1	2	8	13	24	40	55	
20-34	49	9.6	30	2	2	10	12	16	20	27	
35-49	117	10.4	68	2	3	9	12	17	24	51	
50-64	187	10.7	97	1	2	9	13	23	33	60	
65+	237	14.1	233	2	2	10	17	30	48	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	394	4.2	14	1	1	3	5	9	12	20	
B. Operated											
	205	6.6	22	1	2	6	9	13	15	22	
2. MULTIPLE DX											
A. Not Operated											
	866	6.3	49	1	1	4	8	13	17	39	
B. Operated											
	631	11.9	142	1	2	9	14	25	36	90	
1. SINGLE DX											
	599	5.1	18	1	1	4	7	10	13	21	
2. MULTIPLE DX											
	1497	8.7	96	1	1	6	11	18	26	58	
A. NOT OPERATED											
	1260	5.7	39	1	1	4	7	12	15	30	
B. OPERATED											
	836	10.6	118	1	2	8	13	21	30	72	
TOTAL 0-19 YRS											
	216	5.8	42	1	1	4	7	12	15	38	
20-34	235	5.1	21	1	1	3	8	11	14	21	
35-49	374	6.9	38	1	1	5	9	13	16	34	
50-64	569	7.2	54	1	1	5	10	15	20	42	
65+	702	9.8	136	1	2	6	12	21	30	84	
GRAND TOTAL											
	2096	7.6	76	1	1	5	10	15	22	50	

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	10	1	1	4	6	8	8	8
20-34	30	3.9	9	<1	<1	3	6	9	10	11
35-49	32	4.5	10	<1	<1	4	6	9	11	14
50-64	28	6.4	25	1	2	5	8	12	19	22
65+	38	8.6	93	<1	<1	7	10	14	30	51
B. Operated										
0-19 YRS	3	3.0	12	<1	<1	<1	5	7	7	7
20-34	15	5.9	29	<1	<1	5	8	13	18	20
35-49	21	8.5	21	<1	<1	8	11	14	17	18
50-64	26	6.7	43	<1	<1	5	9	18	22	24
65+	19	8.0	40	<1	<1	8	12	15	21	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	28	6.9	28	1	2	6	9	13	20	23
35-49	49	6.8	30	<1	1	5	9	12	15	34
50-64	48	6.0	12	<1	1	6	8	11	12	15
65+	104	10.5	119	1	2	8	12	22	30	95
B. Operated										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	14	9.9	63	3	4	9	10	14	31	36
35-49	46	10.3	43	2	3	10	13	18	21	37
50-64	66	13.0	160	<1	3	9	14	28	36	73
65+	92	13.6	92	2	4	12	17	27	31	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	133	5.9	39	<1	<1	4	8	11	14	37
B. Operated										
	84	7.2	33	<1	<1	7	10	14	19	25
2. MULTIPLE DX										
A. Not Operated										
	232	8.2	69	1	2	6	10	15	22	49
B. Operated										
	221	12.4	101	2	4	10	15	25	33	47
1. SINGLE DX	217	6.4	37	<1	<1	5	9	12	18	28
2. MULTIPLE DX	453	10.3	89	1	2	8	12	21	27	47
A. NOT OPERATED	365	7.4	59	<1	1	6	9	14	21	40
B. OPERATED	305	10.9	87	<1	1	9	14	22	28	46
TOTAL										
0-19 YRS	14	3.6	6	<1	<1	4	6	7	8	8
20-34	87	6.2	30	<1	<1	5	9	11	15	31
35-49	148	7.6	33	<1	1	6	11	14	18	34
50-64	168	8.9	87	<1	1	7	10	19	25	43
65+	253	11.1	102	<1	2	9	14	23	30	51
GRAND TOTAL	670	9.0	75	<1	1	7	11	18	25	45

**191: Gastric ulcer with hemorrhage or perforation
(531.00; 531.10; 531.20; 531.40; 531.50; 531.60)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. ST/ f (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	5	5.4	3	4	4	5	6	8	8	8	
20-34	23	5.0	7	<1	1	5	7	8	9	9	
35-49	29	5.9	15	1	2	4	8	11	13	17	
50-64	26	5.3	9	2	2	5	7	9	10	15	
65+	33	6.5	20	2	3	5	7	14	15	23	
B. Operated											
0-19 YRS											
20-34	9	8.4	30	1	1	10	11	15	18	18	
35-49	16	10.6	29	5	7	10	11	13	24	29	
50-64	18	9.1	21	3	4	9	11	16	19	20	
65+	15	8.1	15	2	4	9	11	12	15	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	7.0		7	7	7	7	7	7	7	
20-34	24	4.6	9	1	2	4	6	8	11	16	
35-49	34	5.2	7	2	3	5	6	8	10	15	
50-64	56	6.2	15	2	2	5	8	12	14	20	
65+	141	11.0	151	3	4	8	12	19	27	84	
B. Operated											
0-19 YRS											
20-34	14	11.2	36	4	5	9	16	20	22	22	
35-49	31	11.1	54	3	3	10	17	22	24	29	
50-64	62	14.0	122	4	5	11	18	27	40	95	
65+	160	18.2	300	4	5	12	22	35	57	93	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	116	5.7	13	1	2	5	8	9	14	19	
B. Operated											
	58	9.1	23	2	4	9	11	14	18	28	
2. MULTIPLE DX											
A. Not Operated											
	256	8.6	95	2	3	6	10	15	21	66	
B. Operated											
	267	16.0	223	4	4	12	19	30	47	92	
1. SINGLE DX											
	174	6.9	18	2	3	6	9	12	15	22	
2. MULTIPLE DX											
	523	12.4	174	3	3	8	14	25	33	81	
A. NOT OPERATED											
	372	7.7	71	2	3	6	9	13	17	43	
B. OPERATED											
	325	14.8	194	4	4	11	18	28	45	84	
TOTAL 0-19 YRS											
	6	5.7	3	4	4	5	7	8	8	8	
20-34	70	6.5	23	1	2	5	8	15	16	22	
35-49	110	7.8	32	2	3	6	10	15	20	29	
50-64	162	9.4	70	2	3	7	12	18	26	63	
65+	349	13.7	218	3	4	9	15	27	43	84	
GRAND TOTAL											
	697	11.0	141	2	3	8	12	21	29	73	

**192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90;
533.30; 533.70; 533.90; 534.30; 534.70; 534.90)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	63	4.3	7	<1	1	4	5	8	10	12	
20-34	183	4.0	8	<1	1	3	5	7	9	15	
35-49	159	3.8	10	<1	<1	3	5	8	10	17	
50-64	131	4.9	11	<1	1	4	7	9	11	16	
65+	85	6.6	29	<1	1	5	8	12	15	31	
B. Operated											
0-19 YRS	7	12.1	37	6	6	9	16	22	23	23	
20-34	35	9.0	18	5	6	9	10	11	13	31	
35-49	46	9.3	14	2	5	9	11	14	16	21	
50-64	23	8.4	11	1	4	9	10	12	14	15	
65+	8	11.8	12	6	7	11	15	16	16	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	25	5.0	4	2	3	5	6	8	8	9	
20-34	119	5.4	17	2	2	4	6	11	14	22	
35-49	164	5.8	24	1	2	5	7	11	14	26	
50-64	170	7.5	31	1	2	6	10	14	17	30	
65+	243	9.1	61	2	3	7	12	17	22	52	
B. Operated											
0-19 YRS	3	10.0	43	4	4	9	15	17	17	17	
20-34	34	9.7	35	2	2	9	12	14	20	33	
35-49	74	12.3	40	5	7	11	15	21	26	33	
50-64	71	13.2	98	3	4	11	16	25	33	52	
65+	48	13.4	84	1	5	11	17	24	31	49	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	621	4.5	13	<1	<1	4	6	9	11	17	
B. Operated											
	119	9.4	17	4	6	9	11	14	16	25	
2. MULTIPLE DX											
A. Not Operated											
	721	7.2	38	2	2	6	9	14	17	30	
B. Operated											
	230	12.4	67	2	5	10	15	22	28	45	
1. SINGLE DX	740	5.3	16	<1	1	4	7	10	12	18	
2. MULTIPLE DX	951	8.5	50	2	2	7	11	16	21	33	
A. NOT OPERATED	1342	6.0	28	<1	1	5	8	12	15	27	
B. OPERATED	349	11.4	52	3	5	10	13	19	25	43	
TOTAL 0-19 YRS											
	98	5.2	13	1	2	4	7	9	12	20	
20-34	371	5.4	18	1	2	4	7	10	13	22	
35-49	443	6.5	30	<1	1	5	9	12	17	27	
50-64	395	7.7	43	1	2	6	10	15	19	33	
65+	384	9.2	59	2	3	7	12	17	22	44	
GRAND TOTAL	1691	7.1	38	1	2	6	9	14	18	31	

193: Nongastric peptic ulcer with hemorrhage or perforation
 (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	17	5.0	4	1	2	5	6	8	8	8	
20-34	86	4.8	9	1	2	4	6	8	9	18	
35-49	88	5.0	8	2	2	4	6	8	11	15	
50-64	89	5.6	9	2	3	5	7	9	10	18	
65+	75	7.2	20	2	3	6	9	12	16	25	
B. Operated											
0-19 YRS	4	7.3	5	5	5	7	9	10	10	10	
20-34	32	10.1	40	5	5	8	11	16	27	33	
35-49	32	9.9	28	6	6	9	11	15	16	34	
50-64	28	10.0	10	6	7	9	12	14	16	19	
65+	37	13.2	54	6	7	11	16	26	30	34	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	15	4.3	12	<1	1	3	7	8	12	13	
20-34	54	5.0	7	1	2	4	6	8	11	14	
35-49	86	5.8	15	2	2	5	6	10	12	23	
50-64	125	6.6	18	2	3	6	8	11	16	22	
65+	220	10.1	102	2	3	7	12	19	28	74	
B. Operated											
0-19 YRS	5	14.0	91	3	3	14	20	28	28	28	
20-34	21	14.2	308	5	5	8	16	21	53	87	
35-49	38	14.0	93	4	5	11	17	24	39	47	
50-64	79	14.8	138	4	5	11	18	32	42	91	
65+	138	21.4	282	6	8	16	26	51	70	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	355	5.5	11	2	2	5	7	9	11	19	
B. Operated	133	10.8	35	5	6	9	12	17	26	34	
2. MULTIPLE DX											
A. Not Operated	500	7.7	58	2	3	6	9	14	20	40	
B. Operated	281	17.9	224	5	6	14	21	40	59	99+	
1. SINGLE DX	488	7.0	23	2	3	6	9	12	16	29	
2. MULTIPLE DX	781	11.4	141	2	3	8	14	23	38	79	
A. NOT OPERATED	855	6.8	40	2	2	5	8	12	16	35	
B. OPERATED	414	15.6	174	5	6	11	18	33	45	91	
TOTAL 0-19 YRS	41	6.1	25	1	2	5	8	11	15	28	
20-34	193	6.7	55	2	2	5	8	12	16	31	
35-49	244	7.3	37	2	2	6	9	13	17	36	
50-64	321	8.6	58	2	3	7	10	16	23	46	
65+	470	13.2	168	3	4	9	16	28	41	80	
GRAND TOTAL	1269	9.7	100	2	3	7	11	19	28	70	

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	8.0		8	8	8	8	8	8	8	
20-34	3	2.7	1	2	2	2	4	4	4	4	
35-49	5	4.4	22	<1	<1	2	7	12	12	12	
50-64	6	11.0	61	1	1	12	17	21	21	21	
65+	5	18.8	297	5	5	12	27	48	48	48	
B. Operated											
0-19 YRS											
20-34	2	9.5	1	9	9	9	10	10	10	10	
35-49	5	19.8	221	8	8	10	33	41	41	41	
50-64	9	12.8	15	7	8	13	15	19	20	20	
65+	3	16.0	109	9	9	11	24	28	28	28	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	2	6.5	61	<1	<1	6	12	12	12	12	
35-49	5	7.4	39	<1	<1	7	12	16	16	16	
50-64	8	5.8	3	3	3	6	7	8	8	8	
65+	6	5.5	6	2	2	6	8	82	99+	99+	
B. Operated											
0-19 YRS											
20-34	6	12.2	35	6	6	10	16	21	22	22	
35-49	21	17.0	48	8	9	16	22	26	30	33	
50-64	12	13.8	19	8	8	15	16	18	22	23	
65+	25	22.0	248	8	11	17	23	53	78	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	20	9.9	121	<1	1	7	13	20	34	48	
B. Operated	19	14.3	81	7	8	11	16	29	36	41	
2. MULTIPLE DX											
A. Not Operated	21	6.1	14	<1	1	6	8	13	50	99+	
B. Operated	64	17.9	129	8	8	16	21	33	45	96	
1. SINGLE DX	39	12.3	105	1	2	10	14	25	36	48	
2. MULTIPLE DX	85	15.0	126	3	5	13	18	27	44	99+	
A. NOT OPERATED	41	8.0	68	<1	1	6	11	18	32	99+	
B. OPERATED	83	17.2	119	8	8	15	20	30	41	91	
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8	
20-34	13	8.7	36	<1	1	9	11	17	21	22	
35-49	36	14.3	89	<1	2	12	19	27	32	41	
50-64	35	11.2	29	3	4	11	16	17	21	23	
65+	39	18.6	230	4	6	15	22	50	85	99+	
GRAND TOTAL	124	14.2	120	2	4	12	17	27	41	99+	

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	361	2.5	3	1	1	2	3	5	6	10
20-34	384	2.7	5	<1	1	2	3	5	7	11
35-49	277	3.4	8	<1	1	3	4	7	8	15
50-64	196	4.6	38	<1	1	3	6	9	10	32
65+	210	4.9	14	1	1	4	7	10	13	17
B. Operated										
0-19 YRS	3	4.3	12	<1	<1	4	7	8	8	8
20-34	25	5.0	25	<1	<1	3	8	12	15	20
35-49	28	5.4	34	<1	<1	2	9	13	14	25
50-64	22	5.9	38	<1	<1	4	7	16	20	23
65+	16	5.4	22	<1	<1	4	9	11	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	296	3.5	10	1	1	3	4	7	8	12
20-34	464	4.0	10	1	1	3	5	8	11	15
35-49	426	4.6	15	1	1	4	6	9	12	22
50-64	432	5.8	32	1	1	4	7	11	14	25
65+	692	7.6	51	1	2	6	9	16	21	34
B. Operated										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	45	8.0	79	<1	1	5	10	16	24	52
35-49	56	9.2	129	<1	<1	6	11	20	34	59
50-64	85	11.1	117	<1	2	9	14	19	25	68
65+	139	13.8	123	1	3	11	18	30	36	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	1428	3.4	12	<1	1	2	4	7	9	14
B. Operated										
	94	5.4	29	<1	<1	4	9	13	15	24
2. MULTIPLE DX										
A. Not Operated										
	2310	5.5	30	1	1	4	7	11	15	26
B. Operated										
	328	11.5	119	<1	2	9	15	23	33	57
1. SINGLE DX	1522	3.5	13	<1	1	2	4	8	10	15
2. MULTIPLE DX	2638	6.2	45	1	1	4	8	13	17	33
A. NOT OPERATED	3738	4.7	24	1	1	3	6	9	13	24
B. OPERATED	422	10.1	106	<1	<1	8	13	21	31	55
TOTAL										
0-19 YRS	663	3.0	7	1	1	2	4	6	7	11
20-34	918	3.7	13	<1	1	3	5	8	10	16
35-49	787	4.5	23	<1	1	3	6	9	12	24
50-64	735	6.1	47	<1	1	4	8	12	16	31
65+	1057	7.9	59	1	2	6	10	17	22	40
GRAND TOTAL	4160	5.2	35	<1	1	4	6	11	15	30

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	3.9	27	<1	1	3	4	8	11	34
20-34	123	2.9	8	<1	<1	2	4	6	8	14
35-49	94	3.7	20	<1	<1	2	5	7	10	28
50-64	69	3.8	15	<1	1	3	5	7	9	24
65+	73	4.9	10	<1	1	4	7	9	11	15
B. Operated										
0-19 YRS	11	5.5	11	<1	2	5	7	11	11	11
20-34	15	8.9	72	<1	<1	8	9	26	30	31
35-49	21	9.4	28	1	4	8	13	16	20	24
50-64	11	9.5	50	<1	<1	8	17	19	20	20
65+	12	19.1	215	2	5	17	21	41	55	57
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	4.3	8	1	1	4	6	7	10	14
20-34	100	4.6	12	<1	1	4	7	10	12	15
35-49	127	5.1	18	<1	1	4	7	10	14	23
50-64	114	5.0	14	1	1	4	7	9	14	17
65+	200	9.4	125	1	2	6	11	21	29	80
B. Operated										
0-19 YRS	7	13.3	147	<1	1	8	24	31	32	32
20-34	18	14.3	231	1	3	9	13	43	49	52
35-49	36	11.6	52	1	2	11	16	20	24	32
50-64	44	16.4	160	3	6	14	21	28	34	76
65+	54	22.2	197	4	7	20	33	42	50	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	414	3.7	15	<1	<1	3	5	7	10	20
B. Operated										
	70	10.3	84	<1	1	8	13	20	26	52
2. MULTIPLE DX										
A. Not Operated										
	597	6.3	56	1	1	4	8	13	18	39
B. Operated										
	159	16.9	169	2	4	13	23	35	43	75
1. SINGLE DX	484	4.7	30	<1	<1	3	6	9	13	30
2. MULTIPLE DX	756	8.6	98	1	1	5	10	20	28	52
A. NOT OPERATED	1011	5.3	41	<1	1	4	7	10	14	31
B. OPERATED	229	14.9	152	<1	3	11	20	32	40	70
TOTAL 0-19 YRS										
	129	4.7	27	<1	1	3	6	9	12	33
20-34	256	4.7	37	<1	<1	3	6	9	13	39
35-49	278	5.8	31	<1	<1	4	7	13	17	25
50-64	238	7.0	64	1	1	4	9	16	21	32
65+	339	10.8	146	1	2	7	13	26	36	78
GRAND TOTAL	1240	7.1	75	<1	1	4	8	16	24	45

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.2	2	1	1	2	3	4	5	5
20-34	6	2.2	1	1	1	2	3	4	4	4
35-49	5	3.2	4	<1	<1	3	4	6	6	6
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	1485	4.0	2	2	3	4	5	6	7	9
20-34	1054	4.2	3	2	3	4	5	6	7	10
35-49	268	4.7	3	3	3	4	6	7	8	11
50-64	91	5.3	7	3	3	5	6	8	11	17
65+	24	7.0	5	3	4	7	8	10	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	4	6.8	8	5	5	6	8	11	11	11
B. Operated										
0-19 YRS	234	5.7	15	3	3	5	7	9	13	18
20-34	254	5.7	12	3	3	5	7	10	13	20
35-49	67	8.9	107	3	4	6	10	15	22	71
50-64	47	7.7	26	3	4	6	8	15	18	26
65+	26	10.3	33	4	4	8	15	19	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.4	2	<1	1	2	3	4	5	6
B. Operated	2922	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	12	3.3	9	1	1	2	5	7	10	11
B. Operated	628	6.4	27	3	3	5	7	11	15	22
1. SINGLE DX	2947	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX	640	6.3	27	3	3	5	7	11	15	22
A. NOT OPERATED	37	2.7	4	<1	1	2	3	5	6	11
B. OPERATED	3550	4.6	8	2	3	4	5	7	8	15
TOTAL 0-19 YRS	1738	4.2	4	2	3	4	5	6	7	11
20-34	1315	4.5	5	2	3	4	5	7	8	13
35-49	341	5.5	26	3	3	4	6	8	11	22
50-64	138	6.1	15	3	3	5	7	11	14	23
65+	55	8.4	22	4	4	7	10	18	19	21
GRAND TOTAL	3587	4.6	8	2	3	4	5	7	8	15

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	8.8	9	5	5	9	11	12	12	12
20-34	10	5.4	4	2	2	5	7	8	8	8
35-49	3	4.7	12	1	1	5	7	8	8	8
50-64	3	7.0	16	3	3	7	10	11	11	11
65+	2	7.0	2	6	6	7	8	8	8	8
B. Operated										
0-19 YRS	240	7.2	16	3	3	7	9	12	14	22
20-34	180	6.9	14	2	3	7	9	11	12	22
35-49	81	7.7	9	3	4	7	9	12	14	16
50-64	59	8.2	15	3	4	8	9	12	17	23
65+	20	9.2	10	3	4	10	11	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	13.7	16	10	10	13	17	18	18	18
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	136	9.1	29	4	4	8	10	15	19	30
20-34	138	9.4	27	4	5	9	11	13	16	29
35-49	75	10.8	34	5	6	10	14	18	21	32
50-64	59	12.2	42	5	7	11	14	20	26	37
65+	60	19.5	273	6	7	13	22	42	59	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	6.5	8	2	3	6	8	11	12	12
B. Operated	580	7.3	14	3	3	7	9	11	14	22
2. MULTIPLE DX										
A. Not Operated	4	12.5	16	9	9	11	15	18	18	18
B. Operated	468	11.2	72	4	5	9	12	19	25	51
1. SINGLE DX	604	7.3	14	3	3	7	9	11	14	22
2. MULTIPLE DX	472	11.2	72	4	5	9	12	18	25	51
A. NOT OPERATED	28	7.4	14	2	3	7	9	12	13	18
B. OPERATED	1048	9.1	44	3	4	8	10	14	19	38
TOTAL 0-19 YRS	382	7.9	21	3	4	7	9	13	17	24
20-34	331	8.0	21	3	3	8	10	12	15	23
35-49	159	9.1	24	4	4	8	11	15	18	29
50-64	121	10.1	32	4	5	9	12	17	21	35
65+	83	16.6	221	5	6	11	18	39	48	79
GRAND TOTAL	1076	9.0	43	3	4	8	10	14	19	38

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	55	2.0	1	<1	<1	2	3	3	5	6	
20-34	30	2.2	4	<1	<1	2	2	5	6	9	
35-49	8	3.1	5	1	1	3	5	6	7	7	
50-64	1	4.0	4	4	4	4	4	4	4	4	
65+	2	9.5	13	7	7	9	12	12	12	12	
B. Operated											
0-19 YRS	174	4.3	3	2	2	4	5	6	7	10	
20-34	142	4.3	3	2	3	4	5	6	8	11	
35-49	36	5.6	5	3	3	5	7	9	10	12	
50-64	13	6.2	21	3	3	4	6	12	18	20	
65+	7	12.9	73	5	6	10	14	28	31	31	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	23	1.7	1	1	1	2	2	3	3	4	
20-34	13	2.5	2	1	1	3	3	4	6	6	
35-49	4	3.5	2	2	2	3	4	5	5	5	
50-64	2	9.5	25	6	6	9	13	13	13	13	
65+	5	4.8	13	2	2	3	6	11	11	11	
B. Operated											
0-19 YRS	83	4.7	5	2	3	4	5	7	10	12	
20-34	77	6.2	13	3	3	5	7	10	14	20	
35-49	18	7.4	10	4	4	7	8	12	15	16	
50-64	11	9.3	20	4	4	8	12	16	17	17	
65+	8	11.9	42	4	5	11	14	22	25	25	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	96	2.3	4	<1	1	2	3	5	6	11	
B. Operated	372	4.7	6	2	3	4	5	7	9	14	
2. MULTIPLE DX											
A. Not Operated	47	2.7	6	1	1	2	3	5	7	13	
B. Operated	197	6.1	13	3	3	5	7	11	13	20	
1. SINGLE DX	468	4.2	7	1	2	4	5	7	8	13	
2. MULTIPLE DX	244	5.4	14	1	2	5	7	10	12	18	
A. NOT OPERATED	143	2.5	4	<1	1	2	3	5	6	12	
B. OPERATED	569	5.1	9	2	3	4	6	8	11	17	
TOTAL 0-19 YRS											
20-34	335	3.8	4	1	1	4	5	6	7	11	
35-49	262	4.6	8	1	2	4	5	8	9	17	
50-64	66	5.7	8	2	3	5	7	9	11	16	
65+	27	7.6	21	3	4	6	10	15	17	20	
65+	22	10.4	48	2	3	10	12	19	27	31	
GRAND TOTAL	712	4.6	9	1	2	4	5	8	10	17	

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2	
20-34	5	2.8	4	1	1	2	5	5	5	5	
35-49	1	2.0		2	2	2	2	2	2	2	
50-64	4	2.5	6	<1	<1	1	4	6	6	6	
65+	7	2.3	5	1	1	1	3	6	7	7	
B. Operated											
0-19 YRS	768	2.5	2	<1	1	2	3	4	5	8	
20-34	935	3.6	2	1	2	4	4	5	6	8	
35-49	892	3.8	2	1	2	4	5	6	6	8	
50-64	1124	4.3	4	2	2	4	5	7	8	10	
65+	776	5.0	7	2	2	5	6	8	9	15	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	34	1.9	4	<1	<1	1	2	4	7	10	
20-34	8	1.1		<1	<1	1	1	2	2	2	
35-49	15	2.5	5	<1	<1	1	4	5	8	9	
50-64	9	5.7	123	<1	<1	2	4	23	35	35	
65+	29	5.2	25	1	1	3	7	11	18	20	
B. Operated											
0-19 YRS	394	3.0	8	<1	1	2	3	5	7	16	
20-34	241	4.5	6	2	2	4	5	7	9	14	
35-49	386	4.5	5	2	3	4	5	7	8	13	
50-64	804	5.5	11	2	3	5	6	9	12	17	
65+	967	7.2	28	2	3	6	8	14	18	27	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	23	2.1	3	<1	<1	1	2	5	6	7	
B. Operated	4495	3.9	4	1	2	4	5	6	7	10	
2. MULTIPLE DX											
A. Not Operated	95	3.3	23	<1	<1	1	4	8	10	28	
B. Operated	2792	5.5	17	1	2	4	6	10	14	22	
1. SINGLE DX	4518	3.9	4	1	2	4	5	6	7	10	
2. MULTIPLE DX	2887	5.4	17	1	2	4	6	10	14	22	
A. NOT OPERATED	118	3.1	19	<1	<1	1	3	7	10	25	
B. OPERATED	7287	4.5	10	1	2	4	5	7	9	17	
TOTAL 0-19 YRS											
20-34	1202	2.6	4	<1	1	2	3	4	6	11	
35-49	1189	3.8	3	1	2	4	5	6	7	9	
50-64	1294	4.0	3	1	2	4	5	6	7	9	
65+	1941	4.8	7	2	2	4	6	8	9	15	
GRAND TOTAL	1779	6.2	20	2	2	5	7	11	15	25	
GRAND TOTAL	7405	4.5	10	1	2	4	5	7	9	17	

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	2.8	6	1	1	1	5	6	6	6
B. Operated										
0-19 YRS	75	2.3	4	1	1	2	3	4	4	12
20-34	30	4.1	2	2	2	4	5	6	6	8
35-49	34	4.5	3	2	3	4	5	8	8	8
50-64	36	5.1	7	2	2	5	6	8	10	15
65+	56	6.8	16	2	3	6	9	11	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	76	2.9	5	1	1	2	4	6	7	11
20-34	17	4.6	7	1	2	4	6	8	11	12
35-49	21	6.3	10	3	4	5	6	12	14	15
50-64	38	7.5	37	2	2	6	10	15	19	32
65+	127	11.2	100	4	4	9	13	20	28	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.1	3	<1	<1	1	2	5	6	6
B. Operated	231	4.4	10	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	7	2.3	1	<1	<1	2	3	4	4	4
B. Operated	279	7.7	65	1	2	6	10	15	21	59
1. SINGLE DX	241	4.3	10	1	1	4	5	8	10	16
2. MULTIPLE DX	286	7.6	64	1	2	6	10	15	21	58
A. NOT OPERATED	17	2.2	2	<1	<1	2	3	5	6	6
B. OPERATED	510	6.2	43	1	1	5	8	12	16	33
TOTAL 0-19 YRS	155	2.6	4	1	1	2	3	5	7	11
20-34	47	4.3	4	2	2	4	5	6	8	12
35-49	56	5.2	7	2	3	5	6	8	11	15
50-64	77	6.2	23	2	2	5	7	11	15	29
65+	192	9.5	77	2	3	8	11	18	24	72
GRAND TOTAL	527	6.1	42	1	1	4	8	12	15	32

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	3	5.3	16	3	3	3	8	10	10	10
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	105	2.3	2	<1	<1	2	3	4	6	8
20-34	57	3.3	4	1	2	3	4	6	8	12
35-49	79	3.6	3	1	2	3	4	6	7	10
50-64	53	3.6	4	<1	1	3	5	7	7	8
65+	25	4.3	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	16	1	1	3	5	11	11	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	10	4.3	17	1	1	3	5	11	14	14
B. Operated										
0-19 YRS	15	3.7	10	<1	<1	3	4	8	12	13
20-34	26	4.9	12	1	2	4	7	10	11	16
35-49	57	5.3	18	1	2	4	6	11	13	27
50-64	66	5.3	10	1	2	5	7	8	11	16
65+	43	11.2	141	2	3	8	14	21	31	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.3	7	2	2	3	5	9	10	10
B. Operated	319	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	24	3.1	12	<1	<1	2	4	8	12	14
B. Operated	207	6.4	45	1	2	5	8	13	16	33
1. SINGLE DX	326	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	231	6.0	43	<1	1	4	7	12	16	30
A. NOT OPERATED	31	3.4	11	<1	<1	2	4	9	11	14
B. OPERATED	526	4.4	22	<1	1	3	5	8	11	21
TOTAL 0-19 YRS	126	2.6	4	<1	<1	2	3	5	7	11
20-34	85	3.8	7	1	2	3	4	7	10	15
35-49	139	4.2	10	1	2	4	5	7	10	16
50-64	127	4.4	8	<1	1	4	6	8	9	14
65+	80	8.0	91	1	2	5	9	16	21	60
GRAND TOTAL	557	4.4	22	<1	1	3	5	8	11	20

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	3.0	4	1	1	2	5	5	5	5
65+	3	5.0	4	3	3	5	6	7	7	7
<i>B. Operated</i>										
0-19 YRS	41	2.7	2	<1	1	2	4	5	6	7
20-34	135	4.1	5	2	2	4	5	7	9	12
35-49	201	5.0	5	2	2	5	6	8	9	10
50-64	197	6.3	8	3	3	6	8	10	12	15
65+	119	7.3	13	3	3	7	9	11	14	19
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	5	4.0	26	1	1	2	5	13	13	13
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	11	3.3	12	<1	<1	2	4	9	12	12
50-64	15	4.3	10	<1	1	4	5	8	11	12
65+	23	10.7	153	<1	1	6	12	29	41	47
<i>B. Operated</i>										
0-19 YRS	10	3.3	15	<1	<1	2	4	9	14	14
20-34	61	5.5	8	2	2	5	7	9	11	14
35-49	153	7.1	17	2	3	6	9	12	15	20
50-64	242	9.3	61	3	4	8	11	16	19	59
65+	230	10.4	55	3	4	9	12	18	24	48
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	14	2.6	4	<1	<1	2	5	5	7	7
<i>B. Operated</i>	693	5.4	9	2	2	5	7	9	11	15
2. MULTIPLE DX										
<i>A. Not Operated</i>	57	6.5	79	<1	1	3	8	13	27	46
<i>B. Operated</i>	696	8.8	47	3	3	7	10	15	19	37
1. SINGLE DX	707	5.4	9	2	2	5	7	9	11	15
2. MULTIPLE DX	753	8.6	49	2	3	7	10	15	19	38
A. NOT OPERATED	71	5.7	67	<1	<1	3	7	12	26	45
B. OPERATED	1389	7.1	30	2	3	6	9	12	16	29
TOTAL 0-19 YRS	57	2.9	6	<1	1	2	4	5	7	14
20-34	202	4.4	6	1	2	4	6	8	9	13
35-49	367	5.8	11	2	2	5	7	9	12	17
50-64	459	7.8	39	3	3	7	9	13	16	34
65+	375	9.4	49	3	4	8	11	16	23	45
GRAND TOTAL	1460	7.0	32	2	2	6	9	12	16	30

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	7	5.4	26	<1	<1	3	8	14	15	15
35-49	26	3.4	5	<1	<1	3	5	7	8	9
50-64	49	4.4	10	<1	<1	4	7	8	10	15
65+	46	5.6	11	<1	1	5	7	9	12	17
<i>B. Operated</i>										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	8.8	4	6	6	9	10	11	11	11
35-49	13	9.4	9	5	6	9	11	14	15	15
50-64	17	8.6	19	1	4	8	10	12	18	22
65+	5	12.2	49	7	7	9	16	24	24	24
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	7	6.1	40	1	1	4	8	17	19	19
20-34	28	4.8	11	<1	<1	4	6	9	12	14
35-49	72	4.6	11	<1	<1	4	7	9	10	15
50-64	154	5.7	19	<1	<1	5	7	12	14	21
65+	273	7.8	43	<1	2	7	10	15	19	35
<i>B. Operated</i>										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	36	10.2	39	4	6	8	12	15	23	37
35-49	109	9.6	27	<1	5	8	11	15	17	32
50-64	118	10.9	52	3	6	10	12	18	26	71
65+	86	12.6	81	1	3	11	15	24	33	45
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	132	4.7	10	<1	<1	4	6	9	11	16
<i>B. Operated</i>	40	9.2	18	4	5	9	10	13	18	24
2. MULTIPLE DX										
<i>A. Not Operated</i>	534	6.6	32	<1	1	5	9	13	17	28
<i>B. Operated</i>	351	10.8	51	2	5	9	12	18	25	42
1. SINGLE DX	172	5.7	16	<1	1	5	8	10	13	21
2. MULTIPLE DX	885	8.3	43	<1	1	7	10	15	20	36
A. NOT OPERATED	666	6.2	28	<1	1	5	8	12	16	23
B. OPERATED	391	10.6	47	2	5	9	12	17	25	40
TOTAL 0-19 YRS	14	5.3	20	1	2	4	6	10	17	19
20-34	75	7.6	32	<1	2	7	9	13	15	34
35-49	220	7.2	25	<1	<1	7	9	13	15	29
50-64	338	7.5	36	<1	1	7	10	13	18	35
65+	410	8.6	52	<1	2	7	11	17	22	38
GRAND TOTAL	1057	7.8	40	<1	1	7	10	14	18	36

**205: Other hernia of abdominal cavity without complication
(553.0; 553.8-553.9)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	10	2.8	3	1	1	3	4	5	5	5
20-34	19	3.9	4	1	2	3	4	8	9	9
35-49	36	3.8	2	1	2	4	5	5	6	6
50-64	25	4.1	2	2	3	4	5	6	7	8
65+	30	5.5	7	2	2	5	7	8	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	7.3	37	2	2	6	12	14	14	14
35-49										
50-64	4	9.5	81	2	2	8	17	20	20	20
65+	4	7.5	47	2	2	5	12	17	17	17
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	5.2	6	3	3	4	7	9	9	9
35-49	16	5.8	14	1	2	5	7	11	14	16
50-64	24	7.0	35	2	2	5	9	15	19	27
65+	28	7.6	25	3	3	7	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.0	22	1	1	2	9	11	11	11
B. Operated	120	4.2	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	12	7.6	47	1	1	4	14	18	20	20
B. Operated	81	6.7	23	2	3	5	8	12	15	27
1. SINGLE DX	125	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX	93	6.8	26	2	2	5	8	14	16	27
A. NOT OPERATED	17	6.8	39	1	1	3	12	16	19	20
B. OPERATED	201	5.2	13	1	2	4	6	9	12	21
TOTAL 0-19 YRS	13	3.2	8	1	1	3	4	6	10	11
20-34	36	4.9	9	2	3	4	7	9	11	14
35-49	54	4.3	6	1	2	4	5	6	8	16
50-64	53	5.8	24	2	2	4	6	12	16	27
65+	62	6.5	18	2	3	6	8	11	14	26
GRAND TOTAL	218	5.3	15	1	2	4	6	10	13	22

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	8	3.5	3	<1	1	3	4	6	7	7
B. Operated										
0-19 YRS	12	2.8	4	<1	<1	2	4	6	7	7
20-34	25	4.6	8	1	2	4	7	9	10	13
35-49	47	4.4	4	2	2	4	5	7	8	11
50-64	43	6.5	16	2	3	5	9	12	12	22
65+	51	7.9	15	3	4	7	10	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64	7	6.7	24	2	2	7	10	14	15	15
65+	19	6.0	22	1	2	5	7	18	59	99+
B. Operated										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	20	7.8	39	1	2	5	11	16	21	26
35-49	26	11.0	213	1	2	6	11	25	53	60
50-64	43	10.6	114	2	4	8	13	18	21	71
65+	109	14.0	98	4	5	11	18	26	38	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.9	3	<1	1	3	4	5	7	7
B. Operated	178	5.8	13	2	2	5	8	11	13	16
2. MULTIPLE DX										
A. Not Operated	33	5.6	19	1	2	5	7	15	19	99+
B. Operated	201	12.1	113	2	3	10	15	23	32	66
1. SINGLE DX	193	5.6	13	1	2	5	7	11	13	16
2. MULTIPLE DX	234	11.2	104	2	3	8	14	22	31	75
A. NOT OPERATED	48	4.8	16	1	1	3	7	10	17	99+
B. OPERATED	379	9.2	76	2	3	7	11	18	23	58
TOTAL 0-19 YRS	16	3.3	7	<1	1	2	5	7	8	9
20-34	47	5.9	24	2	2	5	7	12	16	26
35-49	82	6.3	79	1	2	4	6	11	21	57
50-64	95	8.3	65	2	3	7	10	15	19	49
65+	187	11.1	76	3	4	9	14	21	31	85
GRAND TOTAL	427	8.7	71	2	2	7	11	18	23	60

**207: Intestinal obstruction without mention of hernia (560.0-560.2;
560.8-560.9)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	48	2.9	6	<1	1	2	4	5	8	13	
20-34	79	4.2	11	<1	1	4	5	8	11	19	
35-49	123	4.9	19	1	1	4	6	9	11	31	
50-64	180	4.8	16	1	1	4	6	9	10	22	
65+	206	6.4	22	2	2	5	8	13	15	25	
B. Operated											
0-19 YRS	34	6.2	12	1	3	5	8	11	12	16	
20-34	45	9.6	22	5	5	9	10	16	17	31	
35-49	64	10.0	50	4	5	8	11	18	20	49	
50-64	61	12.6	38	7	7	10	15	21	25	35	
65+	61	13.8	39	7	8	12	16	21	26	37	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	30	4.8	25	1	1	4	6	9	12	26	
20-34	107	5.4	23	1	1	4	7	11	14	25	
35-49	151	5.6	20	1	1	5	7	10	12	25	
50-64	193	7.2	38	1	2	6	9	14	19	32	
65+	416	8.7	60	2	3	7	11	15	21	51	
B. Operated											
0-19 YRS	36	12.2	122	3	4	9	14	31	51	99+	
20-34	82	15.0	171	4	6	11	17	32	47	74	
35-49	105	14.9	131	6	7	12	17	28	31	76	
50-64	140	17.6	188	6	7	14	20	34	44	95	
65+	218	22.0	240	7	8	17	28	47	66	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	636	5.1	18	1	1	4	6	10	13	25	
B. Operated											
	265	10.9	41	4	5	9	13	18	22	35	
2. MULTIPLE DX											
A. Not Operated											
	897	7.3	45	1	2	6	9	14	19	35	
B. Operated											
	581	18.1	201	6	7	14	22	37	51	98	
1. SINGLE DX											
	901	6.8	32	1	2	5	9	14	16	28	
2. MULTIPLE DX											
	1478	11.6	134	2	2	8	14	24	35	70	
A. NOT OPERATED											
	1533	6.4	35	1	2	5	8	13	16	31	
B. OPERATED											
	846	15.8	161	5	6	12	18	32	45	82	
TOTAL 0-19 YRS											
	148	6.3	51	1	1	5	8	13	18	60	
20-34	313	8.2	77	1	2	6	10	17	21	48	
35-49	443	8.3	66	1	2	6	10	16	21	38	
50-64	574	9.6	93	1	2	7	12	19	27	47	
65+	901	11.7	130	2	3	8	15	24	37	69	
GRAND TOTAL											
	2379	9.8	100	1	2	7	12	20	29	61	

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	3255	3.3	7	1	1	3	4	6	8	12	
20-34	797	2.6	4	1	1	2	3	5	6	10	
35-49	331	3.2	10	<1	1	2	4	6	8	17	
50-64	232	4.2	13	1	1	3	5	8	11	19	
65+	440	5.2	38	1	1	4	6	10	14	23	
B. Operated											
0-19 YRS	20	7.1	23	3	3	5	8	13	18	22	
20-34	45	7.0	19	2	3	6	8	11	16	24	
35-49	25	6.8	22	2	2	5	9	12	17	22	
50-64	13	8.3	32	<1	2	9	12	15	20	21	
65+	7	9.3	69	2	2	9	13	23	25	25	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2056	4.9	18	1	1	4	6	9	12	20	
20-34	541	3.5	10	1	1	3	4	7	9	15	
35-49	271	4.5	9	1	2	4	5	8	10	15	
50-64	343	5.8	39	1	2	4	7	12	15	28	
65+	953	7.8	53	2	2	6	10	16	22	39	
B. Operated											
0-19 YRS	31	7.6	26	2	3	7	11	13	14	27	
20-34	44	7.3	31	1	2	6	10	15	18	27	
35-49	43	12.6	128	2	3	10	17	20	31	61	
50-64	39	12.3	77	3	4	10	15	27	33	36	
65+	74	15.6	196	2	4	12	18	29	41	78	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	5055	3.4	10	1	1	3	4	6	8	15	
B. Operated	110	7.2	24	2	2	6	9	13	17	24	
2. MULTIPLE DX											
A. Not Operated	4164	5.4	28	1	2	4	7	11	14	26	
B. Operated	231	11.8	119	2	3	9	15	26	30	61	
1. SINGLE DX	5165	3.5	11	1	1	3	4	6	9	15	
2. MULTIPLE DX	4395	5.8	35	1	2	4	7	11	15	29	
A. NOT OPERATED	9219	4.3	19	1	1	3	5	8	11	21	
B. OPERATED	341	10.3	93	2	3	8	13	21	27	55	
TOTAL											
0-19 YRS	5362	4.0	12	1	1	3	5	7	10	17	
20-34	1427	3.3	9	1	1	2	4	6	9	15	
35-49	670	4.5	23	1	1	3	5	8	12	22	
50-64	627	5.6	35	1	1	4	7	12	15	28	
65+	1474	7.5	61	1	2	5	9	15	22	40	
GRAND TOTAL	9560	4.5	23	1	1	3	5	9	12	24	

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6	
20-34	18	3.7	6	1	1	4	5	7	9	10	
35-49	96	5.8	9	2	2	5	8	11	12	14	
50-64	174	5.8	11	1	2	5	8	9	11	16	
65+	282	6.7	27	1	2	6	9	12	16	29	
B. Operated											
0-19 YRS	1	12.0		12	12	12	12	12	12	12	
20-34	17	11.0	42	3	4	8	15	23	24	24	
35-49	24	11.8	15	7	7	11	13	17	21	23	
50-64	38	14.0	22	8	9	13	17	21	23	27	
65+	46	16.2	74	6	8	14	21	29	31	49	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	7	4.4	7	1	1	5	7	8	8	8	
35-49	55	5.9	10	2	2	6	7	9	12	20	
50-64	165	7.1	44	2	2	6	8	11	14	28	
65+	623	9.6	72	2	3	8	11	18	24	47	
B. Operated											
0-19 YRS	1	7.0		7	7	7	7	7	7	7	
20-34	6	11.0	18	7	7	10	12	18	19	19	
35-49	45	16.8	125	7	8	13	21	27	29	77	
50-64	139	15.9	103	5	7	14	19	26	35	95	
65+	211	20.0	206	5	7	17	25	39	52	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	572	6.2	19	1	2	5	8	11	13	21	
B. Operated											
	126	13.9	45	6	7	12	17	22	27	38	
2. MULTIPLE DX											
A. Not Operated											
	850	8.9	64	2	3	7	10	17	22	43	
B. Operated											
	402	18.0	162	6	7	15	21	34	43	99	
1. SINGLE DX											
	698	7.6	32	2	2	6	10	14	18	29	
2. MULTIPLE DX											
	1252	11.8	114	2	3	9	15	23	31	73	
A. NOT OPERATED											
	1422	7.8	47	2	2	6	9	14	19	35	
B. OPERATED											
	528	17.1	137	6	7	14	21	30	40	95	
TOTAL 0-19 YRS											
	4	7.0	14	3	3	6	9	12	12	12	
20-34	48	7.3	32	1	1	6	9	16	19	24	
35-49	220	8.7	53	2	3	7	11	16	22	29	
50-64	516	9.5	66	2	3	8	12	18	23	38	
65+	1162	11.1	106	2	3	8	13	22	30	63	
GRAND TOTAL											
	1950	10.3	89	2	3	8	12	20	27	52	

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	17	3.5	11	<1	<1	2	4	10	11	12	
20-34	49	2.5	5	<1	<1	2	3	6	7	10	
35-49	33	3.4	5	<1	<1	3	5	7	8	8	
50-64	17	2.8	5	<1	<1	2	4	6	8	9	
65+	8	8.8	78	<1	<1	6	15	22	23	23	
B. Operated											
0-19 YRS	67	3.4	4	<1	1	3	4	6	7	11	
20-34	357	3.7	7	1	1	3	4	6	9	13	
35-49	391	3.8	7	1	1	3	5	6	9	15	
50-64	177	4.4	9	1	2	4	5	8	9	17	
65+	57	4.9	12	1	1	4	6	10	13	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	15	3.9	9	<1	1	4	5	7	11	12	
20-34	34	5.0	24	<1	<1	3	8	12	16	18	
35-49	28	4.2	20	<1	<1	3	5	10	15	20	
50-64	22	5.2	27	<1	1	4	8	10	16	24	
65+	20	13.9	435	1	1	8	12	64	94	99+	
B. Operated											
0-19 YRS	32	4.6	16	1	1	4	5	9	14	20	
20-34	251	4.9	33	1	1	3	5	8	11	38	
35-49	261	4.9	11	1	2	4	6	9	12	15	
50-64	179	5.2	23	1	2	4	6	10	12	21	
65+	88	8.8	97	2	2	5	9	23	33	49	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	124	3.3	12	<1	<1	2	4	7	9	22	
B. Operated	1049	3.9	8	1	1	3	5	7	9	15	
2. MULTIPLE DX											
A. Not Operated	119	6.2	99	<1	1	4	8	12	19	93	
B. Operated	811	5.3	31	1	2	4	6	9	14	35	
1. SINGLE DX	1173	3.8	8	1	1	3	5	7	9	15	
2. MULTIPLE DX	930	5.5	40	1	2	4	6	10	14	37	
A. NOT OPERATED	243	4.7	57	<1	<1	3	6	10	14	50	
B. OPERATED	1860	4.5	18	1	1	4	5	8	11	23	
TOTAL											
0-19 YRS	131	3.7	9	<1	1	3	5	7	10	15	
20-34	691	4.1	18	1	1	3	5	7	10	22	
35-49	713	4.2	9	1	1	4	5	8	10	15	
50-64	395	4.7	17	1	2	4	6	9	11	21	
65+	173	8.1	112	1	2	5	9	18	31	81	
GRAND TOTAL	2103	4.6	23	1	1	3	5	8	11	24	

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	412	4.2	24	1	1	3	5	9	12	30
20-34	530	5.5	21	1	1	4	7	11	15	22
35-49	253	5.9	38	1	1	4	8	12	16	27
50-64	184	6.1	33	1	1	5	8	12	18	25
65+	291	6.1	35	1	1	4	8	13	17	29
B. Operated										
0-19 YRS	115	7.7	45	<1	1	6	11	16	23	30
20-34	265	11.7	94	2	3	9	15	23	28	51
35-49	148	9.6	47	2	2	9	12	17	20	30
50-64	104	10.2	72	1	2	8	14	22	26	39
65+	115	10.5	67	2	2	9	14	19	24	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	337	5.1	27	1	1	4	6	10	14	25
20-34	443	7.1	46	1	2	5	9	14	18	41
35-49	339	7.1	35	1	2	6	10	15	19	30
50-64	373	7.3	41	1	2	6	9	14	19	40
65+	923	8.2	53	1	2	6	10	17	22	45
B. Operated										
0-19 YRS	108	12.6	160	2	3	9	15	28	35	69
20-34	418	16.3	182	3	4	12	22	36	47	82
35-49	305	15.6	166	3	4	13	19	34	50	99+
50-64	325	15.8	198	2	4	11	20	36	52	99+
65+	385	19.2	289	3	4	14	25	47	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1670	5.4	29	1	1	4	7	11	15	26
B. Operated	747	10.3	71	1	2	9	13	20	25	43
2. MULTIPLE DX										
A. Not Operated	2415	7.3	45	1	2	5	9	15	20	38
B. Operated	1541	16.5	210	3	4	12	21	37	52	99+
1. SINGLE DX	2417	6.9	47	1	1	5	9	15	20	32
2. MULTIPLE DX	3956	10.9	129	1	2	8	14	24	35	77
A. NOT OPERATED	4085	6.5	39	1	1	5	8	13	18	33
B. OPERATED	2288	14.5	173	2	3	11	18	31	46	89
TOTAL 0-19 YRS	972	5.9	49	1	1	4	7	13	19	34
20-34	1656	9.6	99	1	2	7	12	21	29	52
35-49	1045	9.7	91	1	2	7	12	19	28	60
50-64	986	10.2	111	1	2	7	12	22	33	71
65+	1714	10.4	127	1	2	7	13	22	34	84
GRAND TOTAL	6373	9.4	102	1	2	6	12	20	29	61

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	8.4	19	4	4	7	12	15	15	15
35-49	16	9.8	71	1	2	7	16	22	26	28
50-64	32	11.4	67	2	3	9	16	25	26	29
65+	4	12.0	41	7	7	10	16	21	21	21
B. Operated										
0-19 YRS										
20-34										
35-49	8	8.4	65	1	1	7	11	22	25	25
50-64	6	5.8	41	1	1	4	7	17	18	18
65+	3	10.0	19	5	5	12	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	11.0	142	1	2	7	13	23	38	54
35-49	101	12.3	145	2	3	9	15	29	38	87
50-64	142	15.8	239	2	3	11	20	33	52	81
65+	54	16.1	192	3	4	13	21	40	53	99
B. Operated										
0-19 YRS										
20-34	11	12.7	134	1	1	11	17	30	39	40
35-49	42	16.9	316	1	2	11	18	41	63	75
50-64	45	16.5	178	1	2	14	22	37	46	54
65+	20	14.9	163	1	2	13	23	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	10.7	60	2	2	9	15	23	26	29
B. Operated	17	7.8	46	1	1	6	12	17	23	25
2. MULTIPLE DX										
A. Not Operated	319	14.4	197	2	3	10	17	31	49	84
B. Operated	118	16.0	217	1	2	13	21	40	51	99+
1. SINGLE DX	76	10.0	57	1	2	8	14	22	26	29
2. MULTIPLE DX	437	14.8	202	2	3	10	18	34	50	95
A. NOT OPERATED	378	13.8	177	2	3	10	17	29	44	79
B. OPERATED	135	15.0	203	1	1	12	19	39	47	99+
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	39	11.0	115	1	1	7	14	22	33	54
35-49	167	13.0	181	1	2	9	16	29	42	76
50-64	225	15.1	201	2	3	11	20	32	46	65
65+	81	15.4	170	2	4	13	20	40	58	99+
GRAND TOTAL	513	14.1	183	2	2	10	18	30	45	85

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	4	5.0	7	2	2	5	7	8	8	8	
35-49	4	6.8	16	1	1	8	9	10	10	10	
50-64	7	9.3	9	5	5	10	11	13	14	14	
65+	11	8.8	40	3	3	7	11	20	21	21	
B. Operated											
0-19 YRS											
20-34	23	1.9	2	<1	1	1	2	3	5	8	
35-49	23	3.2	13	<1	1	2	4	10	12	13	
50-64	17	1.9	2	1	1	1	3	4	5	5	
65+	13	4.2	24	1	1	2	5	11	17	18	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6	
20-34	8	15.1	286	3	4	10	13	44	56	56	
35-49	25	10.1	107	2	2	7	13	20	29	52	
50-64	41	13.0	109	2	3	11	18	28	38	41	
65+	60	13.7	153	2	4	10	17	31	52	96	
B. Operated											
0-19 YRS	7	6.4	58	1	1	3	11	19	21	21	
20-34	19	7.1	107	1	1	2	8	26	34	36	
35-49	29	10.1	143	1	1	5	14	36	47	99+	
50-64	39	12.2	111	1	1	10	18	30	36	38	
65+	29	19.4	249	2	5	15	27	42	73	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	26	8.0	24	2	3	8	10	14	20	21	
B. Operated	76	2.7	9	1	1	2	3	7	10	17	
2. MULTIPLE DX											
A. Not Operated	137	12.7	136	2	3	10	16	28	41	67	
B. Operated	123	12.3	163	1	1	9	19	36	38	99+	
1. SINGLE DX	102	4.1	18	1	1	2	6	10	12	20	
2. MULTIPLE DX	260	12.5	148	1	2	9	17	32	39	96	
A. NOT OPERATED	163	12.0	120	2	3	9	14	23	37	62	
B. OPERATED	199	8.6	126	1	1	4	12	24	37	86	
TOTAL 0-19 YRS	10	5.7	41	1	1	3	6	17	21	21	
20-34	54	5.9	96	1	1	2	6	12	29	55	
35-49	81	8.0	96	1	1	5	10	20	36	85	
50-64	104	10.7	100	1	1	8	15	23	36	40	
65+	113	13.6	170	1	2	10	19	33	48	99+	
GRAND TOTAL	362	10.1	126	1	1	7	13	23	36	71	

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	8	11.8	170	3	3	5	17	34	39	39	
20-34	20	5.3	9	2	3	4	6	10	12	13	
35-49	7	8.9	25	3	3	8	12	16	17	17	
50-64	12	11.4	243	1	3	6	11	30	55	59	
65+	13	8.5	39	2	3	6	11	18	22	23	
B. Operated											
0-19 YRS											
20-34	9	5.2	37	1	1	3	6	16	18	18	
35-49	7	4.6	19	<1	<1	4	5	12	14	14	
50-64	6	5.8	23	2	2	4	9	13	14	14	
65+	5	7.6	202	1	1	1	10	33	33	33	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	7	6.3	18	2	2	5	9	13	14	14	
20-34	17	6.8	24	1	2	6	9	14	18	20	
35-49	21	8.6	27	2	3	8	11	15	20	24	
50-64	58	10.8	91	2	3	8	14	23	34	96	
65+	53	14.4	238	2	3	10	18	32	61	99+	
B. Operated											
0-19 YRS	4	9.3	24	2	2	11	12	12	12	12	
20-34	13	18.5	134	1	1	18	25	37	39	39	
35-49	24	14.5	211	1	1	11	22	35	47	55	
50-64	23	12.4	82	1	1	14	19	25	27	29	
65+	26	21.8	285	2	3	17	31	46	54	75	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	60	8.5	86	2	3	5	9	17	23	57	
B. Operated											
	27	5.6	52	<1	1	3	5	14	20	33	
2. MULTIPLE DX											
A. Not Operated											
	156	11.1	128	2	3	8	13	23	33	99	
B. Operated											
	90	16.4	190	1	1	14	22	34	44	67	
1. SINGLE DX	87	7.6	76	1	2	5	9	17	23	52	
2. MULTIPLE DX	246	13.0	157	1	2	10	17	28	37	87	
A. NOT OPERATED	216	10.3	117	2	3	7	13	22	32	91	
B. OPERATED	117	13.9	178	1	1	12	20	31	38	62	
TOTAL 0-19 YRS											
	19	9.2	82	2	2	6	12	20	32	39	
20-34	59	8.6	71	1	1	5	12	19	26	39	
35-49	59	10.6	110	1	2	8	14	24	31	54	
50-64	99	10.9	102	1	2	8	15	23	30	79	
65+	97	15.2	238	2	2	10	20	34	48	94	
GRAND TOTAL	333	11.6	141	1	2	8	16	25	36	77	

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.4	4	<1	1	2	3	5	6	10
20-34	194	2.5	4	<1	<1	2	3	5	6	11
35-49	136	2.9	6	<1	1	2	4	6	8	12
50-64	129	3.6	10	<1	1	3	4	7	8	17
65+	119	5.2	45	1	1	4	7	9	12	32
B. Operated										
0-19 YRS	104	6.9	5	4	5	7	8	10	12	14
20-34	1163	7.0	5	4	5	7	8	9	11	15
35-49	1008	7.3	6	5	5	7	8	10	12	16
50-64	847	8.2	9	5	6	8	9	12	14	20
65+	401	10.1	38	6	6	9	12	14	18	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.9	6	<1	<1	4	5	8	8	8
20-34	86	3.0	7	1	1	2	4	6	7	16
35-49	91	3.8	9	1	1	3	5	8	11	14
50-64	146	5.2	12	1	1	5	7	10	12	15
65+	303	8.8	64	2	3	7	11	17	23	49
B. Operated										
0-19 YRS	62	10.8	86	5	5	8	12	18	24	66
20-34	812	8.4	13	5	5	7	10	13	15	22
35-49	968	9.2	23	5	6	8	10	15	18	27
50-64	1291	10.6	40	5	6	9	12	17	22	34
65+	1135	15.2	106	6	7	12	18	28	35	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	606	3.4	15	<1	1	2	4	7	9	14
B. Operated	3523	7.7	11	5	5	7	9	11	13	19
2. MULTIPLE DX										
A. Not Operated	640	6.4	41	1	1	5	8	13	17	30
B. Operated	4268	11.1	56	5	6	9	12	19	25	43
1. SINGLE DX	4129	7.1	14	2	3	7	8	11	13	18
2. MULTIPLE DX	4908	10.5	56	4	5	8	12	18	24	43
A. NOT OPERATED	1246	4.9	30	1	1	3	6	10	14	25
B. OPERATED	7791	9.6	38	5	5	8	10	15	20	35
TOTAL 0-19 YRS	208	7.3	36	1	2	7	9	12	14	25
20-34	2255	7.0	11	2	3	7	8	10	13	19
35-49	2203	7.7	17	3	4	7	9	12	15	23
50-64	2413	9.1	30	3	5	8	10	15	18	31
65+	1958	12.6	92	3	5	10	15	23	30	53
GRAND TOTAL	9037	8.9	40	2	4	8	10	15	20	34

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.8	2	1	1	3	4	5	5	6
20-34	166	3.2	5	<1	1	3	4	6	7	13
35-49	123	3.3	4	1	1	3	4	6	7	10
50-64	94	4.5	9	1	1	4	7	9	10	13
65+	88	6.0	25	1	2	5	7	11	16	29
B. Operated										
0-19 YRS	12	6.8	7	4	4	6	7	12	12	12
20-34	110	7.6	15	4	5	7	8	10	15	26
35-49	115	7.9	11	5	5	8	9	13	15	21
50-64	74	9.2	23	5	5	8	10	14	19	30
65+	38	13.5	71	7	7	10	16	22	30	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.1	2	1	1	3	4	5	6	6
20-34	82	3.9	10	1	1	3	5	8	10	18
35-49	56	4.7	14	1	1	4	6	8	14	18
50-64	67	7.9	132	2	2	5	8	14	19	80
65+	140	8.5	45	2	3	7	11	15	20	37
B. Operated										
0-19 YRS	9	9.7	17	5	5	9	12	16	17	17
20-34	118	9.8	35	4	5	8	11	18	22	35
35-49	146	9.7	30	5	5	8	11	17	23	31
50-64	149	13.6	103	6	7	10	15	25	32	66
65+	128	18.1	136	7	8	16	22	34	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	499	3.9	10	1	1	3	5	7	10	15
B. Operated	349	8.7	24	4	5	7	10	14	17	27
2. MULTIPLE DX										
A. Not Operated	353	6.6	51	1	2	5	8	13	16	32
B. Operated	550	12.7	86	5	6	9	15	24	31	68
1. SINGLE DX	848	5.9	21	1	1	5	8	10	14	25
2. MULTIPLE DX	903	10.3	82	2	3	8	13	20	27	52
A. NOT OPERATED	852	5.0	29	1	1	4	6	10	13	24
B. OPERATED	899	11.2	66	5	5	9	13	20	27	49
TOTAL 0-19 YRS	57	4.8	12	1	1	4	6	11	12	17
20-34	476	5.9	23	1	1	5	8	11	15	25
35-49	440	6.8	23	1	2	6	8	13	16	26
50-64	384	9.5	82	2	2	8	11	17	25	47
65+	394	11.6	97	2	3	9	15	23	32	73
GRAND TOTAL	1751	8.2	57	1	2	7	10	16	22	42

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	16	3.5	8	1	1	3	5	7	10	11
35-49	13	3.1	8	<1	<1	2	3	7	10	11
50-64	17	5.2	22	1	1	3	7	13	15	16
65+	19	8.8	69	<1	1	6	12	23	29	31
B. Operated										
0-19 YRS	7	5.3	11	1	1	5	7	10	11	11
20-34	41	7.9	14	3	4	7	9	13	15	21
35-49	33	7.8	20	1	4	7	9	11	13	27
50-64	36	9.3	28	1	3	8	13	17	20	21
65+	51	11.6	57	3	4	11	15	21	26	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	3.4	21	<1	<1	2	3	10	16	16
35-49	13	4.0	7	<1	1	4	5	8	10	10
50-64	16	9.3	339	1	2	4	7	14	58	77
65+	36	8.1	35	2	2	7	10	13	19	33
B. Operated										
0-19 YRS	5	13.0	45	6	6	11	19	21	21	21
20-34	25	9.7	21	2	4	9	13	16	17	19
35-49	32	13.0	55	2	4	12	16	23	28	32
50-64	50	15.5	127	5	6	13	18	24	29	79
65+	132	21.0	211	4	7	18	28	41	50	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	5.4	33	<1	1	3	7	12	16	30
B. Operated	168	9.2	34	2	3	8	11	16	21	33
2. MULTIPLE DX										
A. Not Operated	76	6.9	93	1	1	5	8	12	16	66
B. Operated	244	17.5	166	3	6	14	22	31	42	80
1. SINGLE DX	235	8.1	36	1	2	7	11	16	20	31
2. MULTIPLE DX	320	15.0	168	2	3	12	19	30	40	78
A. NOT OPERATED	143	6.2	65	<1	1	4	8	12	16	36
B. OPERATED	412	14.1	128	3	5	11	17	28	34	68
TOTAL										
0-19 YRS	15	7.5	35	1	1	5	10	19	20	21
20-34	92	7.1	21	1	1	7	9	14	16	20
35-49	91	8.4	43	<1	1	7	11	16	23	30
50-64	119	11.3	122	1	2	9	15	21	24	78
65+	238	16.1	171	2	3	13	21	32	42	75
GRAND TOTAL	555	12.1	124	1	2	9	15	25	31	65

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	4.8	20	<1	1	3	6	12	15	16
35-49	17	3.2	3	<1	1	3	5	6	6	6
50-64	13	5.5	19	1	2	4	7	13	14	14
65+	25	6.2	19	2	2	6	7	10	15	23
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	5	11.2	29	3	3	11	14	18	18	18
35-49	5	6.8	20	3	3	5	11	13	13	13
50-64	12	12.1	97	1	1	13	16	26	32	33
65+	5	12.6	17	6	6	15	15	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	9.0	39	2	2	11	13	14	14	14
20-34	12	4.0	18	1	1	3	4	10	15	16
35-49	14	5.7	37	<1	1	4	6	13	22	24
50-64	14	10.6	151	4	4	8	10	18	44	52
65+	48	9.7	62	3	4	7	11	20	23	45
B. Operated										
0-19 YRS										
20-34	11	11.3	26	5	6	10	13	20	22	22
35-49	20	18.6	237	1	4	15	22	39	56	67
50-64	29	19.0	180	2	2	20	26	36	41	57
65+	54	21.6	201	5	9	18	28	46	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	5.0	16	1	1	4	6	10	13	21
B. Operated	28	11.1	54	1	2	12	15	18	24	33
2. MULTIPLE DX										
A. Not Operated	91	8.4	68	1	2	6	10	17	23	49
B. Operated	114	19.4	190	2	6	16	25	41	54	99+
1. SINGLE DX	100	6.7	34	1	1	5	10	15	17	28
2. MULTIPLE DX	205	14.5	165	2	3	11	20	30	45	83
A. NOT OPERATED	163	6.9	47	1	1	5	8	14	20	43
B. OPERATED	142	17.8	174	2	3	15	24	38	46	99+
TOTAL 0-19 YRS										
20-34	5	9.4	24	2	2	11	13	14	14	14
35-49	44	6.9	31	1	1	5	11	16	18	22
50-64	56	9.6	140	1	1	5	13	23	31	66
65+	68	13.4	152	1	2	10	20	29	38	56
	132	14.0	150	3	3	11	19	28	45	99+
GRAND TOTAL	305	12.0	135	1	2	8	16	27	40	68

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	5.4	15	1	1	4	7	12	13	15
20-34	162	6.2	24	1	2	5	7	12	19	22
35-49	186	6.2	20	1	2	5	7	12	14	26
50-64	124	6.9	19	2	3	6	8	13	15	27
65+	67	8.4	26	1	3	7	11	14	19	25
B. Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	16	14.2	125	2	3	11	20	27	38	43
35-49	27	14.6	253	1	3	10	18	29	40	81
50-64	19	12.8	65	2	4	11	15	26	30	32
65+	10	18.6	289	2	6	15	35	74	98	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	8.0	32	3	3	6	11	14	21	24
20-34	220	7.2	25	2	3	6	9	14	17	24
35-49	312	8.4	59	2	3	6	9	15	21	44
50-64	211	8.5	36	2	3	7	11	16	21	30
65+	183	10.8	75	3	4	8	14	20	29	60
B. Operated										
0-19 YRS	5	28.8	202	10	10	35	39	44	44	44
20-34	54	23.5	406	5	6	19	33	59	79	99+
35-49	91	22.6	286	5	8	19	31	49	83	99+
50-64	75	21.5	267	7	8	16	24	45	60	80
65+	67	23.3	287	7	8	18	30	46	77	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	563	6.6	22	1	2	6	8	12	16	26
B. Operated	76	13.9	174	1	3	11	19	29	42	95
2. MULTIPLE DX										
A. Not Operated	942	8.6	50	2	3	7	10	16	21	42
B. Operated	292	22.8	300	6	8	18	30	46	71	99+
1. SINGLE DX	639	7.5	45	1	2	6	9	14	20	32
2. MULTIPLE DX	1234	12.0	145	2	3	8	14	26	37	78
A. NOT OPERATED	1505	7.8	40	2	3	6	9	15	20	35
B. OPERATED	368	20.9	286	4	6	16	27	44	67	99+
TOTAL 0-19 YRS	49	8.4	85	1	2	5	10	17	35	44
20-34	452	9.0	103	1	3	6	10	19	26	70
35-49	616	10.1	119	2	3	7	11	23	33	70
50-64	429	10.5	99	2	3	8	13	21	29	56
65+	327	13.1	143	3	4	9	16	27	40	84
GRAND TOTAL	1873	10.4	116	2	3	7	12	22	32	69

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.1	5	<1	1	3	4	5	7	12
20-34	62	3.5	9	<1	1	3	5	6	8	19
35-49	60	4.5	6	1	2	4	6	7	9	14
50-64	68	4.4	8	1	1	4	6	8	10	13
65+	106	6.9	39	1	2	6	8	12	18	35
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	11.0	99	1	1	8	16	27	27	27
35-49	3	9.3	34	5	5	7	14	16	16	16
50-64	3	5.7	6	3	3	6	7	8	8	8
65+	12	7.8	25	3	3	6	9	16	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	4.1	10	1	1	3	6	8	10	16
20-34	99	4.1	6	1	1	4	5	8	9	11
35-49	124	5.9	19	1	2	5	7	10	11	27
50-64	208	7.6	40	2	3	6	9	14	17	28
65+	585	9.5	56	2	3	7	12	18	26	45
B. Operated										
0-19 YRS	3	17.0	139	4	4	20	25	27	27	27
20-34	12	9.3	55	3	4	6	10	23	26	27
35-49	21	11.1	119	3	4	9	11	20	39	53
50-64	36	12.7	46	2	5	12	16	25	27	28
65+	112	16.9	190	4	7	13	21	43	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	4.9	20	1	1	4	6	9	12	20
B. Operated	24	8.3	36	2	3	7	10	16	22	27
2. MULTIPLE DX										
A. Not Operated	1064	8.0	46	2	2	6	10	16	21	39
B. Operated	184	14.9	149	4	5	12	19	30	48	99+
1. SINGLE DX	351	5.2	21	1	1	4	6	10	13	20
2. MULTIPLE DX	1248	9.0	67	2	2	7	11	18	26	53
A. NOT OPERATED	1391	7.3	41	1	2	6	9	14	19	35
B. OPERATED	208	14.1	140	3	4	11	18	28	47	99+
TOTAL 0-19 YRS	83	4.2	18	<1	1	3	5	8	12	25
20-34	178	4.4	16	1	1	4	5	8	11	25
35-49	208	6.1	28	1	2	5	7	10	13	28
50-64	315	7.5	38	2	2	6	10	15	18	28
65+	815	10.2	80	2	3	8	12	20	29	75
GRAND TOTAL	1599	8.2	60	1	2	6	10	16	23	48

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	4.8	11	1	2	4	6	9	12	17
20-34	2	8.5	61	3	3	8	14	14	14	14
35-49	6	7.3	25	1	1	7	12	14	14	14
50-64	5	5.4	31	<1	<1	3	7	15	15	15
65+	5	17.8	651	3	3	10	23	63	63	63
B. Operated										
0-19 YRS	4	8.8	11	4	4	10	11	11	11	11
20-34	6	9.8	57	3	3	7	17	21	21	21
35-49	6	7.5	18	3	3	6	12	13	13	13
50-64	8	14.1	160	4	4	11	16	35	43	43
65+	5	7.8	19	2	2	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	9.1	65	1	2	7	11	18	27	44
20-34	3	6.7	2	5	5	7	8	8	8	8
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	10	9.5	47	2	2	8	13	20	23	23
65+	22	18.0	211	1	3	16	24	44	79	99+
B. Operated										
0-19 YRS	9	11.8	52	3	4	12	20	62	99+	99+
20-34	9	10.9	100	1	2	9	11	26	36	36
35-49	10	16.9	184	<1	2	15	21	36	50	50
50-64	20	17.0	125	7	9	13	20	30	45	54
65+	10	19.4	436	5	5	12	24	86	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	6.1	61	1	1	4	7	12	14	53
B. Operated	29	10.0	65	3	3	9	12	18	22	43
2. MULTIPLE DX										
A. Not Operated	93	10.8	109	1	2	8	15	23	34	85
B. Operated	58	15.6	170	3	5	12	20	36	65	99+
1. SINGLE DX	100	7.2	65	1	2	5	9	14	17	53
2. MULTIPLE DX	151	12.7	137	1	3	10	17	25	44	99+
A. NOT OPERATED	164	8.8	93	1	2	6	11	18	26	66
B. OPERATED	87	13.8	141	3	4	11	18	25	50	99+
TOTAL 0-19 YRS	120	7.4	43	1	2	6	9	16	20	61
20-34	20	9.7	63	2	3	8	11	19	28	36
35-49	26	10.2	108	<1	1	8	13	21	28	50
50-64	43	13.3	114	2	3	11	18	23	38	54
65+	42	17.1	281	2	3	13	21	63	83	99+
GRAND TOTAL	251	10.5	115	1	2	8	13	21	36	99

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	8.1	25	1	2	8	11	15	17	23
20-34	10	7.9	28	4	4	6	7	17	20	20
35-49	4	9.5	46	3	3	8	14	19	19	19
50-64	7	10.4	103	1	2	7	12	28	32	32
65+	8	9.4	33	2	3	8	11	19	21	21
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	12	5.9	38	1	1	3	8	15	21	22
35-49	9	3.8	6	1	1	4	6	7	7	7
50-64	9	7.8	33	1	1	7	13	15	15	15
65+	5	17.0	247	1	1	15	31	36	36	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	9.4	52	1	2	7	12	19	26	31
20-34	17	5.4	7	2	2	4	8	9	10	11
35-49	14	9.8	55	3	4	7	13	17	29	32
50-64	12	10.9	103	2	3	9	12	24	38	40
65+	18	16.3	197	3	4	11	17	39	47	52
B. Operated										
0-19 YRS	18	14.0	388	1	2	10	16	20	62	89
20-34	43	15.1	183	2	2	13	25	39	65	99+
35-49	46	11.3	107	2	2	9	16	24	28	48
50-64	35	13.3	113	2	2	10	19	29	33	41
65+	26	17.5	217	2	3	12	29	39	46	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	8.5	32	1	2	7	11	16	20	29
B. Operated	38	7.2	64	1	1	4	8	15	27	36
2. MULTIPLE DX										
A. Not Operated	86	10.3	90	2	3	7	12	19	33	48
B. Operated	168	13.9	174	2	2	11	20	31	42	98
1. SINGLE DX	120	8.1	42	1	1	6	11	15	21	33
2. MULTIPLE DX	254	12.7	148	2	2	9	17	30	40	87
A. NOT OPERATED	168	9.4	62	2	3	7	12	17	25	40
B. OPERATED	206	12.7	160	1	2	9	17	30	40	94
TOTAL 0-19 YRS	99	9.4	99	1	2	8	12	17	21	61
20-34	82	10.9	125	2	2	6	15	32	42	99+
35-49	73	10.0	85	1	2	7	14	22	24	47
50-64	63	11.7	98	1	2	10	15	28	33	41
65+	57	15.9	186	2	3	10	23	38	41	60
GRAND TOTAL	374	11.2	119	1	2	8	14	26	34	59

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	5.9	12	1	2	6	7	10	13	16
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.5	14	2	3	5	8	13	15	16
20-34	3	10.3	186	<1	<1	4	20	26	26	26
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	6.7	2	5	5	7	8	8	8	8
B. Operated										
0-19 YRS										
20-34	8	22.8	317	5	6	17	36	50	50	50
35-49	3	12.3	44	8	8	9	17	20	20	20
50-64	6	12.7	48	2	3	13	15	22	23	23
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	5.6	11	1	2	5	7	10	12	16
B. Operated	5	6.8	37	2	2	4	11	16	16	16
2. MULTIPLE DX										
A. Not Operated	26	7.2	30	1	2	5	8	15	18	26
B. Operated	17	17.4	187	3	5	14	21	44	50	50
1. SINGLE DX	32	5.8	15	1	2	5	8	10	15	16
2. MULTIPLE DX	43	11.2	114	2	3	8	14	23	34	50
A. NOT OPERATED	53	6.4	21	1	2	5	8	12	16	26
B. OPERATED	22	15.0	170	2	2	13	19	31	50	50
TOTAL 0-19 YRS	39	6.1	13	1	2	5	8	11	15	16
20-34	16	14.8	246	1	2	8	21	47	50	50
35-49	8	8.6	43	2	2	8	13	19	20	20
50-64	9	11.6	45	2	2	13	15	20	23	23
65+	3	6.7	2	5	5	7	8	8	8	8
GRAND TOTAL	75	8.9	78	2	2	7	11	16	23	50

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	14.8	99	4	4	14	23	27	27	27
65+										
B. Operated										
0-19 YRS										
20-34	4	5.3	35	1	1	3	9	14	14	14
35-49	3	10.0	109	3	3	5	18	22	22	22
50-64	3	21.7	264	4	4	25	33	36	36	36
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	10.0	162	<1	<1	5	19	28	28	28
20-34	12	5.7	20	1	1	4	9	12	14	14
35-49	13	7.5	30	1	2	7	12	16	18	18
50-64	31	9.0	75	1	1	7	12	22	28	38
65+	84	15.4	216	3	4	10	19	38	50	68
B. Operated										
0-19 YRS	6	15.0	148	3	3	14	19	34	36	36
20-34	34	14.5	207	<1	1	11	20	45	57	99+
35-49	39	13.7	170	3	4	10	14	35	57	99+
50-64	63	18.6	285	2	3	13	27	39	53	75
65+	43	22.6	272	4	5	18	32	48	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	13.3	99	4	4	7	22	26	27	27
B. Operated	13	9.5	126	1	1	4	16	27	34	36
2. MULTIPLE DX										
A. Not Operated	144	12.3	163	2	2	8	15	29	40	67
B. Operated	185	17.6	246	2	3	13	27	45	61	99+
1. SINGLE DX	20	10.9	114	1	2	5	21	26	31	36
2. MULTIPLE DX	329	15.3	216	2	3	11	20	36	49	99+
A. NOT OPERATED	151	12.4	159	2	2	8	16	28	39	67
B. OPERATED	198	17.1	241	2	3	13	25	44	60	99+
TOTAL 0-19 YRS	10	13.0	143	<1	<1	10	19	32	36	36
20-34	50	11.6	164	1	1	9	16	30	47	99+
35-49	55	12.1	138	2	3	10	14	27	44	98
50-64	98	15.5	233	1	2	10	22	35	48	75
65+	136	17.4	237	3	4	12	25	43	52	99+
GRAND TOTAL	349	15.1	211	2	3	10	20	35	49	99

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5	
20-34	1	6.0		6	6	6	6	6	6	6	
35-49	1	4.0		4	4	4	4	4	4	4	
50-64	1	5.0		5	5	5	5	5	5	5	
65+	18	9.5	51	2	2	7	11	22	24	25	
B. Operated											
0-19 YRS											
20-34	2	5.0	8	3	3	5	7	7	7	7	
35-49	4	3.3		3	3	3	4	4	4	4	
50-64	1	4.0		4	4	4	4	4	4	4	
65+	1	19.0		19	19	19	19	19	19	19	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	11.0		11	11	11	11	11	11	11	
20-34	5	4.4	8	1	1	5	6	8	8	8	
35-49	11	6.5	28	1	1	3	11	14	16	16	
50-64	27	9.9	77	2	2	7	13	19	31	38	
65+	75	14.1	195	3	4	9	17	31	45	77	
B. Operated											
0-19 YRS											
20-34	7	19.4	470	3	4	10	21	57	66	66	
35-49	6	17.5	397	3	3	10	17	53	57	57	
50-64	22	17.4	251	2	3	12	24	37	50	70	
65+	31	28.0	507	4	9	22	46	83	99	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	25	7.9	44	1	2	6	11	20	23	25	
B. Operated	8	5.8	31	3	3	4	6	15	19	19	
2. MULTIPLE DX											
A. Not Operated	119	12.0	151	2	2	8	15	24	39	65	
B. Operated	66	22.6	416	3	4	17	33	60	81	99+	
1. SINGLE DX	33	7.4	41	1	2	5	9	19	23	25	
2. MULTIPLE DX	185	15.8	270	2	3	10	20	39	57	98	
A. NOT OPERATED	144	11.3	135	2	2	8	14	23	34	59	
B. OPERATED	74	20.8	401	3	3	13	30	57	77	99+	
TOTAL 0-19 YRS	5	4.4	17	1	1	4	6	11	11	11	
20-34	15	11.6	262	1	2	6	10	21	55	66	
35-49	22	8.8	139	1	2	4	11	16	33	57	
50-64	51	12.9	162	2	2	9	17	29	37	70	
65+	125	16.9	290	3	4	11	21	45	58	99+	
GRAND TOTAL	218	14.5	244	2	3	10	18	37	53	96	

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	97	4.0	4	2	2	4	5	6	8	12	
20-34	97	4.4	5	2	2	4	6	7	8	12	
35-49	35	4.9	8	2	2	5	6	8	10	15	
50-64	24	5.8	9	1	2	6	8	10	11	11	
65+	22	5.7	6	2	3	5	8	9	10	11	
B. Operated											
0-19 YRS	2	8.0		8	8	8	8	8	8	8	
20-34	2	7.5	1	7	7	7	8	8	8	8	
35-49											
50-64	2	6.0	2	5	5	6	7	7	7	7	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	81	5.1	7	2	2	5	6	8	10	14	
20-34	100	5.1	9	2	2	5	6	8	11	18	
35-49	48	6.9	17	2	3	6	9	13	15	18	
50-64	43	6.5	8	3	4	6	8	11	12	13	
65+	69	9.0	35	2	3	8	11	17	23	29	
B. Operated											
0-19 YRS	13	10.6	41	2	3	10	15	19	23	24	
20-34	13	8.4	11	3	4	9	11	13	13	13	
35-49	6	11.3	37	4	4	10	14	21	22	22	
50-64	14	18.6	586	5	6	8	18	66	80	84	
65+	12	16.2	53	5	8	15	22	26	27	27	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	275	4.5	6	2	2	4	6	8	10	12	
B. Operated	6	7.2	1	5	5	7	8	8	8	8	
2. MULTIPLE DX											
A. Not Operated	341	6.3	17	2	3	5	8	12	14	23	
B. Operated	58	13.3	174	4	5	10	15	23	27	82	
1. SINGLE DX	281	4.6	6	2	2	4	6	8	9	12	
2. MULTIPLE DX	399	7.3	45	2	3	6	9	13	17	27	
A. NOT OPERATED	616	5.5	13	2	2	5	7	10	12	19	
B. OPERATED	64	12.7	161	4	5	9	14	22	26	81	
TOTAL 0-19 YRS	193	5.0	10	2	2	4	6	9	11	18	
20-34	212	5.0	8	2	2	4	6	8	11	14	
35-49	89	6.4	17	2	2	5	8	12	15	20	
50-64	83	8.3	121	2	3	6	9	11	15	77	
65+	103	9.1	39	2	3	8	11	19	24	28	
GRAND TOTAL	680	6.2	31	2	2	5	7	11	14	25	

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	4.4	6	1	2	4	5	7	9	13
20-34	176	4.5	28	1	2	4	5	7	9	26
35-49	65	4.2	4	1	2	4	5	7	8	10
50-64	35	6.5	9	2	3	6	8	10	12	14
65+	32	6.6	14	2	3	6	8	13	13	16
B. Operated										
0-19 YRS	8	6.1	9	<1	1	7	8	9	10	10
20-34	13	6.2	8	1	3	5	8	10	12	12
35-49	4	5.3	15	3	3	4	7	11	11	11
50-64	6	9.3	41	3	3	8	14	18	19	19
65+	5	8.0	32	2	2	6	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	159	4.9	9	2	2	4	6	8	11	15
20-34	173	5.4	30	2	2	5	6	9	10	16
35-49	61	6.1	19	2	3	5	7	9	12	31
50-64	72	6.7	13	2	2	6	9	12	13	15
65+	128	10.6	104	3	4	8	12	19	28	59
B. Operated										
0-19 YRS	14	7.4	24	1	2	7	10	16	17	17
20-34	38	10.2	47	3	4	8	12	22	26	29
35-49	28	14.5	137	4	5	9	17	37	40	42
50-64	30	15.3	183	2	3	11	17	38	48	53
65+	35	15.5	136	4	5	12	21	25	45	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	4.7	15	1	2	4	6	8	10	14
B. Operated	36	6.9	17	1	3	6	9	13	14	19
2. MULTIPLE DX										
A. Not Operated	593	6.6	42	2	2	5	8	11	14	35
B. Operated	145	13.1	117	3	4	9	16	27	40	52
1. SINGLE DX	511	4.8	16	1	2	4	6	8	10	15
2. MULTIPLE DX	738	7.9	63	2	2	6	9	14	21	46
A. NOT OPERATED	1068	5.8	31	2	2	5	7	10	12	28
B. OPERATED	181	11.8	103	2	3	9	14	24	36	51
TOTAL 0-19 YRS	348	4.8	9	1	2	4	6	8	10	16
20-34	400	5.5	33	1	2	4	6	9	11	28
35-49	158	6.8	47	2	2	5	8	10	17	40
50-64	143	8.6	60	2	3	7	10	14	20	48
65+	200	10.7	99	3	3	8	12	20	27	54
GRAND TOTAL	1249	6.6	46	2	2	5	8	12	16	40

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.9	2	1	2	3	4	5	6	7
20-34	126	2.9	9	<1	1	2	3	5	7	18
35-49	131	2.2	2	<1	1	2	3	4	5	7
50-64	101	2.5	5	1	1	2	3	5	6	13
65+	48	4.0	11	<1	1	3	5	9	10	17
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	47	9.8	42	2	2	10	11	16	20	34
35-49	76	8.8	30	1	2	9	11	14	16	34
50-64	69	9.4	30	2	3	9	12	16	20	30
65+	38	10.5	42	1	2	10	12	19	21	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	5	1	1	4	5	6	6	6
20-34	62	3.8	9	1	1	3	5	7	8	19
35-49	74	3.5	8	1	1	3	5	7	10	13
50-64	64	4.0	8	1	1	3	5	8	10	14
65+	50	5.7	14	1	2	5	8	10	13	18
B. Operated										
0-19 YRS	3	17.3	166	3	3	21	26	28	28	28
20-34	63	12.0	71	3	4	10	13	20	32	47
35-49	86	12.3	82	3	4	10	15	24	29	55
50-64	100	11.9	63	2	4	10	15	20	24	49
65+	105	14.3	137	2	3	12	17	26	40	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	422	2.7	6	1	1	2	3	5	7	14
B. Operated	231	9.5	34	2	2	9	12	15	20	33
2. MULTIPLE DX										
A. Not Operated	254	4.1	10	1	1	3	6	8	10	15
B. Operated	357	12.8	92	3	4	10	15	22	29	51
1. SINGLE DX	653	5.1	27	1	1	3	8	12	14	24
2. MULTIPLE DX	611	9.2	76	1	2	7	12	18	25	48
A. NOT OPERATED	676	3.2	8	1	1	2	4	7	9	15
B. OPERATED	588	11.5	72	2	3	10	14	20	27	49
TOTAL 0-19 YRS	24	5.3	42	1	2	3	5	13	23	28
20-34	298	6.1	42	1	1	4	9	13	17	34
35-49	367	6.2	45	1	1	4	9	13	17	29
50-64	334	7.0	44	1	1	5	11	15	19	30
65+	241	9.8	90	1	2	8	13	19	26	51
GRAND TOTAL	1264	7.1	55	1	1	5	10	15	19	36

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	13	1.9	1	1	1	2	3	3	4	4	
20-34	223	2.4	3	1	1	2	3	5	6	8	
35-49	267	2.2	2	1	1	2	3	4	5	7	
50-64	183	2.7	4	1	1	2	3	5	7	9	
65+	65	3.3	5	1	1	3	4	6	8	11	
B. Operated											
0-19 YRS	20	6.1	15	2	2	5	8	13	15	15	
20-34	274	6.2	20	2	2	5	8	12	14	24	
35-49	353	6.2	17	2	2	5	8	12	15	19	
50-64	266	6.8	18	2	2	6	9	12	15	19	
65+	98	8.7	32	2	3	8	11	16	18	32	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	4	4.3	4	2	2	4	6	7	7	7	
20-34	69	3.3	5	1	1	3	4	7	8	11	
35-49	79	2.8	4	<1	1	2	4	5	7	11	
50-64	109	3.1	5	1	1	3	4	6	8	11	
65+	52	3.9	11	1	1	3	4	8	13	17	
B. Operated											
0-19 YRS	5	7.8	18	4	4	6	10	15	15	15	
20-34	111	8.6	34	2	3	8	12	15	19	34	
35-49	139	10.0	39	2	3	9	13	18	22	30	
50-64	202	10.5	53	2	3	9	14	22	25	33	
65+	139	11.1	71	2	3	9	15	20	24	51	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	751	2.5	3	1	1	2	3	5	6	9	
B. Operated											
	1011	6.6	20	2	2	5	9	13	15	21	
2. MULTIPLE DX											
A. Not Operated											
	313	3.2	6	1	1	3	4	6	8	13	
B. Operated											
	596	10.2	50	2	3	9	13	19	24	35	
1. SINGLE DX											
	1762	4.8	17	1	1	3	7	10	13	19	
2. MULTIPLE DX											
	909	7.8	46	1	2	6	11	16	21	32	
A. NOT OPERATED											
	1064	2.7	4	1	1	2	3	5	7	10	
B. OPERATED											
	1607	7.9	34	2	2	7	11	15	18	30	
TOTAL 0-19 YRS											
	42	4.8	14	1	1	4	7	10	15	15	
20-34	677	5.0	20	1	1	4	7	11	14	22	
35-49	838	5.3	22	1	1	4	7	12	15	22	
50-64	760	6.3	31	1	1	4	9	13	17	29	
65+	354	7.9	49	1	2	6	11	17	20	39	
GRAND TOTAL											
	2671	5.8	29	1	1	4	8	13	16	26	

230: Miscellaneous diseases of kidney and ureter
(588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	14	4.9	19	1	1	3	7	13	14	14	
20-34	12	3.9	17	1	1	3	5	10	14	15	
35-49	12	3.4	3	1	1	3	5	6	6	6	
50-64	16	3.6	5	1	1	3	5	7	8	8	
65+	10	4.8	9	1	1	4	5	10	11	11	
B. Operated											
0-19 YRS	87	9.1	25	1	1	10	12	15	17	23	
20-34	52	9.0	50	<1	1	9	11	17	20	35	
35-49	38	7.7	35	<1	1	7	11	15	18	27	
50-64	35	7.4	32	1	1	7	11	16	17	23	
65+	36	10.1	60	<1	<1	9	15	22	25	28	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	28	4.4	10	1	1	4	7	9	10	13	
20-34	30	5.6	38	<1	1	4	7	11	14	32	
35-49	29	5.6	23	1	1	4	7	10	15	25	
50-64	22	7.8	39	1	2	7	10	14	22	28	
65+	70	9.9	60	2	3	8	13	18	22	43	
B. Operated											
0-19 YRS	132	10.9	58	1	3	10	13	19	24	44	
20-34	110	12.2	64	2	3	11	15	22	29	38	
35-49	74	10.2	50	2	2	10	14	18	23	36	
50-64	106	13.9	119	2	3	11	20	28	35	53	
65+	104	14.0	134	1	2	11	20	27	36	55	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	64	4.1	10	1	1	3	5	8	12	15	
B. Operated											
	248	8.8	38	<1	1	9	12	16	20	28	
2. MULTIPLE DX											
A. Not Operated											
	179	7.4	44	1	1	6	9	16	18	36	
B. Operated											
	526	12.3	87	2	2	11	16	23	31	49	
1. SINGLE DX	312	7.8	36	1	1	8	11	15	20	27	
2. MULTIPLE DX	705	11.1	81	1	2	9	14	21	29	46	
A. NOT OPERATED	243	6.5	37	1	1	5	8	14	17	32	
B. OPERATED	774	11.2	74	1	2	10	14	21	28	43	
TOTAL											
0-19 YRS	261	9.3	44	1	1	9	12	16	20	31	
20-34	204	9.9	61	1	2	9	12	20	26	36	
35-49	153	8.2	42	1	2	7	11	16	20	31	
50-64	179	11.0	95	1	2	8	14	23	31	47	
65+	220	11.7	98	1	2	9	16	23	29	52	
GRAND TOTAL	1017	10.1	69	1	2	9	13	20	25	41	

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	19	1.9	1	<1	1	1	3	4	4	4	
35-49	18	2.6	3	1	1	2	3	6	6	6	
50-64	21	3.2	11	<1	<1	2	3	9	12	12	
65+	11	3.5	6	1	1	3	4	7	10	10	
B. Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	10	6.3	98	1	1	3	4	20	34	34	
35-49	13	4.5	15	1	1	3	6	11	13	14	
50-64	17	3.6	10	<1	1	3	4	8	11	13	
65+	20	9.3	106	1	1	6	11	22	33	43	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5	
20-34	11	4.2	10	<1	1	4	5	9	12	12	
35-49	8	4.0	11	1	1	2	6	9	10	10	
50-64	9	4.8	18	<1	<1	3	7	12	14	14	
65+	11	4.1	4	1	1	4	6	7	7	7	
B. Operated											
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15	
20-34	12	7.7	62	<1	<1	4	14	19	23	24	
35-49	25	10.1	49	1	3	9	13	17	24	35	
50-64	34	8.7	59	2	2	5	12	20	31	99+	
65+	99	11.0	80	2	3	8	15	25	29	41	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	70	2.7	6	1	1	2	3	5	8	12	
B. Operated	61	6.0	59	1	1	3	7	13	22	42	
2. MULTIPLE DX											
A. Not Operated	41	4.2	9	<1	1	4	6	8	11	14	
B. Operated	172	10.2	69	2	2	8	14	22	28	42	
1. SINGLE DX	131	4.3	33	1	1	3	4	10	13	36	
2. MULTIPLE DX	213	9.0	63	1	2	7	12	20	27	40	
A. NOT OPERATED	111	3.3	7	1	1	3	4	7	10	13	
B. OPERATED	233	9.1	70	1	2	7	12	20	28	43	
TOTAL 0-19 YRS											
	6	5.5	26	1	1	4	7	14	15	15	
20-34	52	4.6	38	<1	1	3	4	13	17	34	
35-49	64	6.1	35	1	1	4	8	13	16	33	
50-64	81	5.8	37	<1	1	3	9	13	20	78	
65+	141	9.6	78	1	2	7	12	22	28	43	
GRAND TOTAL	344	7.2	57	1	1	4	10	17	24	39	

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	52	3.2	4	1	1	3	4	6	8	11	
20-34	35	2.5	2	<1	1	2	3	5	5	6	
35-49	15	3.9	4	1	1	3	5	7	8	8	
50-64	16	4.6	8	<1	1	5	7	9	9	9	
65+	45	6.7	18	1	2	6	10	12	13	20	
B. Operated											
0-19 YRS	24	2.9	6	<1	<1	2	4	7	8	8	
20-34	33	2.2	4	<1	<1	1	3	6	7	7	
35-49	24	2.2	3	<1	<1	1	3	4	6	7	
50-64	34	3.1	5	<1	<1	2	4	5	6	13	
65+	64	4.6	18	<1	<1	3	7	10	11	23	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	74	4.4	10	1	1	4	6	8	11	17	
20-34	52	4.5	9	1	2	4	6	8	9	15	
35-49	39	5.7	9	1	2	5	8	10	11	12	
50-64	62	5.8	9	2	2	5	8	10	12	13	
65+	182	8.6	47	2	3	7	11	16	21	33	
B. Operated											
0-19 YRS	27	4.9	15	1	1	3	7	10	13	15	
20-34	44	6.0	32	<1	<1	4	8	12	21	24	
35-49	47	6.5	36	<1	1	4	9	13	22	27	
50-64	89	5.8	32	<1	1	4	7	15	17	24	
65+	194	7.8	49	1	2	5	11	16	20	39	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	163	4.2	10	1	1	3	5	9	10	14	
B. Operated	179	3.3	10	<1	<1	2	4	7	9	17	
2. MULTIPLE DX											
A. Not Operated	409	6.6	29	1	2	5	8	13	15	30	
B. Operated	401	6.8	40	<1	1	5	9	15	20	27	
1. SINGLE DX	342	3.7	10	<1	<1	3	5	8	10	14	
2. MULTIPLE DX	810	6.7	35	1	2	5	9	14	18	29	
A. NOT OPERATED	572	5.9	25	1	2	5	8	12	14	28	
B. OPERATED	580	5.7	34	<1	<1	4	7	13	17	26	
TOTAL 0-19 YRS											
20-34	177	3.9	9	<1	1	3	5	8	10	14	
35-49	164	4.0	15	<1	<1	3	5	8	10	22	
50-64	125	5.1	20	<1	1	4	7	10	12	24	
65+	201	5.2	19	<1	1	4	7	11	14	23	
	485	7.6	43	1	2	6	10	15	20	33	
GRAND TOTAL	1152	5.8	29	<1	1	4	8	12	16	26	

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	7	4.7	3	2	2	5	6	7	7	7
35-49	5	3.8	10	1	1	3	5	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	9	5.1	14	<1	1	3	8	11	11	11
B. Operated										
0-19 YRS	97	2.6	7	<1	<1	2	3	6	8	16
20-34	83	4.6	11	<1	1	4	6	8	11	17
35-49	53	4.2	14	<1	<1	3	6	9	12	16
50-64	74	4.6	11	<1	1	4	6	10	11	16
65+	108	6.0	33	1	2	5	7	13	17	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	25	8.2	85	1	2	4	9	22	28	38
B. Operated										
0-19 YRS	66	3.2	9	1	1	2	4	7	10	16
20-34	40	7.7	119	<1	<1	4	7	22	37	48
35-49	50	6.8	50	<1	1	5	8	14	23	37
50-64	106	6.1	21	1	1	5	8	13	16	20
65+	317	7.4	38	2	2	6	9	15	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.3	8	1	1	4	6	9	10	11
B. Operated	415	4.4	18	<1	1	3	6	9	13	19
2. MULTIPLE DX										
A. Not Operated	33	6.8	71	1	1	4	7	22	35	99+
B. Operated	579	6.6	40	1	1	5	8	14	18	37
1. SINGLE DX	441	4.4	17	<1	1	3	6	9	13	18
2. MULTIPLE DX	612	6.7	41	1	1	5	8	14	19	38
A. NOT OPERATED	59	5.7	44	1	1	4	6	14	23	94
B. OPERATED	994	5.7	32	1	1	4	7	12	16	33
TOTAL 0-19 YRS	167	2.8	8	<1	1	2	3	6	8	18
20-34	133	5.5	45	<1	1	4	6	9	15	42
35-49	109	5.4	31	<1	1	4	7	11	16	29
50-64	185	5.4	17	1	1	4	7	11	14	19
65+	459	7.1	39	1	2	5	9	15	19	37
GRAND TOTAL	1053	5.7	32	1	1	4	7	12	16	34

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	345	3.5	5	1	1	3	4	7	8	11
35-49	156	3.2	5	1	1	3	5	7	8	11
50-64	61	4.4	14	1	1	3	6	8	10	23
65+	67	3.9	8	1	1	3	5	7	8	17
	173	5.8	25	1	2	5	7	10	14	44
B. Operated										
0-19 YRS	108	3.3	14	<1	<1	2	4	8	12	18
20-34	95	4.1	13	<1	<1	3	6	10	12	15
35-49	91	4.0	23	<1	<1	2	5	11	14	26
50-64	111	4.7	22	<1	<1	4	6	9	14	25
65+	158	5.5	35	<1	1	4	7	12	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	459	4.8	16	1	1	4	6	9	12	20
20-34	250	5.8	59	1	2	4	7	10	16	38
35-49	160	5.8	22	1	1	4	7	11	14	25
50-64	266	6.8	59	1	2	5	8	12	17	37
65+	882	10.2	126	2	3	7	12	21	32	87
B. Operated										
0-19 YRS	128	5.5	30	1	1	3	8	15	17	25
20-34	137	9.0	178	<1	<1	6	11	17	28	83
35-49	126	8.3	94	<1	<1	6	10	18	25	84
50-64	271	9.2	164	<1	1	6	10	19	25	67
65+	532	10.4	132	1	2	7	13	23	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	802	4.1	11	1	1	3	5	8	9	15
B. Operated	563	4.5	23	<1	<1	3	6	10	14	24
2. MULTIPLE DX										
A. Not Operated	2017	7.6	81	1	2	5	9	15	21	65
B. Operated	1194	9.2	132	<1	1	6	11	19	30	82
1. SINGLE DX	1365	4.2	16	<1	1	3	5	8	11	19
2. MULTIPLE DX	3211	8.2	100	1	2	5	9	17	24	70
A. NOT OPERATED	2819	6.6	64	1	2	5	8	13	18	51
B. OPERATED	1757	7.7	102	<1	1	5	9	17	24	65
TOTAL 0-19 YRS	1040	4.3	15	1	1	3	5	9	12	18
20-34	638	5.6	68	<1	1	4	7	11	15	44
35-49	438	5.9	44	<1	1	4	7	13	17	34
50-64	715	7.1	92	<1	1	5	8	15	19	63
65+	1745	9.4	113	1	2	6	11	19	31	86
GRAND TOTAL	4576	7.0	79	1	1	5	8	15	21	61

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	29	4.0	6	1	1	4	5	8	8	11
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	4.3	16	<1	<1	3	7	9	9	9
35-49	31	4.2	10	<1	1	2	7	9	10	11
50-64	583	6.7	12	<1	2	7	8	11	12	19
65+	1087	8.2	21	2	3	7	10	13	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	5	5.0	7	3	3	4	7	9	9	9
50-64	34	5.7	35	1	1	4	7	12	16	32
65+	135	7.2	91	1	1	4	8	15	24	60
B. Operated										
0-19 YRS	3	11.0	217	2	2	3	22	28	28	28
20-34	3	7.3	2	6	6	7	8	9	9	9
35-49	42	7.0	20	1	2	7	10	13	15	19
50-64	883	8.8	30	2	4	8	11	15	18	31
65+	2331	11.3	73	3	4	9	13	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	4.2	10	1	1	4	5	8	10	17
B. Operated	1706	7.6	19	1	2	7	9	12	16	22
2. MULTIPLE DX										
A. Not Operated	174	6.9	78	1	1	4	8	13	22	57
B. Operated	3262	10.6	62	2	4	9	13	18	24	45
1. SINGLE DX	1744	7.6	19	1	2	7	9	12	16	22
2. MULTIPLE DX	3436	10.4	64	2	3	9	12	18	24	45
A. NOT OPERATED	212	6.4	67	1	1	4	7	12	17	53
B. OPERATED	4968	9.6	49	2	3	8	11	16	21	40
TOTAL 0-19 YRS										
20-34	9	5.3	9	<1	<1	6	7	9	9	9
35-49	81	5.7	17	<1	1	5	9	11	13	18
50-64	1503	7.9	24	1	3	7	10	14	16	24
65+	3582	10.2	60	2	3	8	12	18	24	44
GRAND TOTAL	5180	9.4	50	2	3	8	11	16	21	40

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	12	2.7	2	1	1	3	4	4	5	5
35-49	8	4.1	3	1	2	4	5	6	7	7
50-64	13	3.3	3	1	1	3	4	6	6	6
65+	12	8.5	46	2	3	6	11	17	26	27
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	13	2.8	6	<1	<1	2	4	7	8	8
35-49	19	2.9	6	<1	<1	1	5	6	7	8
50-64	19	4.2	9	<1	1	3	5	8	11	13
65+	22	7.7	71	1	2	5	8	23	29	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	5.0	10	1	1	4	7	10	10	10
35-49	20	5.4	11	1	1	5	7	10	12	14
50-64	29	4.7	4	1	2	5	6	7	8	10
65+	28	6.8	29	2	2	5	9	17	19	20
B. Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	19	4.4	12	<1	<1	4	6	8	12	15
35-49	18	3.4	8	<1	<1	3	5	6	10	12
50-64	61	7.9	46	1	2	6	10	15	22	35
65+	91	8.0	52	1	2	6	10	15	18	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	4.7	18	1	1	4	6	7	13	27
B. Operated	74	4.7	30	<1	<1	3	6	8	13	31
2. MULTIPLE DX										
A. Not Operated	88	5.5	15	1	2	5	7	10	14	20
B. Operated	191	7.2	44	<1	1	6	9	14	18	48
1. SINGLE DX	121	4.7	25	<1	1	3	6	8	13	29
2. MULTIPLE DX	279	6.6	35	1	1	5	8	14	18	34
A. NOT OPERATED	135	5.2	16	1	2	4	6	10	13	21
B. OPERATED	265	6.5	41	<1	1	5	8	14	18	35
TOTAL										
0-19 YRS	6	5.5	16	1	1	5	8	12	12	12
20-34	54	3.7	9	<1	<1	3	5	7	9	15
35-49	65	4.0	8	<1	<1	4	6	7	10	14
50-64	122	6.1	29	1	2	5	7	12	15	31
65+	153	7.8	49	2	2	6	10	15	22	55
GRAND TOTAL	400	6.1	33	<1	1	5	7	13	16	30

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	6.7	24	1	1	9	10	10	10	10
B. Operated										
0-19 YRS	176	2.3	2	<1	1	2	3	4	5	7
20-34	35	3.4	1	2	2	3	4	5	5	6
35-49	48	3.5	5	<1	2	3	4	5	7	14
50-64	69	3.6	3	1	2	3	5	5	7	9
65+	53	3.6	4	2	2	3	4	7	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	4	<1	<1	3	4	6	6	6
20-34										
35-49	3	2.7	2	<1	<1	3	4	4	4	4
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	2	7.5	5	6	6	7	9	9	9	9
B. Operated										
0-19 YRS	89	2.6	2	1	1	2	3	5	6	8
20-34	29	5.0	14	2	2	4	6	10	12	19
35-49	28	4.0	6	1	2	3	5	8	9	11
50-64	83	6.1	27	2	3	5	7	10	17	32
65+	80	7.6	69	2	3	5	8	15	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.4	16	1	1	5	9	10	10	10
B. Operated	381	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	12	3.8	8	<1	<1	3	6	8	9	9
B. Operated	309	5.2	31	1	2	4	6	9	14	35
1. SINGLE DX	386	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	321	5.1	30	1	2	4	6	9	13	35
A. NOT OPERATED	17	4.3	10	<1	<1	3	7	9	10	10
B. OPERATED	690	4.0	17	1	1	3	5	7	9	22
TOTAL 0-19 YRS	271	2.4	2	<1	1	2	3	4	5	7
20-34	64	4.2	8	2	2	3	5	6	10	18
35-49	79	3.6	5	<1	2	3	5	6	8	13
50-64	155	4.9	17	2	2	4	6	8	10	23
65+	138	6.0	45	2	2	4	7	10	18	40
GRAND TOTAL	707	4.0	16	1	1	3	5	7	9	21

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	4.1	11	1	1	3	6	8	11	16
20-34	95	5.1	12	1	2	4	6	9	10	21
35-49	33	5.5	7	2	3	5	7	9	11	12
50-64	36	6.0	16	3	3	5	7	9	13	25
65+	23	6.9	25	1	2	6	10	10	15	25
B. Operated										
0-19 YRS	18	4.5	6	2	2	4	6	9	9	9
20-34	20	4.6	9	1	1	4	5	7	11	15
35-49	11	3.4	6	<1	1	3	4	8	9	9
50-64	14	8.6	48	1	1	6	14	19	22	23
65+	6	7.7	23	3	3	6	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.5	13	<1	1	3	5	12	13	13
20-34	22	5.0	10	1	2	4	7	8	12	16
35-49	23	6.5	15	1	2	7	9	12	13	14
50-64	32	6.8	18	2	3	6	9	12	17	18
65+	51	9.1	27	3	4	8	10	18	21	24
B. Operated										
0-19 YRS	5	3.6	7	1	1	3	5	8	8	8
20-34	21	7.0	25	2	2	6	9	12	18	23
35-49	11	7.2	21	1	2	8	11	13	15	15
50-64	25	9.8	45	3	3	9	11	21	23	28
65+	29	13.3	260	2	4	9	14	21	26	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	234	5.2	13	1	2	5	7	9	10	25
B. Operated	69	5.4	19	1	2	4	7	12	15	22
2. MULTIPLE DX										
A. Not Operated	145	7.0	21	2	3	6	9	13	17	22
B. Operated	91	9.6	110	2	2	8	12	18	22	66
1. SINGLE DX	303	5.3	15	1	2	4	7	10	11	24
2. MULTIPLE DX	236	8.0	57	2	3	7	10	15	19	25
A. NOT OPERATED	379	5.9	17	1	2	5	8	10	13	23
B. OPERATED	160	7.8	75	1	2	6	10	15	20	28
TOTAL 0-19 YRS	87	4.2	10	1	1	3	6	8	11	15
20-34	158	5.2	13	1	2	4	7	9	11	22
35-49	78	5.7	12	1	2	5	8	11	12	15
50-64	107	7.5	29	2	3	6	10	15	19	26
65+	109	9.6	92	2	3	8	11	18	22	52
GRAND TOTAL	539	6.5	35	1	2	5	8	12	16	24

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	1.8	1	<1	<1	2	2	3	4	5
20-34	35	2.4	1	<1	<1	2	3	4	5	6
35-49	20	2.2	1	<1	<1	2	3	3	4	4
50-64	11	1.8	1	<1	<1	2	2	3	4	4
65+	12	3.5	22	<1	1	2	3	8	17	18
B. Operated										
0-19 YRS	228	1.8	5	<1	<1	1	2	3	4	5
20-34	34	2.1	2	<1	<1	2	2	3	4	9
35-49	14	1.6	3	<1	<1	2	2	2	2	2
50-64	14	2.3	3	<1	1	2	3	4	6	7
65+	6	3.2	9	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	2.0	2	<1	<1	2	2	3	4	8
20-34	20	2.3	1	<1	1	2	2	4	5	5
35-49	6	1.7	1	1	1	2	2	2	2	2
50-64	16	3.9	14	1	1	2	5	11	12	12
65+	17	3.6	9	<1	<1	3	6	10	64	99+
B. Operated										
0-19 YRS	53	2.3	3	<1	<1	2	3	5	6	8
20-34	11	2.9	6	<1	1	2	3	7	8	8
35-49	14	3.1	5	1	1	3	4	5	9	10
50-64	18	3.8	7	2	2	3	4	9	11	11
65+	30	4.7	16	1	1	3	6	10	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	309	2.0	2	<1	<1	2	2	3	4	6
B. Operated	296	1.8	4	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	140	2.4	4	<1	<1	2	3	4	7	20
B. Operated	126	3.2	8	<1	<1	2	4	7	9	14
1. SINGLE DX	605	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	266	2.8	6	<1	<1	2	3	6	8	12
A. NOT OPERATED	449	2.1	3	<1	<1	2	2	3	4	11
B. OPERATED	422	2.3	6	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	593	1.9	3	<1	<1	2	2	3	4	7
20-34	100	2.3	2	<1	<1	2	3	4	5	8
35-49	54	2.2	2	<1	<1	2	2	3	4	10
50-64	59	3.1	7	1	1	2	3	7	11	12
65+	65	4.1	14	<1	1	3	5	9	13	87
GRAND TOTAL	871	2.2	4	<1	<1	2	2	4	5	11

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.2	4	<1	1	2	2	4	5	14
20-34	31	2.3	3	<1	<1	2	3	5	6	9
35-49	10	2.9	7	<1	1	2	3	7	10	10
50-64	8	4.3	13	<1	1	3	6	10	11	11
65+	10	5.2	8	1	1	5	7	9	10	10
B. Operated										
0-19 YRS	215	2.4	3	<1	1	2	3	4	5	7
20-34	143	2.9	4	<1	1	2	3	5	7	10
35-49	91	3.2	3	<1	1	3	4	6	7	9
50-64	91	3.7	4	1	1	3	5	6	8	11
65+	42	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.5	13	<1	1	3	4	7	7	23
20-34	23	3.9	12	<1	1	3	6	9	11	14
35-49	22	3.1	3	<1	1	3	4	5	7	9
50-64	20	5.4	33	1	2	3	7	11	19	26
65+	16	10.6	115	1	1	7	14	23	37	43
B. Operated										
0-19 YRS	85	3.1	6	<1	1	2	4	5	8	14
20-34	82	3.6	9	1	1	3	5	6	8	19
35-49	65	4.9	13	1	2	4	6	11	13	17
50-64	114	5.6	19	1	2	4	7	12	15	50
65+	54	8.3	57	1	2	6	10	20	25	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	2.6	6	<1	1	2	3	5	8	12
B. Operated	582	2.9	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	121	4.8	32	<1	1	3	5	10	15	31
B. Operated	400	4.9	21	1	1	3	6	10	14	25
1. SINGLE DX	714	2.9	4	<1	1	2	4	5	7	11
2. MULTIPLE DX	521	4.9	24	1	1	3	6	10	14	25
A. NOT OPERATED	253	3.6	19	<1	1	2	4	7	10	24
B. OPERATED	982	3.7	12	1	1	3	4	7	10	20
TOTAL 0-19 YRS	413	2.6	5	<1	1	2	3	5	6	14
20-34	279	3.1	6	<1	1	2	4	6	8	13
35-49	188	3.8	7	<1	1	3	5	7	9	15
50-64	233	4.8	15	1	2	4	5	9	12	24
65+	122	6.7	49	1	1	4	8	15	24	36
GRAND TOTAL	1235	3.7	13	<1	1	3	4	7	10	22

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	16	3.2	13	<1	<1	2	3	8	13	15
20-34	173	2.2	2	<1	<1	2	2	3	5	8
35-49	380	2.3	2	<1	<1	2	3	4	5	10
50-64	169	2.4	2	<1	<1	2	3	4	4	9
65+	52	2.7	1	2	2	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	9	2.1	5	1	1	1	2	6	7	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	79	2.8	11	<1	<1	2	3	5	8	22
35-49	248	3.1	18	<1	<1	2	3	6	7	13
50-64	180	3.1	9	<1	<1	2	4	6	7	17
65+	87	3.6	5	1	2	3	5	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.6	17	1	1	2	4	11	11	11
B. Operated	790	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	13	1.8	4	<1	<1	1	2	5	7	7
B. Operated	598	3.1	12	<1	<1	2	4	6	7	16
1. SINGLE DX	795	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX	611	3.1	12	<1	<1	2	4	6	7	16
A. NOT OPERATED	18	2.3	7	<1	1	1	2	6	9	11
B. OPERATED	1388	2.7	7	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	20	3.0	11	<1	<1	2	3	6	11	15
20-34	256	2.4	5	<1	<1	2	3	4	6	11
35-49	640	2.6	9	<1	<1	2	3	4	6	11
50-64	351	2.7	6	<1	<1	2	3	4	6	13
65+	139	3.3	4	1	2	3	4	6	7	11
GRAND TOTAL	1406	2.7	7	<1	<1	2	3	5	6	11

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.1	4	<1	1	4	5	7	8	8
20-34	44	4.2	11	1	2	4	5	7	10	21
35-49	8	2.6	2	1	1	2	3	5	6	6
50-64	6	4.5	6	1	1	5	7	7	7	7
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. Operated										
0-19 YRS	134	3.2	3	<1	1	3	4	5	7	9
20-34	377	3.5	5	1	1	3	4	6	7	12
35-49	183	3.2	5	<1	1	3	4	6	7	14
50-64	99	3.3	3	<1	1	3	4	6	7	9
65+	45	3.8	9	1	2	3	4	7	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.4	26	1	1	5	7	14	14	14
20-34	33	3.9	22	<1	<1	2	5	8	12	25
35-49	10	2.1	2	<1	<1	1	3	4	5	5
50-64	7	5.4	18	1	1	7	9	10	10	10
65+	7	6.0	8	2	2	6	9	9	9	9
B. Operated										
0-19 YRS	39	3.4	2	<1	1	3	4	5	6	8
20-34	173	4.0	5	1	2	4	5	7	9	13
35-49	125	4.3	7	1	2	4	5	7	8	15
50-64	98	4.7	12	1	2	4	6	9	11	20
65+	51	5.2	60	1	1	3	5	8	16	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	4.0	8	1	1	4	5	7	9	19
B. Operated	838	3.4	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	62	4.1	17	<1	<1	3	5	9	11	24
B. Operated	486	4.3	13	1	2	4	5	7	9	17
1. SINGLE DX	909	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	548	4.3	13	1	1	4	5	7	9	18
A. NOT OPERATED	133	4.1	13	<1	<1	3	5	8	10	22
B. OPERATED	1324	3.7	8	1	1	3	5	6	8	14
TOTAL 0-19 YRS	189	3.3	4	<1	1	3	4	5	7	11
20-34	627	3.7	6	1	1	3	5	6	8	13
35-49	326	3.6	6	<1	1	3	4	6	7	14
50-64	210	4.1	8	1	1	3	5	7	9	15
65+	105	4.6	34	1	2	3	5	8	11	36
GRAND TOTAL	1457	3.8	8	1	1	3	5	7	8	14

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	2.8	4	1	1	2	3	5	8	11
20-34	212	2.2	3	<1	1	2	3	4	5	7
35-49	42	2.8	4	<1	<1	2	4	5	7	8
50-64	4	2.5	2	<1	<1	2	3	4	4	4
65+	5	2.4	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	126	4.3	8	1	1	4	6	8	9	14
20-34	571	4.4	6	1	1	4	6	7	8	12
35-49	135	6.1	13	1	2	6	7	9	10	21
50-64	12	7.8	19	5	5	7	8	13	20	21
65+	7	8.9	21	6	6	7	11	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.1	5	1	1	2	4	6	7	11
20-34	112	3.1	6	1	1	2	4	6	9	14
35-49	36	3.1	7	<1	1	2	4	7	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	9.5	61	4	4	9	15	15	15	15
B. Operated										
0-19 YRS	77	4.8	5	2	2	5	6	8	9	11
20-34	605	5.9	11	1	2	6	7	9	12	16
35-49	328	7.5	17	2	3	7	9	12	15	23
50-64	30	8.5	12	4	5	8	10	13	16	18
65+	21	16.3	95	7	9	14	17	33	41	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	2.4	3	<1	1	2	3	5	6	9
B. Operated	851	4.7	8	1	1	5	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	182	3.2	7	1	1	2	4	6	9	14
B. Operated	1061	6.6	17	1	2	6	8	11	14	22
1. SINGLE DX	1179	4.1	8	1	1	4	6	7	9	13
2. MULTIPLE DX	1243	6.1	17	1	2	6	8	10	13	19
A. NOT OPERATED	510	2.7	5	1	1	2	3	5	7	11
B. OPERATED	1912	5.8	14	1	2	5	7	9	12	19
TOTAL 0-19 YRS	299	4.0	7	1	1	3	5	7	9	11
20-34	1500	4.6	9	1	1	4	6	8	10	14
35-49	541	6.5	17	1	2	6	8	10	14	23
50-64	47	7.7	15	2	4	7	9	12	16	21
65+	35	12.5	89	1	4	11	15	22	36	44
GRAND TOTAL	2422	5.1	14	1	1	5	7	9	11	18

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	373	4.5	5	1	2	4	6	7	8	11
20-34	869	4.7	6	2	2	4	6	8	9	12
35-49	92	4.8	7	2	2	4	6	8	10	14
50-64	4	5.0	15	1	1	4	8	10	10	10
65+	3	5.3	5	4	4	4	7	8	8	8
B. Operated										
0-19 YRS	98	6.0	17	1	2	5	7	12	13	22
20-34	378	5.1	10	1	1	5	7	9	11	17
35-49	83	6.9	24	<1	1	6	8	13	17	26
50-64	12	8.3	18	2	4	7	10	14	17	18
65+	2	8.5	25	5	5	8	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	5.1	7	2	2	5	6	8	10	13
20-34	452	5.1	7	2	2	5	7	8	10	13
35-49	81	5.9	21	1	2	5	7	10	13	29
50-64	4	7.5	14	4	4	7	10	12	12	12
65+	5	11.8	105	4	4	5	22	24	24	24
B. Operated										
0-19 YRS	99	6.3	11	1	2	6	9	11	12	17
20-34	849	6.3	13	1	2	6	8	10	13	19
35-49	285	7.5	20	2	2	7	8	12	15	30
50-64	23	10.9	51	2	3	9	14	22	28	29
65+	11	19.8	246	2	3	18	31	42	51	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1341	4.6	5	1	2	4	6	8	9	12
B. Operated	573	5.6	14	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	726	5.3	9	2	2	5	7	9	11	14
B. Operated	1267	6.8	19	1	2	6	8	11	14	26
1. SINGLE DX	1914	4.9	8	1	2	5	6	8	10	15
2. MULTIPLE DX	1993	6.2	16	1	2	6	8	10	13	22
A. NOT OPERATED	2067	4.9	7	2	2	4	6	8	9	13
B. OPERATED	1840	6.4	18	1	2	6	8	11	13	22
TOTAL 0-19 YRS	754	5.1	8	1	2	5	6	8	10	13
20-34	2548	5.4	9	1	2	5	7	9	11	15
35-49	541	6.7	19	1	2	6	8	11	14	29
50-64	43	9.3	37	2	3	8	11	17	23	29
65+	21	14.8	179	3	3	9	22	33	43	52
GRAND TOTAL	3907	5.6	13	1	2	5	7	9	11	18

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.8	18	1	1	2	6	11	11	11
20-34	23	3.1	4	1	1	3	4	6	7	8
35-49	15	4.4	17	<1	1	3	7	11	13	14
50-64										
65+										
B. Operated										
0-19 YRS	14	2.5	3	<1	<1	2	4	5	6	6
20-34	271	4.7	7	<1	1	5	7	8	8	12
35-49	141	6.4	6	2	3	7	8	9	10	13
50-64	7	6.6	6	2	3	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	3.8	7	1	1	3	6	8	9	10
35-49	12	2.9	4	<1	<1	2	4	6	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	17	4.1	7	<1	1	3	6	8	9	9
20-34	627	6.0	9	1	2	6	7	9	10	14
35-49	752	7.4	10	2	5	7	8	10	13	21
50-64	89	8.2	10	4	6	8	9	12	14	21
65+	6	10.2	71	2	2	8	16	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.6	10	1	1	3	5	8	11	14
B. Operated	433	5.2	7	<1	1	6	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	41	3.5	6	<1	1	3	5	7	8	10
B. Operated	1491	6.8	11	1	2	7	8	10	12	19
1. SINGLE DX	476	5.1	8	<1	1	6	7	8	9	12
2. MULTIPLE DX	1532	6.7	11	1	2	7	8	10	12	19
A. NOT OPERATED	84	3.6	8	1	1	3	5	8	9	13
B. OPERATED	1924	6.5	10	1	2	7	8	9	11	16
TOTAL 0-19 YRS										
20-34	37	3.5	7	<1	1	2	5	7	9	11
35-49	948	5.5	9	<1	1	6	7	8	10	14
50-64	920	7.1	10	2	4	7	8	10	12	20
65+	97	8.0	10	2	5	8	9	12	14	21
	6	10.2	71	2	2	8	16	23	24	24
GRAND TOTAL	2008	6.3	11	1	2	7	8	9	11	16

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	3.8	4	<1	<1	4	5	5	5	5
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	45	3.1	9	<1	<1	2	4	7	9	13
35-49	25	3.6	11	<1	<1	2	6	7	11	13
50-64	5	2.4	1	2	2	2	3	4	4	4
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	4.0	14	1	1	3	4	10	11	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	4	3.3	8	<1	<1	2	5	7	7	7
20-34	81	5.7	13	<1	1	6	7	9	12	20
35-49	85	6.2	16	<1	1	7	8	9	11	23
50-64	13	5.8	15	<1	1	6	8	10	13	14
65+	6	6.0	10	2	2	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	4	<1	<1	4	5	5	5	5
B. Operated	79	3.2	9	<1	<1	2	5	7	10	13
2. MULTIPLE DX										
A. Not Operated	9	3.8	10	<1	<1	3	5	9	11	11
B. Operated	189	5.9	14	<1	1	6	8	9	11	20
1. SINGLE DX	83	3.3	8	<1	<1	2	5	7	9	13
2. MULTIPLE DX	198	5.8	14	<1	1	6	8	9	11	20
A. NOT OPERATED	13	3.8	8	<1	<1	4	5	7	10	11
B. OPERATED	268	5.1	14	<1	<1	5	7	9	11	18
TOTAL 0-19 YRS										
20-34	7	3.0	5	<1	<1	3	4	6	7	7
35-49	136	4.7	13	<1	<1	5	7	8	11	15
50-64	111	5.6	16	<1	1	6	8	9	11	21
65+	18	4.8	13	1	2	3	8	9	12	14
65+	9	4.9	10	1	1	5	8	9	9	9
GRAND TOTAL	281	5.0	14	<1	<1	5	7	9	11	17

**247: Inflammatory disease of vulva, vagina, and uterus, except cervix
(615; 616.1-616.9)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.4	6	<1	1	3	5	8	8	8
20-34	75	3.4	4	1	1	3	4	7	7	10
35-49	18	3.1	3	1	1	3	4	5	6	7
50-64	3	3.3	4	1	1	4	5	5	5	5
65+										
B. Operated										
0-19 YRS	34	2.7	4	<1	1	2	3	5	7	10
20-34	217	2.1	2	<1	1	2	3	4	5	8
35-49	112	2.6	6	<1	1	2	3	5	7	14
50-64	28	1.9	1	<1	<1	2	3	3	4	4
65+	7	3.6	7	1	1	3	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.6	4	1	1	3	5	6	8	8
20-34	54	4.3	8	<1	1	4	5	8	10	15
35-49	15	4.5	12	<1	<1	4	7	9	12	13
50-64	13	8.0	15	3	4	7	10	15	15	15
65+	10	8.6	12	4	4	8	11	13	15	15
B. Operated										
0-19 YRS	8	2.9	4	1	1	2	4	6	7	7
20-34	110	4.0	13	<1	1	2	6	9	11	17
35-49	57	3.5	8	<1	<1	2	5	8	9	12
50-64	23	3.4	10	<1	1	3	4	7	10	15
65+	23	9.2	70	1	1	7	13	24	27	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.4	4	1	1	3	4	6	8	9
B. Operated	398	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	117	4.9	11	1	1	4	6	10	12	15
B. Operated	221	4.3	20	<1	1	2	6	9	12	24
1. SINGLE DX	518	2.6	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	338	4.5	17	<1	1	3	6	9	12	22
A. NOT OPERATED	237	4.1	8	1	1	4	5	8	10	15
B. OPERATED	619	3.0	10	<1	1	2	4	7	9	16
TOTAL 0-19 YRS	91	3.1	4	1	1	3	4	6	8	9
20-34	456	3.1	7	<1	1	2	4	6	8	13
35-49	202	3.0	7	<1	1	2	4	7	8	13
50-64	67	3.7	12	<1	<1	3	4	8	12	15
65+	40	8.1	48	1	1	7	11	18	24	29
GRAND TOTAL	856	3.3	10	<1	1	2	4	7	9	15

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+	5	5.6	68	<1	<1	1	9	20	20	20
B. Operated										
0-19 YRS										
20-34	54	7.6	8	3	4	7	9	11	14	16
35-49	155	7.6	9	4	4	7	8	12	13	20
50-64	244	8.4	14	5	5	7	10	12	15	26
65+	208	8.7	13	5	6	8	10	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	6	1.8	4	<1	<1	1	1	6	6	6
35-49	6	2.3	3	<1	<1	2	2	6	6	6
50-64	14	3.7	19	<1	1	2	5	8	15	17
65+	39	6.6	53	1	1	5	8	15	24	34
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	195	8.2	20	3	5	7	9	12	15	30
35-49	518	9.4	20	5	6	8	11	15	18	27
50-64	661	10.1	31	5	6	8	12	16	21	29
65+	548	11.3	44	6	6	9	13	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.1	46	<1	<1	3	5	17	20	20
B. Operated	661	8.2	12	4	5	7	9	12	14	20
2. MULTIPLE DX										
A. Not Operated	65	5.2	39	<1	1	3	6	13	17	33
B. Operated	1923	10.1	31	5	6	8	11	16	20	31
1. SINGLE DX	668	8.2	13	4	5	7	9	12	15	20
2. MULTIPLE DX	1988	9.9	32	4	6	8	11	16	20	31
A. NOT OPERATED	72	5.2	39	<1	1	3	6	13	17	33
B. OPERATED	2584	9.6	27	5	6	8	11	15	19	29
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	255	8.0	18	3	4	7	9	12	15	27
35-49	681	8.9	19	4	5	8	10	14	17	25
50-64	919	9.5	27	5	6	8	11	15	19	27
65+	800	10.4	39	5	6	9	12	17	21	33
GRAND TOTAL	2656	9.5	28	4	5	8	11	15	19	29

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	9	2.4	2	<1	<1	2	3	5	6	6	
35-49	2	3.0	2	2	2	3	4	4	4	4	
50-64	1	1.0		1	1	1	1	1	1	1	
65+											
B. Operated											
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7	
20-34	37	1.9	3	<1	<1	1	2	3	6	10	
35-49	40	2.0	5	<1	<1	1	2	3	9	11	
50-64	5	1.4		<1	<1	1	2	2	2	2	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	7	1.7	1	<1	<1	1	3	3	3	3	
35-49	1	5.0		5	5	5	5	5	5	5	
50-64											
65+											
B. Operated											
0-19 YRS	1	1.0		1	1	1	1	1	1	1	
20-34	50	3.4	12	<1	<1	2	4	10	12	12	
35-49	70	4.6	15	<1	<1	3	7	9	11	18	
50-64	6	5.7	24	<1	<1	5	11	11	11	11	
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	12	2.4	2	<1	1	2	3	5	6	6	
B. Operated	86	2.0	4	<1	<1	1	2	3	7	11	
2. MULTIPLE DX											
A. Not Operated	8	2.1	2	<1	<1	2	3	4	5	5	
B. Operated	127	4.2	14	<1	<1	2	7	10	11	17	
1. SINGLE DX	98	2.0	4	<1	<1	1	2	3	7	11	
2. MULTIPLE DX	135	4.1	14	<1	<1	2	7	9	11	16	
A. NOT OPERATED	20	2.3	2	<1	<1	2	3	4	5	6	
B. OPERATED	213	3.3	11	<1	<1	2	4	8	11	14	
TOTAL 0-19 YRS	5	2.8	6	1	1	2	4	7	7	7	
20-34	103	2.7	8	<1	<1	2	3	7	10	12	
35-49	113	3.7	13	<1	<1	2	6	8	11	17	
50-64	12	3.5	16	<1	<1	1	5	11	11	11	
65+											
GRAND TOTAL	233	3.2	11	<1	<1	2	4	8	11	13	

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	51	2.3	2	1	1	2	3	4	5	9	
20-34	177	2.2	7	<1	1	2	2	4	5	7	
35-49	70	2.4	3	<1	<1	2	3	4	6	9	
50-64	3	3.7	4	2	2	3	5	6	6	6	
65+											
B. Operated											
0-19 YRS	80	1.7	1	<1	<1	1	2	3	5	6	
20-34	1094	2.5	6	<1	<1	1	2	7	8	9	
35-49	1155	2.7	7	<1	<1	1	3	7	8	9	
50-64	114	2.2	4	<1	<1	1	2	6	7	9	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	41	3.1	6	1	1	3	4	6	7	13	
20-34	109	2.4	3	<1	<1	2	3	5	5	9	
35-49	77	3.1	11	<1	1	2	4	7	11	17	
50-64	9	2.7	2	1	1	2	3	5	5	5	
65+											
B. Operated											
0-19 YRS	54	2.3	3	<1	<1	2	3	5	7	8	
20-34	1317	5.3	13	<1	<1	6	7	9	10	16	
35-49	2182	5.6	16	<1	<1	6	8	9	11	17	
50-64	239	4.5	15	<1	1	3	7	9	11	18	
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	301	2.3	5	<1	1	2	3	4	6	8	
B. Operated											
	2443	2.5	6	<1	<1	1	2	7	8	9	
2. MULTIPLE DX											
A. Not Operated											
	236	2.8	6	<1	1	2	4	5	7	15	
B. Operated											
	3792	5.3	15	<1	<1	6	8	9	11	17	
1. SINGLE DX											
	2744	2.5	6	<1	<1	1	2	7	8	9	
2. MULTIPLE DX											
	4028	5.2	15	<1	<1	6	7	9	11	17	
A. NOT OPERATED											
	537	2.5	6	<1	1	2	3	5	6	12	
B. OPERATED											
	6235	4.2	13	<1	<1	2	7	8	10	15	
TOTAL 0-19 YRS											
	226	2.2	3	<1	1	2	3	5	6	8	
20-34	2697	3.8	11	<1	<1	2	6	8	9	14	
35-49	3484	4.5	14	<1	<1	3	7	9	10	16	
50-64	365	3.8	13	<1	<1	2	7	8	10	15	
65+											
GRAND TOTAL											
	6772	4.1	13	<1	<1	2	7	8	10	15	

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	5	2.0	3	<1	<1	1	3	5	5	5
65+	5	4.0	8	1	1	4	6	8	8	8
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	114	1.9	4	<1	<1	1	2	3	8	10
50-64	315	1.6	1	<1	<1	1	2	2	3	8
65+	79	2.2	3	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	7	4.6	11	1	1	5	7	9	9	9
50-64	27	2.7	7	<1	<1	2	4	5	7	14
65+	19	5.4	22	<1	1	4	7	12	17	19
B. Operated										
0-19 YRS										
20-34	6	7.0	16	1	1	7	9	13	13	13
35-49	133	3.3	14	<1	<1	2	3	8	10	20
50-64	440	3.1	10	<1	<1	2	3	8	10	15
65+	182	4.5	71	1	1	2	4	9	13	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.8	5	<1	<1	2	4	6	8	8
B. Operated	512	1.8	2	<1	<1	1	2	2	4	9
2. MULTIPLE DX										
A. Not Operated	55	3.8	14	<1	<1	3	5	9	13	19
B. Operated	761	3.5	26	<1	<1	2	4	8	11	16
1. SINGLE DX	524	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	816	3.5	25	<1	<1	2	4	8	11	17
A. NOT OPERATED	67	3.6	12	<1	<1	2	5	8	11	18
B. OPERATED	1273	2.8	17	<1	<1	2	2	7	9	15
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	4.7	16	<1	<1	5	7	11	13	13
35-49	256	2.7	10	<1	<1	2	2	7	9	16
50-64	787	2.5	7	<1	<1	2	2	6	8	14
65+	285	3.9	49	<1	1	2	4	8	11	20
GRAND TOTAL	1340	2.8	17	<1	<1	2	2	7	9	15

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.7	8	<1	<1	2	3	7	10	11
20-34	65	2.4	3	<1	<1	2	3	5	6	8
35-49	21	1.6	1	<1	<1	1	2	3	3	3
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	7	6.4	103	<1	<1	2	6	25	29	29
B. Operated										
0-19 YRS	32	3.5	9	<1	<1	3	5	7	7	16
20-34	453	3.7	8	<1	1	3	5	7	8	14
35-49	289	3.5	10	<1	<1	2	6	8	8	14
50-64	151	2.8	7	<1	<1	2	3	7	8	11
65+	51	3.3	8	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	1.7	1	<1	<1	1	2	3	3	3
20-34	53	2.8	6	1	1	2	3	6	8	14
35-49	21	3.3	11	<1	<1	2	4	8	11	14
50-64	10	3.9	5	1	1	4	5	7	8	8
65+	19	6.8	12	2	3	6	9	11	14	16
B. Operated										
0-19 YRS	51	3.7	4	1	1	3	5	7	8	9
20-34	533	5.3	13	<1	1	5	7	8	10	16
35-49	576	6.1	19	<1	1	6	8	10	12	23
50-64	308	5.4	45	<1	1	3	7	10	13	31
65+	140	9.6	143	1	2	6	11	19	39	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	2.5	10	<1	<1	2	3	5	7	17
B. Operated	976	3.5	9	<1	1	2	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	116	3.5	9	1	1	2	5	8	10	15
B. Operated	1608	6.0	34	<1	1	6	8	10	13	33
1. SINGLE DX	1092	3.4	9	<1	1	2	5	7	8	14
2. MULTIPLE DX	1724	5.8	33	<1	1	5	8	10	13	32
A. NOT OPERATED	232	3.0	10	<1	1	2	4	7	9	15
B. OPERATED	2584	5.0	26	<1	1	4	7	9	11	25
TOTAL 0-19 YRS	115	3.2	6	<1	1	3	4	7	8	13
20-34	1104	4.4	11	<1	1	4	6	8	9	14
35-49	907	5.1	17	<1	1	5	7	9	11	18
50-64	473	4.5	33	<1	<1	2	7	9	11	27
65+	217	7.8	105	1	2	5	9	16	31	51
GRAND TOTAL	2816	4.9	25	<1	1	4	7	9	11	24

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	2.0	2	<1	1	1	3	4	4	6
20-34	187	2.3	4	<1	1	2	3	4	6	12
35-49	29	2.4	5	<1	1	2	3	5	9	10
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	6	6.5	17	2	2	5	11	12	12	12
B. Operated										
0-19 YRS	51	2.6	4	<1	<1	2	3	6	7	10
20-34	650	2.9	8	<1	<1	2	4	7	8	13
35-49	312	7.1	15	<1	1	7	9	11	14	19
50-64	138	9.2	16	2	6	9	11	14	16	23
65+	47	10.3	59	2	4	8	12	16	30	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	3.4	8	<1	1	2	5	7	8	15
20-34	142	2.5	6	<1	<1	2	3	5	7	14
35-49	42	4.2	15	<1	1	3	5	11	13	14
50-64	11	5.1	18	<1	<1	4	9	10	12	12
65+	13	14.4	401	1	1	9	14	35	69	77
B. Operated										
0-19 YRS	35	3.5	7	<1	1	2	5	7	9	10
20-34	1297	4.4	12	<1	<1	4	7	8	9	15
35-49	609	7.5	24	1	1	7	9	12	15	24
50-64	235	11.7	40	4	6	11	14	18	23	29
65+	120	12.0	89	2	4	11	15	18	24	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	376	2.2	4	<1	1	2	3	4	5	11
B. Operated	1198	5.0	19	<1	<1	4	8	10	12	19
2. MULTIPLE DX										
A. Not Operated	269	3.7	32	<1	1	2	5	8	11	16
B. Operated	2296	6.3	29	<1	1	6	8	12	15	24
1. SINGLE DX	1574	4.3	17	<1	<1	2	7	10	11	17
2. MULTIPLE DX	2565	6.1	30	<1	1	6	8	12	15	24
A. NOT OPERATED	645	2.8	16	<1	1	2	3	6	9	14
B. OPERATED	3494	5.9	26	<1	<1	6	8	11	14	23
TOTAL 0-19 YRS	299	2.6	4	<1	1	2	3	6	7	10
20-34	2276	3.7	11	<1	<1	2	6	8	9	14
35-49	992	7.1	22	<1	1	7	9	12	14	22
50-64	386	10.5	33	2	6	9	13	17	21	29
65+	186	11.5	100	2	3	10	14	18	26	67
GRAND TOTAL	4139	5.4	26	<1	1	5	8	11	14	22

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	1.6	1	<1	<1	1	2	3	4	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	23	4.9	3	1	3	5	6	7	8	8
20-34	497	5.1	3	3	3	5	6	7	8	12
35-49	44	4.9	2	3	3	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	9	2.6	1	1	1	2	3	4	4	4
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+										
B. Operated										
0-19 YRS	12	4.8	2	2	2	5	6	7	7	7
20-34	366	5.6	4	3	4	5	6	8	10	13
35-49	57	6.0	4	3	4	6	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.7	1	<1	<1	1	2	3	4	5
B. Operated	564	5.1	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	13	3.0	4	<1	1	2	4	6	8	8
B. Operated	435	5.7	4	3	4	5	6	8	10	13
1. SINGLE DX	584	4.9	3	2	3	5	6	7	8	11
2. MULTIPLE DX	448	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	33	2.2	3	<1	<1	2	3	4	6	8
B. OPERATED	999	5.3	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	38	4.7	3	1	2	5	6	7	7	8
20-34	890	5.2	4	2	3	5	6	7	8	12
35-49	104	5.4	4	3	3	5	6	8	9	12
50-64										
65+										
GRAND TOTAL	1032	5.2	4	2	3	5	6	7	8	12

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. Operated										
0-19 YRS	702	1.2		<1	<1	<1	1	2	2	3
20-34	1437	1.1	1	<1	<1	<1	<1	1	2	3
35-49	87	1.2		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	281	1.6	1	<1	<1	1	2	2	3	6
20-34	1097	1.8	4	<1	<1	1	2	3	4	8
35-49	241	2.2	3	<1	<1	2	3	4	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.3		<1	<1	1	1	2	3	3
B. Operated	2226	1.2	1	<1	<1	<1	<1	2	2	3
2. MULTIPLE DX										
A. Not Operated	5	1.4	1	<1	<1	<1	1	3	3	3
B. Operated	1619	1.8	4	<1	<1	1	2	3	4	8
1. SINGLE DX	2236	1.2	1	<1	<1	<1	<1	2	2	3
2. MULTIPLE DX	1624	1.8	4	<1	<1	1	2	3	4	8
A. NOT OPERATED	15	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	3845	1.4	2	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	986	1.3	1	<1	<1	<1	1	2	2	4
20-34	2545	1.4	2	<1	<1	<1	1	2	3	6
35-49	329	1.9	2	<1	<1	1	2	4	5	8
50-64										
65+										
GRAND TOTAL	3860	1.4	2	<1	<1	<1	1	2	3	6

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	2.2	4	<1	1	2	3	4	5	13
20-34	612	1.9	2	<1	1	1	2	3	5	7
35-49	63	2.0	2	<1	1	1	3	4	5	6
50-64										
65+										
B. Operated										
0-19 YRS	364	1.8	2	<1	<1	1	2	3	4	7
20-34	3267	1.7	2	<1	<1	1	2	3	4	7
35-49	321	1.7	2	<1	<1	1	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	3	3
20-34	81	2.2	3	<1	1	2	3	4	6	10
35-49	4	5.3	18	2	2	4	8	11	11	11
50-64										
65+										
B. Operated										
0-19 YRS	49	2.2	2	<1	1	2	3	5	5	8
20-34	539	2.3	7	<1	1	1	3	5	7	13
35-49	119	2.3	4	<1	1	2	3	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	766	1.9	2	<1	1	1	2	4	5	8
B. Operated	3952	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	97	2.3	4	<1	1	2	3	4	6	11
B. Operated	707	2.3	6	<1	1	1	3	5	7	12
1. SINGLE DX	4718	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	804	2.3	6	<1	1	2	3	5	6	11
A. NOT OPERATED	863	2.0	2	<1	1	1	2	4	5	8
B. OPERATED	4659	1.8	2	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	516	1.9	2	<1	1	1	2	3	5	9
20-34	4499	1.8	2	<1	<1	1	2	3	5	8
35-49	507	1.9	2	<1	1	1	2	4	5	9
50-64										
65+										
GRAND TOTAL	5522	1.8	2	<1	<1	1	2	3	5	8

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	3.4	3	1	1	3	5	6	7	7
20-34	159	2.8	4	<1	1	2	4	5	7	9
35-49	8	3.4	4	1	1	3	5	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	48	2.5	4	<1	1	2	3	4	6	13
20-34	638	1.9	2	<1	1	2	2	3	4	8
35-49	43	2.0	3	<1	<1	1	2	4	6	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.0	3	1	2	4	5	7	8	8
20-34	51	3.5	6	1	1	3	5	7	8	11
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	24	3.4	7	<1	1	3	4	7	9	12
20-34	194	3.2	14	<1	1	2	4	6	8	22
35-49	32	2.4	7	<1	<1	2	2	5	10	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	3.0	4	1	1	3	4	6	7	9
B. Operated	729	2.0	3	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	68	3.6	5	1	1	3	5	7	8	11
B. Operated	250	3.1	12	<1	1	2	4	6	8	21
1. SINGLE DX	939	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	318	3.2	11	<1	1	2	4	6	8	18
A. NOT OPERATED	278	3.1	4	1	1	3	4	6	7	9
B. OPERATED	979	2.3	5	<1	1	2	2	4	6	12
TOTAL 0-19 YRS	131	3.1	4	1	1	3	4	6	7	12
20-34	1042	2.4	5	<1	1	2	3	5	6	10
35-49	84	2.3	5	<1	<1	2	3	4	7	11
50-64										
65+										
GRAND TOTAL	1257	2.4	5	<1	1	2	3	5	6	11

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	130	2.8	7	1	1	2	3	5	6	14
20-34	983	3.0	5	1	1	2	4	5	7	11
35-49	58	2.6	3	<1	1	2	3	4	6	10
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	19	2.7	6	<1	<1	2	3	7	9	9
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.0	13	<1	1	3	5	8	13	15
20-34	214	4.0	20	1	1	3	5	8	11	26
35-49	17	5.3	18	1	1	4	8	12	14	15
50-64										
65+										
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	13	3	3	5	9	10	10	10
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1171	2.9	5	1	1	2	4	5	7	11
B. Operated	21	2.6	5	<1	<1	2	3	6	9	9
2. MULTIPLE DX										
A. Not Operated	255	4.1	19	1	1	3	5	8	11	23
B. Operated	4	5.0	13	2	2	4	7	10	10	10
1. SINGLE DX	1192	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	259	4.1	19	1	1	3	5	9	11	23
A. NOT OPERATED	1426	3.1	8	1	1	2	4	6	8	13
B. OPERATED	25	3.0	7	<1	1	2	3	9	9	10
TOTAL 0-19 YRS	155	3.0	8	1	1	2	3	5	8	15
20-34	1219	3.1	8	1	1	2	4	6	8	13
35-49	77	3.1	7	1	1	2	4	6	10	14
50-64										
65+										
GRAND TOTAL	1451	3.1	8	1	1	2	4	6	8	13

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	33	4.0	23	1	1	3	4	7	9	28
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	4.1	8	<1	<1	3	7	8	8	8
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.7	22	1	1	3	4	7	8	28
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	7	4.1	8	<1	<1	3	7	8	8	8
B. Operated	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	37	3.8	22	1	1	3	4	7	9	28
2. MULTIPLE DX	8	4.8	10	<1	<1	5	7	9	9	9
A. NOT OPERATED	43	3.8	19	<1	1	3	4	7	8	28
B. OPERATED	2	8.5	1	8	8	8	9	9	9	9
TOTAL 0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	42	4.2	20	1	1	3	6	8	9	28
35-49										
50-64										
65+										
GRAND TOTAL	45	4.0	19	<1	1	3	5	8	9	28

**261: Hypertension complicating pregnancy, childbirth, and the puerperium
not delivered this admission (642 with 5th digit 3 or 4)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	49	4.2	10	1	1	3	5	9	11	15	
20-34	402	4.0	9	1	1	3	5	7	9	15	
35-49	36	4.3	9	2	2	3	5	9	12	13	
50-64											
65+											
B. Operated											
0-19 YRS	15	4.5	30	1	1	2	5	11	19	22	
20-34	119	3.9	6	1	2	3	5	7	9	13	
35-49	17	5.6	34	<1	1	4	6	14	21	24	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	19	4.5	5	1	2	5	6	8	9	9	
20-34	136	5.1	48	1	1	3	6	10	13	34	
35-49	10	3.8	6	2	2	3	5	8	9	9	
50-64											
65+											
B. Operated											
0-19 YRS	12	7.2	30	2	2	6	9	16	19	20	
20-34	76	4.8	16	1	1	3	6	10	14	17	
35-49	5	4.2	11	2	2	3	5	10	10	10	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	487	4.1	9	1	1	3	5	8	10	15	
B. Operated											
	151	4.1	12	1	1	3	5	7	11	22	
2. MULTIPLE DX											
A. Not Operated											
	165	4.9	40	1	1	3	6	9	12	27	
B. Operated											
	93	5.1	18	1	1	3	7	11	15	19	
1. SINGLE DX											
	638	4.1	9	1	1	3	5	8	10	16	
2. MULTIPLE DX											
	258	5.0	32	1	1	3	6	10	13	23	
A. NOT OPERATED											
	652	4.3	17	1	1	3	5	8	10	16	
B. OPERATED											
	244	4.5	14	1	1	3	5	10	12	20	
TOTAL 0-19 YRS											
	95	4.7	15	1	1	3	6	9	11	21	
20-34	733	4.3	16	1	1	3	5	8	10	16	
35-49	68	4.5	15	1	2	3	5	9	12	22	
50-64											
65+											
GRAND TOTAL											
	896	4.4	16	1	1	3	5	8	11	18	

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	96	4.0	8	1	2	3	5	7	9	17	
20-34	712	5.2	20	2	2	4	6	9	13	24	
35-49	27	6.2	23	2	3	4	7	11	19	22	
50-64											
65+											
B. Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	5	2.4	3	1	1	2	3	5	5	5	
35-49	1	7.0		7	7	7	7	7	7	7	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	37	3.6	7	1	1	3	5	7	9	13	
20-34	214	6.1	52	1	2	4	7	10	15	42	
35-49	8	7.8	17	3	3	7	11	13	14	14	
50-64											
65+											
B. Operated											
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3	
20-34	12	3.3	9	1	1	3	4	7	11	12	
35-49											
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	835	5.1	19	1	2	4	6	9	13	22	
B. Operated	7	3.0	5	1	1	2	4	7	7	7	
2. MULTIPLE DX											
A. Not Operated	259	5.8	45	1	2	4	7	10	14	41	
B. Operated	14	3.1	8	1	1	3	4	5	10	12	
1. SINGLE DX	842	5.0	19	1	2	4	6	9	13	22	
2. MULTIPLE DX	273	5.7	43	1	1	4	6	10	14	41	
A. NOT OPERATED	1094	5.2	25	1	2	4	6	9	13	25	
B. OPERATED	21	3.1	7	1	1	3	4	6	9	12	
TOTAL 0-19 YRS	136	3.9	8	1	1	3	5	7	9	15	
20-34	943	5.3	27	1	2	4	6	10	14	29	
35-49	36	6.6	21	2	3	5	8	12	17	22	
50-64											
65+											
GRAND TOTAL	1115	5.2	25	1	2	4	6	9	13	25	

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	463	1.3	1	<1	<1	1	1	2	3	4	
20-34	2651	1.3	2	<1	<1	1	1	2	2	5	
35-49	97	1.3	1	<1	<1	1	1	2	3	8	
50-64											
65+											
B. Operated											
0-19 YRS	90	1.4	1	<1	<1	1	1	2	3	6	
20-34	494	1.5	2	<1	<1	1	1	3	4	6	
35-49	18	1.5	3	<1	<1	1	1	2	6	8	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	42	1.7	2	<1	<1	1	2	4	5	6	
20-34	271	1.8	6	<1	<1	1	2	3	6	13	
35-49	11	1.4		<1	<1	1	2	3	3	3	
50-64											
65+											
B. Operated											
0-19 YRS	9	4.1	31	<1	<1	1	6	14	17	17	
20-34	104	2.1	7	<1	<1	1	2	4	5	18	
35-49	4	1.5	1	<1	<1	<1	2	3	3	3	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	3211	1.3	2	<1	<1	1	1	2	3	5	
B. Operated											
	602	1.5	2	<1	<1	1	1	3	4	7	
2. MULTIPLE DX											
A. Not Operated											
	324	1.8	5	<1	<1	1	2	3	5	12	
B. Operated											
	117	2.2	9	<1	<1	1	2	4	6	19	
1. SINGLE DX	3813	1.3	2	<1	<1	1	1	2	3	5	
2. MULTIPLE DX	441	1.9	6	<1	<1	1	2	3	5	14	
A. NOT OPERATED	3535	1.3	2	<1	<1	1	1	2	3	6	
B. OPERATED	719	1.6	3	<1	<1	1	2	3	4	8	
TOTAL 0-19 YRS											
	604	1.4	1	<1	<1	1	1	2	3	5	
20-34	3520	1.4	2	<1	<1	1	1	2	3	7	
35-49	130	1.4	1	<1	<1	1	1	2	3	8	
50-64											
65+											
GRAND TOTAL	4254	1.4	2	<1	<1	1	1	2	3	6	

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	5	1.6		<1	<1	2	2	2	2	2	
20-34	91	4.3	23	1	1	3	5	7	13	30	
35-49	11	6.0	8	1	2	6	8	10	10	10	
50-64											
65+											
B. Operated											
0-19 YRS	3	4.3		4	4	4	5	5	5	5	
20-34	41	9.3	170	1	1	4	8	27	41	60	
35-49	3	3.0	1	2	2	3	4	4	4	4	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	8.0		8	8	8	8	8	8	8	
20-34	19	11.6	280	1	2	4	8	37	52	64	
35-49	3	2.3	1	1	1	3	3	3	3	3	
50-64											
65+											
B. Operated											
0-19 YRS											
20-34	10	7.9	49	3	3	5	9	19	26	26	
35-49	3	6.3	26	2	2	5	10	12	12	12	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	107	4.3	21	1	1	3	5	8	12	28	
B. Operated	47	8.6	152	1	1	4	8	22	40	60	
2. MULTIPLE DX											
A. Not Operated	23	10.2	239	1	2	4	8	36	47	64	
B. Operated	13	7.5	41	2	3	5	10	15	24	26	
1. SINGLE DX	154	5.6	64	1	1	3	6	10	21	44	
2. MULTIPLE DX	36	9.3	166	1	2	5	8	26	37	64	
A. NOT OPERATED	130	5.4	63	1	1	3	5	9	18	43	
B. OPERATED	60	8.4	127	1	1	4	8	22	37	58	
TOTAL 0-19 YRS	9	3.2	5	<1	<1	2	4	7	8	8	
20-34	161	6.6	98	1	1	4	6	13	30	58	
35-49	20	5.1	10	1	1	4	7	10	11	12	
50-64											
65+											
GRAND TOTAL	190	6.3	85	1	1	4	6	12	23	54	

**265: Other antepartum hemorrhage without delivery
(641.2-641.9 with 5th digit 3)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.2	1	<1	<1	2	3	4	4	4
20-34	374	2.8	7	<1	<1	2	4	5	7	15
35-49	25	3.6	9	<1	1	3	4	8	10	14
50-64										
65+										
B. Operated										
0-19 YRS	17	2.7	3	<1	<1	2	4	5	6	6
20-34	151	2.8	10	<1	<1	2	3	5	7	21
35-49	6	6.7	104	1	1	2	7	25	27	27
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.9	1	<1	1	2	3	4	4	4
20-34	111	3.4	12	1	1	3	4	6	8	22
35-49	6	2.8	2	<1	<1	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	7	7.1	71	1	1	3	11	22	24	24
20-34	71	4.6	52	1	1	3	4	9	15	48
35-49	8	4.9	18	2	2	3	6	12	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	441	2.8	7	<1	<1	2	4	5	7	14
B. Operated	174	2.9	13	<1	<1	2	3	5	7	25
2. MULTIPLE DX										
A. Not Operated	132	3.2	11	<1	1	2	4	6	8	22
B. Operated	86	4.9	49	1	1	3	4	10	15	44
1. SINGLE DX	615	2.8	9	<1	<1	2	3	5	7	16
2. MULTIPLE DX	218	3.9	26	1	1	3	4	7	12	24
A. NOT OPERATED	573	2.9	8	<1	1	2	4	5	7	15
B. OPERATED	260	3.5	25	<1	1	2	4	7	11	26
TOTAL 0-19 YRS	81	2.7	9	<1	<1	2	3	4	5	21
20-34	707	3.1	13	<1	1	2	4	6	8	20
35-49	45	4.1	21	<1	1	3	4	8	14	27
50-64										
65+										
GRAND TOTAL	833	3.1	13	<1	1	2	4	5	8	21

**266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64;
658.40; 658.43; 659.20; 659.23; 659.33)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.2	6	1	1	3	4	7	8	13
20-34	243	3.0	4	<1	<1	3	4	6	7	10
35-49	4	3.5	3	1	1	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	12	3.4	3	1	2	3	4	6	7	7
20-34	28	3.1	4	<1	1	3	4	6	7	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	3.7	8	1	1	3	4	6	9	16
20-34	309	4.0	15	1	1	3	5	7	9	13
35-49	15	2.9	3	1	1	3	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	15	3.5	5	<1	1	4	5	6	8	9
20-34	75	3.3	10	<1	1	2	4	7	10	17
35-49	4	6.8	42	1	1	5	11	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	3.1	4	<1	1	3	4	6	7	10
B. Operated	40	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	422	3.9	13	1	1	3	5	7	9	14
B. Operated	94	3.5	11	<1	1	3	4	7	11	17
1. SINGLE DX	354	3.1	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	516	3.8	13	1	1	3	5	7	9	15
A. NOT OPERATED	736	3.6	10	<1	1	3	5	6	8	13
B. OPERATED	134	3.4	9	<1	1	3	4	6	9	16
TOTAL 0-19 YRS	192	3.5	7	1	1	3	4	6	8	14
20-34	655	3.5	10	<1	1	3	5	7	8	12
35-49	23	3.7	10	1	1	4	5	5	9	16
50-64										
65+										
GRAND TOTAL	870	3.5	9	<1	1	3	5	6	8	14

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	5.0	66	<1	<1	3	5	8	19	42
20-34	229	4.9	30	<1	1	4	6	10	14	25
35-49	26	4.3	9	<1	<1	4	7	9	10	10
50-64										
65+										
B. Operated										
0-19 YRS	3	6.0	75	<1	<1	<1	12	16	16	16
20-34	30	4.2	12	1	1	3	8	9	10	11
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	3.6	61	<1	1	2	3	5	6	53
20-34	641	4.2	28	<1	1	3	5	8	12	31
35-49	38	4.9	13	1	2	4	7	11	12	16
50-64										
65+										
B. Operated										
0-19 YRS	58	2.4	3	<1	<1	2	3	4	6	9
20-34	248	3.6	15	<1	1	2	5	8	10	24
35-49	17	4.3	13	<1	<1	3	6	9	12	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	4.8	31	<1	1	3	6	9	13	35
B. Operated	35	4.5	16	<1	1	3	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	772	4.1	31	<1	1	3	5	8	12	32
B. Operated	323	3.5	13	<1	<1	2	4	8	9	17
1. SINGLE DX	315	4.8	29	<1	1	3	6	10	12	28
2. MULTIPLE DX	1095	3.9	26	<1	1	2	5	8	11	26
A. NOT OPERATED	1052	4.3	31	<1	1	3	5	8	12	32
B. OPERATED	358	3.6	14	<1	<1	2	5	8	10	16
TOTAL 0-19 YRS	179	3.5	43	<1	<1	2	3	6	8	41
20-34	1148	4.2	25	<1	1	3	5	9	12	25
35-49	83	4.7	11	<1	1	4	7	9	12	15
50-64										
65+										
GRAND TOTAL	1410	4.1	27	<1	1	3	5	8	11	26

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	227	2.3	6	<1	<1	1	3	5	7	16
20-34	1311	3.2	28	<1	<1	2	3	6	10	24
35-49	76	3.1	17	<1	<1	1	4	8	8	24
50-64										
65+										
B. Operated										
0-19 YRS	90	2.5	5	<1	<1	2	3	6	8	12
20-34	1012	3.1	19	<1	<1	2	3	6	9	24
35-49	43	2.6	5	<1	<1	1	3	6	8	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	3.2	10	<1	<1	2	4	7	9	17
20-34	724	4.1	48	<1	<1	2	4	8	12	42
35-49	37	4.3	22	<1	1	2	6	12	18	99+
50-64										
65+										
B. Operated										
0-19 YRS	66	5.0	81	<1	<1	2	6	9	16	61
20-34	588	4.0	45	<1	<1	2	5	8	12	29
35-49	37	4.2	28	<1	<1	2	5	10	16	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1614	3.0	24	<1	<1	1	3	6	9	23
B. Operated	1145	3.0	18	<1	<1	2	3	6	9	22
2. MULTIPLE DX										
A. Not Operated	851	4.1	43	<1	<1	2	4	8	12	41
B. Operated	691	4.1	47	<1	<1	2	5	8	12	29
1. SINGLE DX	2759	3.0	22	<1	<1	2	3	6	9	23
2. MULTIPLE DX	1542	4.1	45	<1	<1	2	5	8	12	34
A. NOT OPERATED	2465	3.4	31	<1	<1	2	4	7	10	28
B. OPERATED	1836	3.4	29	<1	<1	2	4	7	10	24
TOTAL 0-19 YRS	473	2.9	18	<1	<1	2	3	6	8	17
20-34	3635	3.5	32	<1	<1	2	4	7	11	27
35-49	193	3.4	18	<1	<1	2	4	8	11	26
50-64										
65+										
GRAND TOTAL	4301	3.4	30	<1	<1	2	4	7	10	25

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.9	2	1	2	4	5	6	6	6
20-34	117	4.6	13	2	3	4	5	6	8	23
35-49	11	3.6	1	2	2	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	7	4.4	2	3	3	4	5	7	7	7
20-34	62	5.6	10	3	3	5	7	8	10	23
35-49	9	8.7	91	3	4	6	6	23	34	34
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.9	4	<1	2	5	6	7	8	8
20-34	141	5.0	16	2	2	4	5	8	10	23
35-49	9	3.7	5	1	1	3	5	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	31	7.4	53	3	4	6	8	11	12	44
20-34	417	9.4	118	3	4	6	9	19	30	62
35-49	46	9.3	132	3	3	6	10	15	19	78
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	4.5	11	2	3	4	5	6	7	18
B. Operated	78	5.9	19	3	3	5	6	8	11	31
2. MULTIPLE DX										
A. Not Operated	164	4.9	15	2	2	4	5	8	10	20
B. Operated	494	9.3	115	3	4	6	9	17	29	63
1. SINGLE DX	217	5.0	14	3	3	4	5	7	8	27
2. MULTIPLE DX	658	8.2	93	3	3	5	8	16	26	60
A. NOT OPERATED	303	4.7	13	2	3	4	5	7	8	18
B. OPERATED	572	8.8	103	3	4	6	8	17	28	62
TOTAL 0-19 YRS	63	5.9	29	2	3	5	7	9	11	40
20-34	737	7.5	77	3	3	5	7	14	24	57
35-49	75	7.7	97	2	3	5	8	15	17	67
50-64										
65+										
GRAND TOTAL	875	7.4	76	3	3	5	7	13	22	54

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1241	4.3	2	2	3	4	5	6	7	9
20-34	10600	4.0	2	2	3	4	5	6	6	8
35-49	390	4.0	2	2	3	4	5	6	6	8
50-64										
65+										
B. Operated										
0-19 YRS	225	4.6	3	3	3	4	5	6	7	11
20-34	2005	4.4	2	3	3	4	5	6	7	9
35-49	74	4.4	2	3	3	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	4.7	2	2	3	5	5	6	7	9
20-34	831	4.3	3	2	3	4	5	6	7	9
35-49	60	4.0	4	2	2	4	5	6	7	14
50-64										
65+										
B. Operated										
0-19 YRS	55	5.3	8	3	3	5	6	8	10	19
20-34	1617	4.8	3	3	3	4	5	6	8	10
35-49	173	4.7	2	3	3	4	6	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12231	4.1	2	2	3	4	5	6	6	8
B. Operated	2304	4.4	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	967	4.3	3	2	3	4	5	6	7	9
B. Operated	1845	4.8	4	3	3	4	5	6	8	10
1. SINGLE DX	14535	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX	2812	4.6	3	3	3	4	5	6	7	10
A. NOT OPERATED	13198	4.1	2	2	3	4	5	6	6	8
B. OPERATED	4149	4.6	3	3	3	4	5	6	7	10
TOTAL 0-19 YRS	1597	4.4	2	2	3	4	5	6	7	10
20-34	15053	4.2	2	2	3	4	5	6	7	8
35-49	697	4.2	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	17347	4.2	2	2	3	4	5	6	7	9

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	2	18.5	221	8	8	18	29	29	29	29
20-34	30	14.7	290	4	5	7	11	37	45	82
35-49	6	8.7	32	5	5	7	8	19	20	20
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	3	6.3	2	5	5	6	7	8	8	8
50-64										
65+										
B. Operated										
0-19 YRS	5	19.2	371	7	7	14	24	53	53	53
20-34	123	15.5	265	4	5	9	20	34	47	95
35-49	12	15.5	351	7	7	8	12	41	68	72
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.5	4	2	2	4	5	8	8	8
B. Operated	38	13.9	244	4	5	7	11	34	43	82
2. MULTIPLE DX										
A. Not Operated	8	4.9	4	2	2	5	6	7	8	8
B. Operated	140	15.7	271	4	5	9	19	35	57	94
1. SINGLE DX	44	12.7	221	3	4	7	10	30	41	82
2. MULTIPLE DX	148	15.1	263	4	5	8	17	34	53	93
A. NOT OPERATED	14	4.7	4	2	2	5	6	8	8	8
B. OPERATED	178	15.3	264	4	5	8	19	35	49	90
TOTAL 0-19 YRS	9	15.9	254	2	4	8	18	43	53	53
20-34	161	14.8	260	4	5	8	18	35	43	92
35-49	22	11.8	210	4	5	8	10	22	46	72
50-64										
65+										
GRAND TOTAL	192	14.5	253	4	5	8	17	34	44	88

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.0	4	<1	<1	3	4	6	8	8
20-34	72	4.2	25	1	1	3	5	6	7	36
35-49	6	4.0	8	1	1	4	4	9	9	9
50-64										
65+										
B. Operated										
0-19 YRS	5	5.2	8	1	1	6	7	8	8	8
20-34	56	5.6	14	3	3	5	6	7	10	26
35-49	4	5.5	3	3	3	6	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.6	45	1	1	4	5	15	24	24
20-34	71	5.1	66	1	1	4	5	6	13	56
35-49	5	3.6	4	2	2	3	5	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	17	6.9	18	2	3	7	8	10	17	21
20-34	260	6.8	35	3	3	6	7	10	17	39
35-49	29	8.0	39	3	4	6	8	14	19	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	4.0	21	1	1	3	5	6	8	31
B. Operated	65	5.5	13	2	3	5	6	7	9	26
2. MULTIPLE DX										
A. Not Operated	86	5.1	60	1	1	4	5	7	13	52
B. Operated	306	6.9	35	3	3	6	7	11	18	37
1. SINGLE DX	154	4.6	18	1	2	4	6	7	8	27
2. MULTIPLE DX	392	6.5	41	2	3	5	7	10	17	38
A. NOT OPERATED	175	4.5	40	1	1	3	5	6	9	41
B. OPERATED	371	6.7	31	3	3	6	7	10	17	35
TOTAL 0-19 YRS	43	5.4	21	1	1	5	7	8	14	24
20-34	459	6.0	37	2	2	5	6	8	14	39
35-49	44	6.7	30	2	3	6	7	11	17	35
50-64										
65+										
GRAND TOTAL	546	6.0	30	2	2	5	7	9	14	37

**273: Retained placenta (666.00; 666.02; 666.04;
667.0-667.1 with 5th digit 0, 2, or 4)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.3		3	3	3	4	4	4	4
20-34	35	3.7	2	1	2	4	4	5	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	10	3.5	2	1	1	3	4	5	6	6
20-34	193	4.1	3	1	2	4	5	6	7	10
35-49	11	3.8	2	<1	1	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	33	4.2	4	1	2	4	5	6	6	13
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	23	5.0	5	3	3	5	6	7	10	12
20-34	186	4.6	5	2	3	4	5	7	7	12
35-49	13	5.3	3	3	3	5	7	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.7	1	1	2	4	4	5	6	6
B. Operated	214	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	35	4.3	4	1	2	4	5	6	6	13
B. Operated	222	4.7	5	2	3	4	5	7	8	12
1. SINGLE DX	256	4.0	3	1	2	4	5	6	7	9
2. MULTIPLE DX	257	4.7	5	2	3	4	5	7	8	13
A. NOT OPERATED	77	3.9	3	1	2	4	5	6	6	11
B. OPERATED	436	4.4	4	1	3	4	5	6	7	10
TOTAL 0-19 YRS	41	4.3	4	2	3	4	5	6	8	12
20-34	447	4.3	4	1	3	4	5	6	7	10
35-49	25	4.6	3	1	3	5	6	7	7	8
50-64										
65+										
GRAND TOTAL	513	4.3	4	1	3	4	5	6	7	11

**274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14;
666.30; 666.32; 666.34)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	5.4	30	3	3	5	5	7	8	34
20-34	201	4.2	2	2	3	4	5	6	7	8
35-49	8	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	6	3.8	1	2	2	4	5	5	5	5
20-34	56	4.7	3	3	3	4	5	7	8	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.9		3	3	4	4	5	5	5
20-34	96	4.6	2	3	3	4	5	6	8	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	10	4.9	1	3	3	5	6	6	6	6
20-34	103	5.0	4	3	3	5	6	7	8	14
35-49	4	6.0	3	4	4	6	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	4.3	5	2	3	4	5	6	7	9
B. Operated	63	4.6	3	3	3	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	105	4.5	2	3	3	4	5	6	7	9
B. Operated	117	5.0	4	3	3	5	6	7	8	13
1. SINGLE DX	303	4.4	5	2	3	4	5	6	7	10
2. MULTIPLE DX	222	4.8	3	3	3	5	5	7	8	11
A. NOT OPERATED	345	4.4	4	3	3	4	5	6	7	9
B. OPERATED	180	4.9	3	3	3	5	6	7	8	12
TOTAL 0-19 YRS	55	4.9	18	3	3	4	5	6	7	33
20-34	456	4.5	3	3	3	4	5	6	7	10
35-49	14	4.4	2	2	3	4	5	7	8	8
50-64										
65+										
GRAND TOTAL	525	4.5	4	3	3	4	5	6	7	10

**275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1;
652.60-652.61; 660.50-660.51)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	9.1	64	3	4	7	9	19	32	34
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	14	15.4	274	4	5	8	16	48	55	57
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	43	7.0	14	2	3	6	9	11	15	19
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	9	11.3	145	5	5	7	10	30	43	43
20-34	263	12.1	152	4	5	7	12	30	40	75
35-49	25	13.4	273	4	4	7	13	19	63	72
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	8.7	61	3	3	6	9	19	31	34
B. Operated	15	14.9	258	4	5	8	15	47	54	57
2. MULTIPLE DX										
A. Not Operated	46	6.9	14	2	3	6	8	11	14	19
B. Operated	297	12.2	161	4	5	7	12	29	41	74
1. SINGLE DX	42	10.9	136	3	4	7	9	26	39	57
2. MULTIPLE DX	343	11.5	144	4	4	7	11	24	40	72
A. NOT OPERATED	73	7.5	31	3	3	6	8	12	19	33
B. OPERATED	312	12.3	165	4	5	7	12	30	42	73
TOTAL 0-19 YRS	11	10.3	122	5	5	6	9	24	41	43
20-34	345	11.4	136	4	4	7	11	26	39	68
35-49	29	12.1	244	3	4	7	12	19	61	72
50-64										
65+										
GRAND TOTAL	385	11.4	143	4	4	7	11	24	40	71

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.6	1	3	3	5	5	6	6	6
20-34	65	4.3	2	2	3	4	5	6	6	10
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	31	6.3	5	3	4	6	8	9	10	12
20-34	432	5.9	3	3	4	6	7	8	9	11
35-49	16	6.3	4	3	4	6	7	8	10	11
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.2	3	1	1	5	5	6	6	6
20-34	34	4.8	6	1	2	5	6	6	10	14
35-49	5	17.0	784	2	2	5	21	67	67	67
50-64										
65+										
B. Operated										
0-19 YRS	49	7.1	10	2	4	7	8	10	12	18
20-34	831	6.6	13	3	4	6	7	9	12	21
35-49	61	7.6	25	3	4	7	8	11	18	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	4.3	2	3	3	4	5	6	6	10
B. Operated	479	5.9	3	3	4	6	7	8	9	11
2. MULTIPLE DX										
A. Not Operated	45	6.1	92	1	2	5	6	6	12	67
B. Operated	941	6.6	13	3	4	6	7	9	12	22
1. SINGLE DX	553	5.7	3	3	4	6	7	8	9	11
2. MULTIPLE DX	986	6.6	17	3	4	6	7	9	12	22
A. NOT OPERATED	119	4.9	36	2	3	4	5	6	7	30
B. OPERATED	1420	6.4	10	3	4	6	7	9	10	20
TOTAL 0-19 YRS	91	6.5	8	2	3	6	8	10	10	18
20-34	1362	6.2	9	3	4	6	7	8	10	19
35-49	86	7.7	61	3	4	6	8	10	16	55
50-64										
65+										
GRAND TOTAL	1539	6.3	12	3	4	6	7	9	10	20

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.7	1	2	3	4	4	5	5	5
20-34	154	4.0	1	2	3	4	5	5	6	7
35-49	3	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	48	4.8	2	3	3	5	6	7	7	8
20-34	482	5.1	3	3	3	5	6	7	8	12
35-49	23	5.7	8	2	3	5	7	9	11	13
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.1	1	2	2	4	5	5	5	5
20-34	183	4.4	2	2	3	4	5	6	7	9
35-49	11	4.6	3	1	2	5	6	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	143	6.2	8	3	4	6	7	9	11	18
20-34	1807	5.7	6	3	4	5	7	8	9	15
35-49	128	5.8	5	3	3	6	7	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	4.0	1	2	3	4	4	5	6	7
B. Operated	553	5.1	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	204	4.4	2	2	3	4	5	6	7	9
B. Operated	2078	5.7	6	3	4	5	7	8	9	16
1. SINGLE DX	723	4.8	3	3	3	4	6	7	8	11
2. MULTIPLE DX	2282	5.6	6	3	3	5	7	8	9	15
A. NOT OPERATED	374	4.2	2	2	3	4	5	6	7	8
B. OPERATED	2631	5.6	6	3	3	5	7	8	9	15
TOTAL 0-19 YRS	214	5.6	6	3	3	5	7	8	9	17
20-34	2626	5.4	5	3	3	5	6	8	9	14
35-49	165	5.7	5	3	3	5	7	9	10	13
50-64										
65+										
GRAND TOTAL	3005	5.4	5	3	3	5	6	8	9	14

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	18	3.7	2	<1	1	4	5	5	5	5
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	62	7.0	10	4	5	7	7	9	11	25
20-34	470	6.4	2	4	5	6	7	8	9	11
35-49	12	7.2	18	3	4	6	7	12	19	20
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	8	3.9	1	3	3	4	5	6	6	6
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	168	7.2	7	5	5	7	8	9	12	19
20-34	1427	7.0	11	4	5	6	7	9	11	19
35-49	97	7.1	6	4	5	7	8	10	12	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.0	2	1	2	4	5	6	7	8
B. Operated	544	6.5	3	4	5	6	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	10	4.2	2	3	3	4	5	6	6	6
B. Operated	1692	7.0	10	4	5	6	8	9	11	19
1. SINGLE DX	565	6.4	4	4	5	6	7	8	9	12
2. MULTIPLE DX	1702	7.0	10	4	5	6	8	9	11	19
A. NOT OPERATED	31	4.1	2	1	2	4	5	6	6	8
B. OPERATED	2236	6.9	9	4	5	6	7	9	11	17
TOTAL 0-19 YRS	235	7.1	8	4	5	7	8	9	11	20
20-34	1923	6.8	9	4	5	6	7	9	10	17
35-49	109	7.1	7	4	5	7	8	10	12	18
50-64										
65+										
GRAND TOTAL	2267	6.9	9	4	5	6	7	9	11	17

**279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1;
662.0-662.3 with 5th digit 0 or 1)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.9	3	2	3	5	5	7	8	10
20-34	242	4.6	2	3	3	4	5	6	7	10
35-49	13	3.8	1	2	2	4	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	63	5.3	3	3	4	5	7	7	8	10
20-34	513	4.9	3	3	3	5	6	7	8	10
35-49	14	4.5	2	3	3	4	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	4.8	3	3	3	4	5	6	8	12
20-34	273	5.0	4	3	3	5	6	7	8	11
35-49	5	4.2	1	3	3	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	163	5.9	4	4	4	5	7	8	9	14
20-34	1801	5.5	5	3	4	5	6	8	9	14
35-49	119	6.0	6	3	3	6	7	9	11	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	292	4.6	2	3	3	4	5	6	7	10
B. Operated	590	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	307	5.0	4	3	3	5	6	7	8	12
B. Operated	2083	5.5	5	3	4	5	6	8	9	14
1. SINGLE DX	882	4.8	2	3	3	5	6	7	8	10
2. MULTIPLE DX	2390	5.5	5	3	4	5	6	8	9	14
A. NOT OPERATED	599	4.8	3	3	3	5	5	6	8	11
B. OPERATED	2673	5.4	5	3	3	5	6	8	9	13
TOTAL 0-19 YRS	292	5.5	4	3	4	5	7	8	9	12
20-34	2829	5.2	4	3	3	5	6	7	8	12
35-49	151	5.6	5	3	3	5	7	9	10	13
50-64										
65+										
GRAND TOTAL	3272	5.3	4	3	3	5	6	7	9	12

**280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit
0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.1	1	2	2	4	5	6	6	6
20-34	46	5.2	53	2	3	4	5	6	7	53
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	12	5.9	4	3	3	6	8	9	9	9
20-34	141	4.8	3	3	3	4	6	7	8	9
35-49	7	5.3	3	3	3	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	41	4.9	3	2	4	4	6	7	8	12
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	22	5.9	7	3	3	5	6	10	12	13
20-34	346	7.0	58	3	3	6	7	9	13	55
35-49	33	12.2	301	3	4	6	9	44	80	99+
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	4.9	45	2	2	4	5	6	7	51
B. Operated	160	4.9	3	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated	44	4.8	3	2	3	4	6	7	8	12
B. Operated	401	7.4	76	3	3	6	7	9	14	63
1. SINGLE DX	215	4.9	13	3	3	4	6	7	8	10
2. MULTIPLE DX	445	7.1	69	3	3	6	7	9	13	59
A. NOT OPERATED	99	4.9	26	2	3	4	5	6	7	33
B. OPERATED	561	6.7	56	3	3	5	7	9	12	55
TOTAL 0-19 YRS	41	5.6	5	3	3	5	7	9	10	13
20-34	574	6.2	41	3	3	5	7	8	10	50
35-49	45	10.1	232	3	3	6	8	28	57	99+
50-64										
65+										
GRAND TOTAL	660	6.4	52	3	3	5	7	8	11	55

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	33	4.4	3	2	3	4	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	34	6.3	3	4	5	6	7	8	8	11
20-34	1670	6.4	2	4	5	6	7	8	8	10
35-49	81	7.2	9	4	5	7	8	8	12	23
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.7	6	<1	1	5	6	8	10	10
20-34				6	6	6	6	6	6	6
35-49	1	6.0								
50-64										
65+										
B. Operated										
0-19 YRS	26	8.1	16	5	6	7	8	11	16	25
20-34	2325	7.0	13	5	5	7	7	9	10	18
35-49	266	7.5	14	5	5	7	8	9	11	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.4	3	2	3	4	5	7	8	8
B. Operated	1785	6.5	3	4	5	6	7	8	9	11
2. MULTIPLE DX										
A. Not Operated	13	4.8	6	<1	1	5	6	8	10	10
B. Operated	2617	7.1	13	5	5	7	8	9	10	19
1. SINGLE DX	1821	6.4	3	4	5	6	7	8	8	11
2. MULTIPLE DX	2630	7.1	13	5	5	7	8	9	10	19
A. NOT OPERATED	49	4.5	3	2	3	4	6	7	8	10
B. OPERATED	4402	6.8	9	5	5	6	7	8	10	16
TOTAL 0-19 YRS	62	7.0	9	4	5	7	8	9	11	24
20-34	4040	6.8	9	4	5	6	7	8	9	15
35-49	349	7.4	13	5	5	7	8	9	11	27
50-64										
65+										
GRAND TOTAL	4451	6.8	9	4	5	6	7	8	10	16

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	4.7	2	3	3	5	6	7	7	8
20-34	397	4.2	4	3	3	4	5	6	7	10
35-49	20	3.9	2	2	3	4	4	5	7	9
50-64										
65+										
B. Operated										
0-19 YRS	44	4.5	2	2	3	4	6	6	7	8
20-34	354	4.9	10	3	3	4	5	7	8	11
35-49	16	4.8	1	3	3	5	6	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	5.5	7	3	3	4	6	10	11	12
20-34	278	5.0	11	3	3	4	6	7	9	15
35-49	27	4.9	3	3	3	4	6	8	8	9
50-64										
65+										
B. Operated										
0-19 YRS	96	5.6	10	3	3	5	6	8	10	23
20-34	1438	5.8	16	3	3	5	6	8	10	25
35-49	108	5.9	7	3	4	5	7	9	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	455	4.2	4	3	3	4	5	6	7	9
B. Operated	414	4.8	9	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	326	5.0	10	3	3	4	6	7	9	14
B. Operated	1642	5.8	15	3	3	5	6	8	10	23
1. SINGLE DX	869	4.5	6	3	3	4	5	6	7	10
2. MULTIPLE DX	1968	5.7	14	3	3	5	6	8	10	21
A. NOT OPERATED	781	4.6	7	3	3	4	5	7	8	11
B. OPERATED	2056	5.6	14	3	3	5	6	8	10	21
TOTAL 0-19 YRS	199	5.2	7	3	3	5	6	7	9	17
20-34	2467	5.3	13	3	3	5	6	8	9	19
35-49	171	5.4	6	3	3	5	6	8	10	16
50-64										
65+										
GRAND TOTAL	2837	5.3	12	3	3	5	6	8	9	19

181 Hospitals, Canada, January-December 1984

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	4.3	2	3	3	4	5	6	7	10
20-34	691	4.1	1	2	3	4	5	6	6	8
35-49	29	4.0	2	2	2	4	5	6	6	8
50-64										
65+										
B. Operated										
0-19 YRS	20	4.6	1	2	3	5	5	6	6	6
20-34	221	4.6	2	3	3	4	5	7	8	10
35-49	9	4.4	5	3	3	4	5	8	10	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.5	1	3	4	4	5	5	6	6
20-34	254	4.2	2	2	3	4	5	6	7	9
35-49	17	4.1	2	2	2	4	5	6	7	7
50-64										
65+										
B. Operated										
0-19 YRS	38	4.6	3	3	3	4	5	7	8	10
20-34	481	4.6	4	3	3	4	5	7	8	12
35-49	40	4.9	2	3	3	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	797	4.1	2	2	3	4	5	6	6	8
B. Operated	250	4.6	2	3	3	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	285	4.2	2	2	3	4	5	6	7	9
B. Operated	559	4.6	4	3	3	4	5	7	7	12
1. SINGLE DX	1047	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX	844	4.5	3	2	3	4	5	6	7	11
A. NOT OPERATED	1082	4.1	2	2	3	4	5	6	6	8
B. OPERATED	809	4.6	3	3	3	4	5	7	7	11
TOTAL 0-19 YRS	149	4.4	2	3	3	4	5	6	7	10
20-34	1647	4.3	2	2	3	4	5	6	7	9
35-49	95	4.4	3	2	3	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	1891	4.3	2	2	3	4	5	6	7	10

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	4.3	2	2	3	4	5	6	7	9
20-34	352	3.8	2	2	2	4	4	5	6	7
35-49	21	3.8	2	2	2	4	4	6	6	7
50-64										
65+										
B. Operated										
0-19 YRS	254	4.0	2	2	3	4	5	6	6	8
20-34	3759	3.9	2	2	3	4	5	5	6	8
35-49	231	4.1	4	2	3	4	5	6	7	13
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.1	2	2	3	4	5	6	7	7
20-34	135	3.8	3	1	2	4	4	5	6	10
35-49	11	3.7	4	1	1	4	5	6	7	7
50-64										
65+										
B. Operated										
0-19 YRS	128	4.6	3	3	3	4	6	7	8	10
20-34	2264	4.6	5	3	3	4	5	6	7	12
35-49	214	4.7	4	2	3	4	5	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	415	3.9	2	2	2	4	5	5	6	8
B. Operated	4244	4.0	2	2	3	4	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	163	3.8	3	1	2	4	5	6	6	9
B. Operated	2606	4.6	5	3	3	4	5	6	8	12
1. SINGLE DX	4659	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX	2769	4.5	5	2	3	4	5	6	8	12
A. NOT OPERATED	578	3.8	2	2	2	4	5	5	6	8
B. OPERATED	6850	4.2	3	2	3	4	5	6	7	9
TOTAL 0-19 YRS	441	4.2	2	2	3	4	5	6	7	9
20-34	6510	4.1	3	2	3	4	5	6	7	9
35-49	477	4.4	4	2	3	4	5	7	8	13
50-64										
65+										
GRAND TOTAL	7428	4.2	3	2	3	4	5	6	7	9

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.9	1	2	2	4	5	5	6	6
20-34	74	4.3	1	3	3	4	5	6	6	8
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	53	4.2	1	3	3	4	5	5	6	6
20-34	513	4.3	2	3	3	4	5	6	7	9
35-49	15	4.3	1	3	3	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	22	5.0	4	2	3	5	6	7	9	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	39	5.4	10	3	3	5	6	7	13	19
20-34	462	5.0	11	3	3	4	6	7	8	15
35-49	16	5.6	5	2	3	5	6	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	4.2	1	3	3	4	5	6	6	8
B. Operated	581	4.3	2	3	3	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated	24	5.0	4	2	3	5	6	7	9	11
B. Operated	517	5.0	11	3	3	4	6	7	9	15
1. SINGLE DX	670	4.3	2	3	3	4	5	6	6	8
2. MULTIPLE DX	541	5.0	11	3	3	4	6	7	9	15
A. NOT OPERATED	113	4.4	2	3	3	4	5	6	7	9
B. OPERATED	1098	4.6	6	3	3	4	5	6	7	13
TOTAL 0-19 YRS	106	4.6	5	3	3	4	5	6	7	16
20-34	1071	4.6	6	3	3	4	5	6	7	12
35-49	34	4.8	3	3	3	5	5	7	10	10
50-64										
65+										
GRAND TOTAL	1211	4.6	6	3	3	4	5	6	7	12

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.2	1	3	3	4	5	5	5	5
20-34	29	3.9	2	2	2	4	4	5	7	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	18	4.7	2	3	3	5	6	7	7	7
20-34	197	4.2	5	2	3	4	5	6	7	15
35-49	10	3.9	1	3	3	4	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.7	10	2	2	5	7	11	11	11
20-34	13	4.5	3	1	3	4	5	7	8	8
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	17	4.6	6	2	2	4	5	7	10	12
20-34	138	4.8	8	3	3	4	5	6	8	15
35-49	5	4.2	1	3	3	4	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.1	2	2	3	4	5	5	7	9
B. Operated	225	4.2	4	2	3	4	5	6	7	14
2. MULTIPLE DX										
A. Not Operated	19	4.9	5	1	2	4	6	8	10	11
B. Operated	160	4.7	7	3	3	4	5	7	8	13
1. SINGLE DX	261	4.2	4	2	3	4	5	6	7	13
2. MULTIPLE DX	179	4.7	7	3	3	4	5	7	8	13
A. NOT OPERATED	55	4.3	3	2	3	4	5	7	8	11
B. OPERATED	385	4.4	6	3	3	4	5	6	7	13
TOTAL 0-19 YRS	47	4.7	4	2	3	4	6	7	8	12
20-34	377	4.4	6	2	3	4	5	6	7	13
35-49	16	4.2	2	3	3	4	5	6	7	7
50-64										
65+										
GRAND TOTAL	440	4.4	5	2	3	4	5	6	7	13

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	219	4.6	6	2	3	4	5	7	9	15	
20-34	2086	4.2	5	2	3	4	5	6	7	11	
35-49	81	4.5	3	2	3	4	5	7	8	8	
50-64											
65+											
B. Operated											
0-19 YRS	302	5.3	10	3	3	5	6	8	11	21	
20-34	2780	4.8	6	3	3	4	5	7	8	14	
35-49	126	5.1	10	3	3	4	6	8	9	19	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	152	4.8	7	2	2	4	6	7	9	15	
20-34	1493	4.5	6	2	3	4	5	7	8	14	
35-49	91	4.9	7	1	3	5	6	7	10	16	
50-64											
65+											
B. Operated											
0-19 YRS	628	6.1	21	3	3	5	7	9	13	26	
20-34	7657	6.0	23	3	3	5	7	9	13	27	
35-49	590	6.8	32	3	3	5	7	11	16	36	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2386	4.2	5	2	3	4	5	6	7	12	
B. Operated	3208	4.9	7	3	3	4	5	7	9	16	
2. MULTIPLE DX											
A. Not Operated	1736	4.6	6	2	3	4	5	7	8	14	
B. Operated	8875	6.1	23	3	3	5	7	9	13	28	
1. SINGLE DX	5594	4.6	6	2	3	4	5	7	8	14	
2. MULTIPLE DX	10611	5.9	21	3	3	5	6	9	12	26	
A. NOT OPERATED	4122	4.4	5	2	3	4	5	6	8	13	
B. OPERATED	12083	5.8	19	3	3	5	6	9	11	25	
TOTAL 0-19 YRS	1301	5.5	15	3	3	5	6	8	11	25	
20-34	14016	5.4	16	3	3	5	6	8	10	22	
35-49	888	6.2	25	3	3	5	7	9	13	33	
50-64											
65+											
GRAND TOTAL	16205	5.4	16	3	3	5	6	8	11	23	

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	15	4.1	5	1	2	4	5	7	9	10	
20-34	79	4.1	3	1	2	4	5	6	7	12	
35-49	5	6.2	36	<1	<1	5	9	16	16	16	
50-64											
65+											
B. Operated											
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9	
20-34	13	5.3	25	<1	1	4	8	14	16	16	
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	10	4.2	5	2	2	4	5	7	9	9	
20-34	37	5.4	10	1	2	5	8	10	11	12	
35-49	1	4.0		4	4	4	4	4	4	4	
50-64											
65+											
B. Operated											
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15	
20-34	25	8.2	46	1	2	6	12	16	23	28	
35-49	1	1.0		1	1	1	1	1	1	1	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	99	4.2	5	1	2	4	5	6	7	14	
B. Operated	15	5.6	22	<1	1	4	9	13	15	16	
2. MULTIPLE DX											
A. Not Operated	48	5.1	8	2	2	4	7	9	10	12	
B. Operated	28	8.0	45	1	1	6	12	16	23	28	
1. SINGLE DX	114	4.4	7	1	2	4	5	7	10	16	
2. MULTIPLE DX	76	6.2	24	1	2	5	9	12	16	26	
A. NOT OPERATED	147	4.5	6	1	2	4	5	8	10	12	
B. OPERATED	43	7.2	38	<1	1	5	10	16	18	28	
TOTAL 0-19 YRS	29	4.7	9	2	2	4	6	9	10	15	
20-34	154	5.2	15	1	2	4	6	10	13	22	
35-49	7	5.1	28	<1	<1	4	6	14	16	16	
50-64											
65+											
GRAND TOTAL	190	5.1	15	1	2	4	6	10	13	20	

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.2	3	1	1	2	3	4	7	7
20-34	104	2.0	1	<1	1	2	2	4	4	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	29	1.7	1	1	1	1	2	3	4	5
20-34	320	1.7	1	<1	1	1	2	3	3	6
35-49	14	1.5		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	33	2.8	2	<1	1	3	3	4	5	8
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	10	3.2	12	1	1	2	3	9	12	12
20-34	128	2.7	5	<1	1	2	3	5	7	12
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	2.0	1	<1	1	2	2	4	5	6
B. Operated	363	1.7	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	35	2.9	2	<1	1	3	4	4	5	8
B. Operated	142	2.7	5	<1	1	2	3	5	8	12
1. SINGLE DX	481	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	177	2.8	5	<1	1	2	3	5	7	12
A. NOT OPERATED	153	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	505	2.0	3	<1	1	1	2	3	4	10
TOTAL 0-19 YRS	53	2.2	4	1	1	2	3	4	6	12
20-34	585	2.0	2	<1	1	2	2	4	5	9
35-49	20	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	658	2.0	2	<1	1	2	2	4	5	9

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.5	6	1	2	4	5	7	10	11
20-34	67	4.2	10	1	1	3	5	9	12	16
35-49	5	3.4	3	2	2	3	4	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	60	4.6	27	1	1	3	5	7	14	28
35-49	3	4.7	6	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	41	7.0	84	1	2	5	7	10	27	49
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	4	5.0	1	4	4	5	6	6	6	6
20-34	42	8.3	84	1	1	4	13	22	30	36
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	4.2	9	1	1	4	5	8	12	15
B. Operated	64	4.7	26	1	1	4	5	7	13	28
2. MULTIPLE DX										
A. Not Operated	46	6.7	76	2	2	5	7	10	20	49
B. Operated	47	8.0	76	1	1	5	10	21	29	36
1. SINGLE DX	148	4.4	16	1	1	4	5	7	12	28
2. MULTIPLE DX	93	7.4	75	1	2	5	7	17	27	46
A. NOT OPERATED	130	5.1	34	1	2	4	5	9	12	43
B. OPERATED	111	6.1	49	1	1	4	6	16	23	34
TOTAL 0-19 YRS	19	4.7	4	1	2	5	6	6	9	11
20-34	210	5.7	46	1	1	4	6	12	19	38
35-49	12	3.9	3	2	2	4	5	6	7	7
50-64										
65+										
GRAND TOTAL	241	5.6	41	1	1	4	6	11	17	36

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	233	4.7	9	1	2	4	6	8	11	16	
20-34	271	4.5	8	2	2	4	6	8	10	16	
35-49	149	5.5	15	1	2	5	7	10	13	21	
50-64	92	5.7	11	2	2	5	8	10	12	17	
65+	98	8.9	45	2	3	7	11	18	22	35	
B. Operated											
0-19 YRS	96	4.9	10	1	2	4	6	9	12	16	
20-34	83	5.7	44	1	1	4	7	9	12	45	
35-49	42	5.5	22	<1	1	4	8	11	16	20	
50-64	25	7.3	28	<1	<1	7	10	15	17	19	
65+	18	9.6	53	2	3	8	10	20	28	32	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	169	5.6	13	2	2	5	7	9	12	21	
20-34	202	6.2	27	2	2	5	8	11	14	31	
35-49	160	6.8	19	1	2	6	9	13	14	22	
50-64	225	9.0	71	2	3	7	10	15	24	45	
65+	358	12.4	120	3	4	9	15	25	34	59	
B. Operated											
0-19 YRS	77	7.4	55	1	1	5	9	17	21	43	
20-34	84	10.5	165	1	2	7	12	23	37	73	
35-49	56	11.7	108	2	3	9	15	30	35	97	
50-64	92	15.3	225	3	3	10	20	39	57	87	
65+	86	22.8	425	4	5	15	28	65	74	94	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	843	5.4	16	2	2	4	7	10	13	21	
B. Operated											
	264	5.8	28	1	1	5	7	11	14	30	
2. MULTIPLE DX											
A. Not Operated											
	1114	8.7	70	2	3	6	10	16	24	45	
B. Operated											
	395	13.8	233	2	2	8	18	33	55	82	
1. SINGLE DX	1107	5.5	19	1	2	4	7	10	13	21	
2. MULTIPLE DX	1509	10.1	118	2	3	7	11	21	32	66	
A. NOT OPERATED	1957	7.3	49	2	2	5	8	14	19	39	
B. OPERATED	659	10.6	166	1	2	7	11	25	40	76	
TOTAL 0-19 YRS											
	575	5.4	17	1	2	4	7	9	13	21	
20-34	640	6.0	43	2	2	4	7	11	15	36	
35-49	407	6.9	34	1	2	5	9	13	19	32	
50-64	434	9.5	99	2	3	7	10	18	29	61	
65+	560	13.3	169	3	4	9	16	27	41	74	
GRAND TOTAL	2616	8.1	81	2	2	6	9	16	24	53	

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	185	5.2	11	1	2	5	7	9	11	18	
20-34	56	4.4	6	2	2	4	6	8	10	12	
35-49	36	5.0	8	2	2	4	7	9	11	13	
50-64	26	6.2	18	2	2	6	7	13	15	18	
65+	26	8.6	48	2	3	6	11	17	24	34	
B. Operated											
0-19 YRS	38	4.2	19	<1	<1	2	6	10	14	20	
20-34	34	4.9	10	1	1	5	7	9	12	13	
35-49	17	7.4	64	<1	1	4	9	18	27	31	
50-64	17	5.4	11	1	2	5	7	9	12	14	
65+	9	16.0	351	4	4	10	18	48	62	62	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	166	6.4	21	2	2	5	8	12	14	27	
20-34	48	6.3	27	2	2	5	8	12	14	30	
35-49	53	7.7	47	1	2	5	9	18	23	32	
50-64	52	9.9	93	2	3	7	10	19	31	57	
65+	74	11.7	124	2	4	8	15	25	35	57	
B. Operated											
0-19 YRS	32	6.3	36	1	1	4	10	15	19	24	
20-34	20	9.3	95	1	1	5	14	25	29	32	
35-49	19	10.6	227	2	2	5	12	21	47	67	
50-64	27	14.9	128	3	3	13	21	35	39	40	
65+	35	14.5	263	2	2	10	15	32	55	77	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	329	5.4	14	2	2	5	7	10	12	20	
B. Operated	115	6.0	54	<1	1	4	7	12	16	42	
2. MULTIPLE DX											
A. Not Operated	393	8.0	58	2	2	6	9	15	23	38	
B. Operated	133	11.3	158	1	2	7	15	25	34	69	
1. SINGLE DX	444	5.6	24	1	2	5	7	10	13	22	
2. MULTIPLE DX	526	8.8	85	2	2	6	11	19	26	56	
A. NOT OPERATED	722	6.8	40	2	2	5	8	13	18	33	
B. OPERATED	248	8.8	116	1	1	5	11	20	27	62	
TOTAL											
0-19 YRS	421	5.7	18	1	2	5	7	11	14	21	
20-34	158	5.7	26	1	2	4	7	11	13	30	
35-49	125	7.3	66	1	2	5	8	16	21	41	
50-64	122	9.6	83	2	3	7	12	20	30	45	
65+	144	12.1	158	2	3	8	14	27	35	63	
GRAND TOTAL	970	7.3	60	1	2	5	8	14	21	38	

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.8	84	<1	<1	3	9	23	23	23
20-34	13	3.4	4	<1	1	3	5	6	7	7
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	1	5.0	5	5	5	5	5	5	5	5
65+	1	3.0	3	3	3	3	3	3	3	3
B. Operated										
0-19 YRS	298	4.4	8	1	2	4	5	8	10	17
20-34	572	4.0	6	1	2	4	5	7	9	12
35-49	89	3.9	6	<1	2	3	5	7	8	15
50-64	17	3.4	5	<1	<1	3	5	7	8	8
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	5.5	61	<1	<1	3	5	19	21	21
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	9.0	2	8	8	9	10	10	10	10
65+										
B. Operated										
0-19 YRS	35	6.4	56	1	2	4	6	14	17	43
20-34	110	4.7	11	<1	2	4	5	9	12	17
35-49	25	6.6	49	1	2	4	7	13	21	34
50-64	3	11.7	17	7	7	13	14	15	15	15
65+	6	9.2	80	1	1	5	16	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.0	19	<1	1	3	5	6	11	23
B. Operated	978	4.1	7	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	11	4.9	39	<1	<1	1	7	14	20	21
B. Operated	179	5.5	28	1	2	4	6	12	15	31
1. SINGLE DX	1003	4.1	7	1	2	4	5	7	9	14
2. MULTIPLE DX	190	5.5	29	1	1	4	6	12	15	30
A. NOT OPERATED	36	4.3	24	<1	<1	3	5	8	18	23
B. OPERATED	1157	4.3	10	1	2	4	5	8	10	16
TOTAL 0-19 YRS	340	4.6	14	1	2	4	5	8	11	18
20-34	701	4.1	7	1	2	4	5	7	9	15
35-49	120	4.4	16	<1	1	3	5	7	11	22
50-64	23	5.0	15	<1	1	4	7	11	14	15
65+	9	7.3	59	1	1	5	9	21	24	24
GRAND TOTAL	1193	4.3	11	1	2	4	5	8	10	17

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34										
35-49										
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	33	1.5	2	<1	<1	1	2	2	3	8
20-34	44	1.6	1	<1	<1	1	2	3	3	4
35-49	25	2.6	13	<1	<1	1	3	5	10	18
50-64	21	2.1	2	<1	<1	2	3	4	5	6
65+	9	3.8	5	<1	<1	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	7.0	32	3	3	7	11	11	11	11
B. Operated										
0-19 YRS	5	2.4	2	1	1	2	3	5	5	5
20-34	15	1.9	2	<1	<1	2	2	4	5	5
35-49	14	3.1	9	<1	<1	2	4	7	11	12
50-64	20	3.6	8	<1	<1	3	5	8	9	10
65+	17	4.2	14	<1	<1	3	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	3	1	1	3	4	5	5	5
B. Operated	132	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	6	4.2	16	1	1	2	7	11	11	11
B. Operated	71	3.2	8	<1	<1	2	4	8	10	12
1. SINGLE DX	136	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	77	3.3	9	<1	<1	2	4	8	10	12
A. NOT OPERATED	10	3.7	10	1	1	3	5	9	11	11
B. OPERATED	203	2.4	6	<1	<1	2	3	5	8	12
TOTAL 0-19 YRS	38	1.6	2	<1	<1	1	2	3	4	8
20-34	64	1.8	1	<1	<1	2	2	3	4	7
35-49	39	2.8	11	<1	<1	1	3	6	10	18
50-64	42	2.8	5	<1	<1	2	4	6	8	10
65+	30	4.2	11	<1	<1	3	5	10	11	12
GRAND TOTAL	213	2.5	6	<1	<1	2	3	5	8	12

**295: Miscellaneous diseases of skin and subcutaneous tissue (690-705;
706.0-706.1; 706.3-706.9; 707-709)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	332	4.7	16	<1	1	4	6	9	12	22
20-34	150	6.5	42	1	1	4	9	14	22	31
35-49	102	8.0	52	1	2	5	10	17	23	37
50-64	86	9.4	135	1	2	7	12	20	22	72
65+	120	13.1	133	1	2	9	19	30	39	76
B. Operated										
0-19 YRS	176	3.1	22	<1	<1	2	3	7	13	23
20-34	282	4.3	38	<1	<1	3	5	9	11	33
35-49	177	4.9	40	<1	<1	3	5	9	19	39
50-64	143	5.6	56	<1	1	3	6	14	19	29
65+	104	9.2	152	<1	1	3	11	26	35	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	325	6.4	43	1	1	4	8	14	21	33
20-34	165	8.0	85	1	1	5	9	21	26	43
35-49	134	9.2	101	1	1	6	11	20	27	89
50-64	204	13.0	178	2	2	9	16	28	36	75
65+	388	16.2	244	2	4	12	21	40	63	99+
B. Operated										
0-19 YRS	93	8.6	131	<1	1	4	8	26	41	77
20-34	192	13.9	300	1	2	7	18	39	54	93
35-49	171	11.7	225	1	2	7	16	31	63	99+
50-64	234	14.1	260	1	2	7	20	40	50	84
65+	266	16.8	297	2	2	11	25	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	790	7.3	65	1	1	5	9	16	22	39
B. Operated	882	5.0	54	<1	<1	3	5	11	18	39
2. MULTIPLE DX										
A. Not Operated	1216	11.2	158	1	2	7	14	26	36	85
B. Operated	956	13.8	265	1	2	7	20	39	56	99+
1. SINGLE DX	1672	6.1	60	<1	1	3	7	14	21	40
2. MULTIPLE DX	2172	12.3	207	1	2	7	16	32	47	99+
A. NOT OPERATED	2006	9.6	125	1	2	6	12	22	31	74
B. OPERATED	1838	9.6	183	<1	1	4	11	27	42	81
TOTAL 0-19 YRS	926	5.4	41	<1	1	3	6	12	18	39
20-34	789	7.8	126	<1	1	4	9	19	31	62
35-49	584	8.4	117	1	1	5	9	20	30	85
50-64	667	11.3	186	1	2	6	14	29	42	77
65+	878	15.1	239	1	2	10	21	36	57	99+
GRAND TOTAL	3844	9.6	153	1	1	5	12	25	36	77

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	21	7.0	33	1	2	4	10	17	19	20
35-49	25	9.8	58	2	3	7	17	22	24	26
50-64	19	13.4	165	3	3	6	20	35	42	45
65+	6	14.7	92	8	8	11	13	32	34	34
B. Operated										
0-19 YRS	6	11.2	69	<1	<1	10	16	23	24	24
20-34	13	7.2	26	<1	1	7	12	14	15	15
35-49	8	14.5	30	7	7	15	19	21	21	21
50-64	4	10.0	39	5	5	8	14	19	19	19
65+	3	15.0	3	14	14	14	16	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	10.8	45	3	4	9	15	21	21	21
20-34	58	10.7	68	3	3	8	14	19	30	42
35-49	52	12.5	113	2	3	9	17	25	34	58
50-64	35	12.1	98	1	3	10	17	25	30	45
65+	28	17.9	108	3	6	15	26	32	35	44
B. Operated										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34	39	21.6	353	3	4	18	23	36	67	95
35-49	21	20.8	201	5	6	18	27	47	49	50
50-64	23	12.8	61	2	4	12	18	24	27	32
65+	14	25.6	223	7	10	23	31	41	60	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	10.2	85	2	3	7	13	23	28	44
B. Operated	34	10.6	40	<1	2	10	15	19	21	24
2. MULTIPLE DX										
A. Not Operated	181	12.6	96	2	3	10	17	26	33	45
B. Operated	98	20.2	250	3	5	18	25	36	50	85
1. SINGLE DX	107	10.3	70	1	2	7	14	21	26	42
2. MULTIPLE DX	279	15.3	162	3	3	12	20	31	37	64
A. NOT OPERATED	254	11.9	94	2	3	9	17	25	32	45
B. OPERATED	132	17.7	213	2	4	15	22	35	48	78
TOTAL 0-19 YRS	17	12.2	132	1	2	8	17	23	40	48
20-34	131	13.0	174	2	3	10	17	24	34	78
35-49	106	13.7	123	3	3	10	18	26	35	54
50-64	81	12.5	98	2	3	10	17	26	31	45
65+	51	19.5	142	5	8	16	27	34	38	66
GRAND TOTAL	386	13.9	142	2	3	11	19	29	35	59

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	8.7	58	1	2	7	11	19	26	37
20-34	32	10.4	59	1	3	8	16	20	27	31
35-49	77	10.1	41	2	3	9	15	20	22	25
50-64	146	12.9	82	2	2	12	18	24	29	33
65+	100	12.9	114	3	4	9	17	26	37	78
B. Operated										
0-19 YRS	6	7.3	30	1	1	7	12	15	15	15
20-34	22	9.6	74	1	2	5	15	25	27	28
35-49	55	8.4	69	1	2	6	11	21	24	43
50-64	95	10.5	120	1	2	6	15	24	31	57
65+	55	12.8	84	1	2	12	20	26	28	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	13.1	267	1	2	8	15	24	44	87
20-34	39	10.1	70	2	2	6	14	23	27	32
35-49	73	12.8	67	3	4	11	17	23	31	36
50-64	217	14.5	102	2	5	13	19	25	34	94
65+	321	15.8	146	3	5	13	21	31	41	90
B. Operated										
0-19 YRS	3	17.0	181	6	6	13	27	32	32	32
20-34	25	19.3	187	4	5	16	27	38	49	56
35-49	52	14.4	174	2	2	12	23	31	51	99
50-64	164	19.6	235	2	3	17	26	41	55	98
65+	167	22.8	295	3	5	20	32	53	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	411	11.6	79	2	2	10	16	23	28	50
B. Operated	233	10.4	94	1	2	7	16	24	27	45
2. MULTIPLE DX										
A. Not Operated	681	14.6	126	2	4	12	19	28	37	87
B. Operated	411	20.2	254	2	4	17	27	45	61	99+
1. SINGLE DX	644	11.1	85	2	2	9	16	23	28	48
2. MULTIPLE DX	1092	16.7	181	2	4	14	22	35	46	99+
A. NOT OPERATED	1092	13.5	110	2	3	11	18	25	33	64
B. OPERATED	644	16.7	218	2	2	14	24	38	53	99+
TOTAL 0-19 YRS										
0-19 YRS	96	10.3	129	1	2	7	12	20	29	68
20-34	118	12.0	104	2	2	9	18	27	31	50
35-49	257	11.3	85	2	2	9	16	23	30	53
50-64	622	14.8	144	2	2	13	20	28	38	82
65+	643	16.9	187	2	4	14	23	37	51	99+
GRAND TOTAL	1736	14.7	153	2	3	12	20	30	40	97

298: Osteoarthritis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	10.4	54	4	4	7	16	21	21	21
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	13	7.8	41	2	2	5	11	15	23	25
50-64	43	7.5	43	1	1	6	10	14	21	30
65+	180	10.0	84	1	2	8	13	20	27	68
B. Operated										
0-19 YRS	5	4.0	4	2	2	5	5	6	6	6
20-34	50	4.8	11	1	1	4	6	10	12	16
35-49	125	6.5	25	2	2	5	9	16	17	23
50-64	381	10.0	48	2	2	9	14	18	22	31
65+	526	14.4	70	2	5	14	19	24	29	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	4	1	1	5	5	5	5	5
20-34	8	15.6	167	3	3	13	23	36	40	40
35-49	29	11.8	98	1	2	8	19	28	32	37
50-64	133	8.0	43	1	2	7	10	16	18	36
65+	681	12.6	190	2	3	8	15	28	49	99+
B. Operated										
0-19 YRS	8	7.8	36	2	2	7	9	18	21	21
20-34	43	8.4	111	1	2	5	9	18	31	55
35-49	111	10.1	61	1	2	8	15	21	23	36
50-64	412	13.2	80	2	3	12	17	25	30	43
65+	808	18.4	145	4	6	16	23	33	43	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	9.3	74	1	2	7	12	19	25	45
B. Operated	1087	11.5	64	2	2	10	16	22	25	34
2. MULTIPLE DX										
A. Not Operated	855	11.8	166	2	3	8	14	25	42	99+
B. Operated	1382	15.8	127	2	4	14	21	30	39	72
1. SINGLE DX	1331	11.1	67	2	2	9	16	21	25	36
2. MULTIPLE DX	2237	14.3	146	2	3	12	19	29	40	89
A. NOT OPERATED	1099	11.3	147	2	3	8	14	24	37	99+
B. OPERATED	2469	13.9	104	2	3	12	18	26	33	52
TOTAL 0-19 YRS										
0-19 YRS	22	6.8	30	1	2	5	7	17	21	21
20-34	104	7.0	72	1	2	4	8	15	21	48
35-49	278	8.5	51	2	2	6	11	20	23	35
50-64	969	11.0	65	2	2	10	15	21	26	36
65+	2195	14.9	144	2	4	13	19	29	40	98
GRAND TOTAL	3568	13.1	119	2	3	11	17	26	33	72

99: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated	45	7.6	37	2	2	6	10	15	22	28
0-19 YRS	51	6.3	34	1	1	5	7	11	22	31
20-34	27	7.7	30	1	2	6	10	17	19	22
35-49	39	9.5	79	2	2	7	13	17	33	41
50-64	94	7.9	36	2	3	6	10	16	21	30
65+										
B. Operated	10	15.5	169	2	3	12	20	34	47	47
0-19 YRS	29	5.6	43	1	1	5	5	9	14	37
20-34	28	5.6	12	1	1	5	8	10	20	54
35-49	27	8.3	92	2	2	7	9	10	20	54
50-64	27	8.3	92	1	2	10	18	23	28	30
65+	17	12.1	68							
2. MULTIPLE DX										
A. Not Operated	25	12.4	165	1	2	8	17	28	46	51
0-19 YRS	32	10.1	87	1	2	8	13	18	24	51
20-34	40	7.9	35	2	2	6	10	16	18	28
35-49	60	9.3	50	3	3	6	12	19	21	40
50-64	255	12.2	181	2	3	8	15	26	40	99+
65+										
B. Operated	13	11.3	41	2	4	13	14	20	24	25
0-19 YRS	27	11.7	170	1	4	6	16	34	41	51
20-34	32	16.3	371	3	4	9	18	51	80	99+
35-49	54	17.5	367	2	2	12	22	50	77	99
50-64	37	19.4	246	4	6	14	32	64	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	7.8	42	2	2	6	10	16	21	31
B. Operated	111	8.2	70	1	2	6	10	16	22	50
2. MULTIPLE DX										
A. Not Operated	412	11.2	141	2	3	8	14	22	33	96
B. Operated	163	16.2	284	2	3	11	22	44	78	99+
1. SINGLE DX										
A. Not Operated	367	7.9	50	2	2	6	10	16	22	37
B. Operated	575	12.6	186	2	3	9	16	28	45	99+
2. MULTIPLE DX										
A. NOT OPERATED	668	9.9	106	2	2	7	12	20	28	64
B. OPERATED	274	13.0	213	2	2	8	15	33	51	99+
TOTAL										
0-19 YRS	93	10.2	90	2	2	7	14	21	27	49
20-34	139	8.1	79	1	2	5	10	17	25	51
35-49	127	9.5	128	2	2	6	11	17	29	85
50-64	180	11.7	171	2	3	8	14	23	42	80
65+	403	11.9	156	2	3	8	15	26	38	99+
GRAND TOTAL	942	10.8	139	2	2	7	13	23	34	95

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated	5	3.0	6	1	1	2	5	6	6	6
0-19 YRS	15	3.0	4	<1	<1	2	4	6	7	8
20-34	2	2.6	4	<1	1	2	4	6	6	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65+										
B. Operated	312	3.4	3	1	2	3	4	6	6	10
0-19 YRS	952	3.3	3	1	2	3	4	5	6	9
20-34	417	3.5	4	1	2	3	4	6	8	13
35-49	170	3.9	5	1	1	4	5	8	11	17
50-64	39	4.4	11	1	1	4	5			
65+										
2. MULTIPLE DX										
A. Not Operated	9	1.7	1	<1	<1	1	2	3	3	3
0-19 YRS	11	4.0	70	<1	<1	1	3	14	28	29
20-34	8	4.6	41	<1	<1	1	2	4	7	7
35-49	7	1.6	1	<1	<1	1	2	4	4	4
50-64	4	4.3	8	<1	<1	4	6	7	7	7
65+										
B. Operated	144	3.6	6	1	1	3	4	6	7	14
0-19 YRS	457	3.6	6	<1	1	3	5	6	8	14
20-34	248	3.5	4	1	1	3	5	6	7	10
35-49	186	4.5	11	1	2	4	6	8	11	17
50-64	74	6.4	31	1	1	5	8	16	18	26
65+										
SUBTOTALS:										
1. SINGLE DX	30	2.7	4	<1	1	2	4	6	6	8
A. Not Operated	1890	3.4	3	1	2	3	4	6	7	11
B. Operated										
2. MULTIPLE DX	39	3.2	29	<1	<1	1	3	7	8	17
A. Not Operated	1109	3.9	9	1	1	3	5	6	7	11
B. Operated	1920	3.4	3	1	2	3	5	7	8	17
1. SINGLE DX	1148	3.9	9	<1	1	3	5	6	8	27
2. MULTIPLE DX	69	3.0	18	<1	<1	2	3	6	7	12
A. NOT OPERATED	2999	3.6	5	1	1	3	4	6	7	12
B. OPERATED										
TOTAL	470	3.4	4	1	1	3	4	6	7	10
0-19 YRS	1435	3.4	4	1	1	3	4	6	7	11
20-34	678	3.5	4	1	1	4	5	7	10	16
35-49	365	4.1	8	1	1	4	7	12	17	25
50-64	120	5.6	24	1	1	3	4	6	7	13
65+	3068	3.6	6	1	1	3	4	6	7	13
GRAND TOTAL										

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	95	4.1	12	1	1	3	6	9	11	16	
20-34	72	3.9	12	<1	1	3	5	7	12	19	
35-49	35	7.7	84	1	1	4	9	23	29	40	
50-64	20	4.5	16	1	1	3	6	10	14	15	
65+	33	7.9	33	2	2	7	10	15	22	25	
B. Operated											
0-19 YRS	384	3.8	4	1	2	4	5	6	7	12	
20-34	782	3.6	5	1	2	3	4	6	7	12	
35-49	175	4.0	9	1	2	3	5	7	10	14	
50-64	84	5.9	35	1	2	4	7	14	18	31	
65+	35	13.6	167	<1	1	9	21	36	40	43	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	60	5.6	22	1	1	4	7	13	15	21	
20-34	69	4.4	30	<1	1	3	5	8	12	36	
35-49	28	10.1	99	1	1	7	15	19	38	40	
50-64	53	9.3	115	1	1	4	11	28	37	43	
65+	111	10.7	127	2	3	8	12	25	45	74	
B. Operated											
0-19 YRS	132	5.5	25	2	2	4	6	9	12	31	
20-34	258	5.4	26	1	2	4	6	10	14	30	
35-49	100	5.5	28	1	1	4	6	12	15	29	
50-64	66	8.0	76	1	1	5	10	19	29	41	
65+	54	12.4	164	2	3	9	16	28	32	79	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	255	5.1	27	1	1	3	7	10	14	26	
B. Operated	1460	4.1	13	1	2	3	5	7	9	20	
2. MULTIPLE DX											
A. Not Operated	321	8.1	88	1	1	5	10	17	31	50	
B. Operated	610	6.3	48	1	2	4	7	12	19	35	
1. SINGLE DX	1715	4.2	15	1	1	3	5	7	10	23	
2. MULTIPLE DX	931	6.9	62	1	2	4	8	14	21	40	
A. NOT OPERATED	576	6.8	63	1	1	4	8	14	21	45	
B. OPERATED	2070	4.8	24	1	2	4	5	8	12	30	
TOTAL											
0-19 YRS	671	4.4	12	1	2	4	5	8	10	17	
20-34	1181	4.1	12	1	1	3	5	7	9	19	
35-49	338	5.3	33	1	1	4	6	11	15	36	
50-64	223	7.2	66	1	1	4	8	17	27	40	
65+	233	11.1	129	2	2	8	13	26	36	62	
GRAND TOTAL	2646	5.2	34	1	1	4	6	10	14	35	

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6	
20-34	8	9.4	51	3	3	7	14	21	22	22	
35-49	16	6.2	9	2	2	7	9	10	10	10	
50-64	7	12.7	41	5	6	13	15	23	25	25	
65+											
B. Operated											
0-19 YRS											
20-34	1	5.0		5	5	5	5	5	5	5	
35-49	2	12.5	221	2	2	12	23	23	23	23	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5	
20-34	11	10.8	58	2	4	8	14	23	28	28	
35-49	7	11.3	53	2	2	10	16	22	23	23	
50-64	14	9.7	94	2	3	6	11	27	34	36	
65+	6	19.8	557	2	2	14	19	61	66	66	
B. Operated											
0-19 YRS											
20-34	4	12.5	70	8	8	9	17	25	25	25	
35-49	6	17.7	102	6	6	18	23	32	33	33	
50-64	4	22.3	297	1	1	23	35	41	41	41	
65+	2	26.5	365	13	13	26	40	40	40	40	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	33	8.2	31	2	3	8	9	16	22	25	
B. Operated	3	10.0	129	2	2	5	18	23	23	23	
2. MULTIPLE DX											
A. Not Operated	40	11.5	141	2	2	8	15	24	32	66	
B. Operated	16	18.6	154	2	6	16	27	39	41	41	
1. SINGLE DX	36	8.4	36	2	2	8	10	19	23	25	
2. MULTIPLE DX	56	13.5	153	2	2	9	18	30	39	64	
A. NOT OPERATED	73	10.0	93	2	2	8	12	20	26	59	
B. OPERATED	19	17.3	153	1	3	15	25	37	41	41	
TOTAL 0-19 YRS											
20-34	4	3.8	4	2	2	4	5	6	6	6	
20-34	24	10.4	52	3	4	8	14	22	26	28	
35-49	31	10.0	60	2	2	8	14	23	23	33	
50-64	25	12.6	119	2	3	9	15	30	37	41	
65+	8	21.5	460	2	3	15	29	58	66	66	
GRAND TOTAL	92	11.5	113	2	2	8	15	25	33	55	

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	3.9	3	<1	1	4	4	6	7	7
35-49	37	6.2	16	2	2	5	8	11	15	19
50-64	43	6.6	26	2	2	5	9	13	17	27
65+	79	8.7	39	1	2	6	14	17	19	27
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	6.3	71	1	2	4	6	12	29	36
35-49	56	6.7	19	1	1	6	10	12	15	20
50-64	62	9.1	57	1	1	7	15	20	24	29
65+	22	12.1	88	1	1	10	19	28	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	8.6	85	1	1	4	12	25	27	27
35-49	38	8.7	30	2	3	8	10	18	21	22
50-64	93	8.8	46	2	3	7	12	18	23	36
65+	307	11.7	122	2	3	9	14	24	33	66
B. Operated										
0-19 YRS										
20-34	4	8.0	2	7	7	8	9	10	10	10
35-49	45	11.0	34	3	4	11	15	17	23	26
50-64	92	11.0	72	1	3	9	15	23	27	44
65+	73	17.5	247	2	4	15	26	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	7.4	31	1	2	6	10	16	18	26
B. Operated	157	8.3	51	1	1	7	11	19	23	29
2. MULTIPLE DX										
A. Not Operated	453	10.7	99	2	3	8	13	21	30	58
B. Operated	214	13.2	131	2	3	11	17	27	41	99+
1. SINGLE DX	323	7.8	41	1	2	6	11	17	20	29
2. MULTIPLE DX	667	11.5	110	2	3	9	15	24	32	88
A. NOT OPERATED	619	9.8	83	2	3	7	12	19	27	50
B. OPERATED	371	11.1	103	1	2	9	15	24	29	99+
TOTAL 0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	41	6.8	58	1	1	4	7	16	26	36
35-49	176	8.1	28	1	2	7	11	16	19	24
50-64	290	9.2	55	1	2	7	13	19	24	36
65+	481	12.1	132	2	3	9	16	27	37	99+
GRAND TOTAL	990	10.3	91	1	2	8	14	21	28	68

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	14	7.9	28	2	2	7	9	19	19	19
35-49	232	6.1	16	1	2	5	8	12	14	19
50-64	363	7.3	27	2	2	6	9	14	17	28
65+	205	7.6	29	2	3	6	9	14	18	31
	74	10.4	43	3	5	9	13	18	24	36
B. Operated										
0-19 YRS	50	8.3	41	1	2	7	11	16	21	33
20-34	855	7.4	26	1	2	7	10	14	16	24
35-49	1151	8.6	35	1	2	8	11	16	20	28
50-64	492	8.5	36	1	2	8	12	16	19	26
65+	78	9.2	44	1	1	9	14	18	20	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.6	13	<1	<1	2	5	10	10	10
20-34	91	7.8	49	1	2	6	10	19	21	36
35-49	170	8.0	26	2	3	7	10	16	19	23
50-64	207	9.5	48	2	3	7	12	17	22	39
65+	195	13.3	134	2	3	10	16	25	36	55
B. Operated										
0-19 YRS	10	11.9	41	2	4	11	13	22	24	24
20-34	291	10.2	54	2	3	9	13	19	25	42
35-49	561	11.4	70	2	3	10	14	20	26	41
50-64	358	12.3	85	2	3	10	16	23	28	48
65+	149	15.9	220	2	3	13	19	29	51	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	888	7.3	27	2	2	6	9	14	17	29
B. Operated	2626	8.2	33	1	2	8	11	15	19	26
2. MULTIPLE DX										
A. Not Operated	668	10.0	72	2	3	8	12	20	24	44
B. Operated	1369	11.9	89	2	3	10	15	22	28	54
1. SINGLE DX	3514	8.0	32	1	2	7	11	15	19	27
2. MULTIPLE DX	2037	11.2	84	2	3	9	14	21	27	48
A. NOT OPERATED	1556	8.5	48	2	2	7	10	16	21	37
B. OPERATED	3995	9.5	55	1	2	8	12	18	22	35
TOTAL 0-19 YRS	79	8.4	39	1	2	8	11	18	20	30
20-34	1469	7.8	33	1	2	7	10	14	18	29
35-49	2245	9.0	44	2	2	8	12	17	21	32
50-64	1262	9.6	54	2	2	8	12	18	23	36
65+	496	13.0	137	2	2	10	16	24	32	62
GRAND TOTAL	5551	9.2	53	1	2	8	12	17	22	35

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	46	6.8	31	2	3	5	8	14	18	32
35-49	56	6.1	16	1	2	5	8	12	14	19
50-64	42	7.5	35	1	2	6	9	13	24	27
65+	28	10.7	207	1	2	7	12	20	35	76
B. Operated										
0-19 YRS										
20-34	43	7.7	46	1	1	4	11	18	21	26
35-49	122	7.3	27	1	1	6	11	14	17	22
50-64	87	6.3	27	1	1	5	9	14	19	23
65+	11	9.3	62	1	2	6	14	22	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	7.0	23	<1	<1	7	10	14	14	14
35-49	55	7.4	19	1	2	6	10	14	16	20
50-64	54	8.1	63	2	2	6	9	15	24	48
65+	61	10.1	47	2	3	8	14	23	28	91
B. Operated										
0-19 YRS										
20-34	24	9.2	35	1	2	9	13	15	19	26
35-49	78	9.8	93	1	2	8	13	16	20	64
50-64	80	10.7	99	1	2	9	14	18	36	89
65+	25	17.7	244	1	1	12	22	52	54	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	7.3	56	1	2	6	8	13	19	31
B. Operated	263	7.1	31	1	1	6	10	15	18	26
2. MULTIPLE DX										
A. Not Operated	182	8.5	43	2	2	7	11	17	23	42
B. Operated	207	11.0	111	1	2	9	14	19	31	70
1. SINGLE DX	438	7.2	41	1	1	6	10	15	18	27
2. MULTIPLE DX	389	9.8	81	1	2	8	13	18	27	60
A. NOT OPERATED	357	7.9	50	1	2	6	9	15	21	32
B. OPERATED	470	8.8	70	1	1	7	12	16	20	53
TOTAL 0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	124	7.6	36	1	1	6	11	15	20	28
35-49	311	7.7	41	1	2	6	11	15	17	23
50-64	263	8.2	60	1	2	7	10	16	22	48
65+	125	11.7	129	2	2	9	15	27	30	82
GRAND TOTAL	827	8.4	61	1	2	7	11	16	20	50

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.8	22	1	1	5	10	12	12	12
20-34	26	5.9	18	2	2	5	10	11	14	18
35-49	25	5.4	10	1	2	5	7	11	12	14
50-64	11	5.3	11	1	1	4	9	10	10	10
65+	7	6.9	13	2	2	7	10	11	11	11
B. Operated										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	28	8.1	46	1	2	7	11	17	24	29
35-49	31	7.7	32	1	1	8	11	14	18	25
50-64	9	7.9	44	2	2	6	10	19	23	23
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	19	4.7	13	1	1	4	6	11	14	15
35-49	15	6.1	16	<1	1	6	9	12	13	13
50-64	13	13.9	169	1	3	7	24	34	38	39
65+	13	7.4	31	1	2	5	10	17	19	20
B. Operated										
0-19 YRS	2	15.5	1	15	15	15	16	16	16	16
20-34	19	11.0	68	2	3	8	14	26	27	28
35-49	23	10.7	35	2	4	10	11	20	23	24
50-64	7	12.7	59	4	5	9	18	24	25	25
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	5.7	14	2	2	5	8	11	12	17
B. Operated	70	8.0	38	1	2	8	11	15	23	28
2. MULTIPLE DX										
A. Not Operated	61	7.7	60	1	2	5	9	15	26	38
B. Operated	51	11.3	48	3	3	10	15	23	26	28
1. SINGLE DX	144	6.8	26	1	2	6	10	12	16	25
2. MULTIPLE DX	112	9.3	57	1	2	7	12	20	26	35
A. NOT OPERATED	135	6.6	35	1	2	5	9	12	16	34
B. OPERATED	121	9.4	44	1	2	8	11	19	24	28
TOTAL 0-19 YRS	10	9.3	26	1	1	10	12	15	16	16
20-34	92	7.4	40	1	2	5	10	15	23	29
35-49	94	7.6	28	1	2	7	11	13	19	25
50-64	40	10.0	87	1	2	7	11	24	33	39
65+	20	7.2	24	1	2	6	10	14	18	20
GRAND TOTAL	256	7.9	41	1	2	7	10	15	22	33

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	37	5.7	14	1	2	5	7	10	13	19
35-49	54	6.2	14	1	2	5	9	12	13	16
50-64	36	8.6	34	3	3	7	11	16	20	31
65+	14	7.1	31	1	2	6	9	12	21	23
B. Operated										
0-19 YRS										
20-34	43	4.6	19	1	1	3	7	10	15	19
35-49	42	4.9	38	1	1	2	6	12	18	29
50-64	17	4.2	26	1	1	1	7	10	16	20
65+	2	12.5	25	9	9	12	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	27	7.3	20	2	2	6	11	15	16	17
35-49	29	8.1	48	1	1	7	9	19	27	28
50-64	51	9.4	47	2	3	8	13	18	24	36
65+	56	11.8	102	3	3	10	14	21	31	54
B. Operated										
0-19 YRS										
20-34	18	4.8	18	1	1	3	7	11	14	16
35-49	23	11.0	64	1	2	9	18	25	25	25
50-64	20	7.5	32	1	1	7	11	15	18	20
65+	10	14.8	508	1	1	8	23	85	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	6.8	22	1	2	6	9	12	15	24
B. Operated	104	4.8	28	1	1	3	7	11	16	26
2. MULTIPLE DX										
A. Not Operated	165	9.6	63	2	3	7	12	18	25	44
B. Operated	71	9.0	109	1	1	7	12	20	25	94
1. SINGLE DX	247	6.0	25	1	1	5	9	12	16	24
2. MULTIPLE DX	236	9.4	77	1	2	7	12	19	25	58
A. NOT OPERATED	308	8.3	46	2	2	7	11	15	20	34
B. OPERATED	175	6.5	65	1	1	4	9	16	21	63
TOTAL 0-19 YRS	4	7.0	8	5	5	6	9	11	11	11
20-34	125	5.5	18	1	1	4	7	12	15	19
35-49	148	6.9	38	1	1	5	9	14	22	28
50-64	124	8.1	40	1	1	7	11	16	20	32
65+	82	11.4	136	2	3	9	13	24	37	92
GRAND TOTAL	483	7.6	53	1	1	6	10	16	20	35

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	3.4	7	1	1	2	5	7	8	14
20-34	342	5.7	45	1	1	4	7	12	16	33
35-49	348	6.2	39	1	1	4	8	11	16	39
50-64	230	7.0	42	1	2	6	9	14	17	39
65+	122	8.0	56	1	2	6	9	16	26	37
B. Operated										
0-19 YRS	23	4.6	6	1	2	3	7	8	9	9
20-34	238	5.1	20	1	1	4	7	11	15	22
35-49	325	6.5	30	1	1	5	9	13	18	25
50-64	209	8.0	55	1	1	6	10	17	22	31
65+	91	8.8	55	1	1	8	12	18	26	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	4.9	14	1	1	4	6	10	12	18
20-34	260	7.4	54	1	1	5	9	16	20	40
35-49	323	8.6	70	1	2	6	11	18	27	40
50-64	278	8.1	46	1	2	6	10	17	19	37
65+	333	10.4	90	2	3	7	12	23	28	48
B. Operated										
0-19 YRS	10	6.4	33	1	1	4	10	15	17	17
20-34	157	7.9	48	1	2	6	10	16	22	36
35-49	297	8.4	75	1	2	6	11	17	26	48
50-64	256	11.3	79	1	2	9	15	24	31	38
65+	191	16.5	158	2	4	14	21	31	41	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1102	6.3	42	1	1	5	7	13	16	38
B. Operated	886	6.7	37	1	1	5	9	14	19	27
2. MULTIPLE DX										
A. Not Operated	1245	8.6	66	1	2	6	10	18	25	40
B. Operated	911	10.8	98	1	2	8	14	23	31	49
1. SINGLE DX	1988	6.4	40	1	1	5	8	13	17	32
2. MULTIPLE DX	2156	9.5	81	1	2	7	12	20	28	43
A. NOT OPERATED	2347	7.5	56	1	2	5	9	16	21	40
B. OPERATED	1797	8.8	72	1	2	7	11	19	26	39
TOTAL 0-19 YRS	144	4.3	12	1	1	3	6	9	11	17
20-34	997	6.3	43	1	1	5	8	14	17	35
35-49	1293	7.4	54	1	2	5	9	15	21	40
50-64	973	8.7	58	1	2	7	11	18	24	38
65+	737	11.4	107	2	2	8	15	25	31	57
GRAND TOTAL	4144	8.0	64	1	2	6	10	17	24	40

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	80	4.7	14	1	1	4	6	9	12	20	
20-34	53	5.5	26	1	2	5	7	10	11	32	
35-49	59	5.4	27	1	2	4	6	11	13	34	
50-64	45	5.4	11	<1	1	5	7	10	12	14	
65+	36	6.6	28	1	1	5	9	14	18	23	
B. Operated											
0-19 YRS	101	2.5	2	<1	1	2	3	4	5	7	
20-34	171	3.4	17	<1	1	2	4	5	7	29	
35-49	210	3.3	7	<1	1	3	4	6	8	16	
50-64	200	2.8	5	<1	1	2	3	5	6	13	
65+	69	3.1	12	1	1	2	4	6	7	24	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	31	4.3	10	<1	1	3	5	10	12	12	
20-34	42	5.4	16	<1	1	5	7	11	14	19	
35-49	53	6.4	33	1	1	5	7	12	16	34	
50-64	73	7.2	32	1	2	6	10	14	19	26	
65+	116	10.3	71	1	2	8	12	23	27	43	
B. Operated											
0-19 YRS	26	4.0	16	1	2	3	4	8	11	21	
20-34	92	4.3	35	1	1	3	4	10	13	37	
35-49	120	4.2	18	<1	1	3	5	9	14	49	
50-64	130	4.8	31	1	1	3	5	9	15	30	
65+	87	6.4	94	1	1	4	7	15	19	62	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	273	5.4	21	1	1	4	7	10	14	23	
B. Operated	751	3.1	8	<1	1	2	4	5	7	16	
2. MULTIPLE DX											
A. Not Operated	315	7.7	47	1	2	6	10	15	23	33	
B. Operated	455	4.8	40	1	1	3	5	10	15	34	
1. SINGLE DX	1024	3.7	13	<1	1	3	4	7	9	20	
2. MULTIPLE DX	770	6.0	45	1	1	4	7	13	18	34	
A. NOT OPERATED	588	6.6	36	1	1	5	8	13	19	31	
B. OPERATED	1206	3.7	21	<1	1	3	4	7	10	24	
TOTAL 0-19 YRS											
20-34	238	3.6	9	1	1	3	4	7	9	17	
35-49	358	4.1	23	1	1	3	4	8	11	30	
50-64	442	4.2	17	<1	1	3	5	8	12	25	
65+	448	4.4	20	<1	1	3	5	9	13	23	
GRAND TOTAL	1794	4.7	28	1	1	3	5	10	14	27	

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+	2	10.5	13	8	8	10	13	13	13	13	
B. Operated											
0-19 YRS	116	3.6	2	1	2	4	4	6	6	8	
20-34	213	4.1	3	1	2	4	5	7	7	9	
35-49	238	4.3	21	1	2	4	5	6	7	10	
50-64	291	4.2	5	1	2	4	5	7	9	11	
65+	146	4.0	5	1	1	4	5	7	8	11	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4	
20-34	1	1.0		1	1	1	1	1	1	1	
35-49	2	1.0		<1	<1	<1	1	1	1	1	
50-64	3	5.0	37	<1	<1	2	9	12	12	12	
65+	7	3.0	7	<1	<1	2	4	7	8	8	
B. Operated											
0-19 YRS	73	4.1	4	2	2	4	5	6	7	13	
20-34	152	4.7	18	2	2	4	5	7	8	30	
35-49	183	4.5	6	2	2	4	5	7	9	13	
50-64	419	5.2	10	2	2	5	6	8	9	19	
65+	329	5.4	13	1	2	5	7	10	13	18	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2	10.5	13	8	8	10	13	13	13	13	
B. Operated	1004	4.1	8	1	2	4	5	7	8	11	
2. MULTIPLE DX											
A. Not Operated	17	2.8	9	<1	<1	1	3	7	11	12	
B. Operated	1156	5.0	11	2	2	4	6	8	10	19	
1. SINGLE DX	1006	4.1	8	1	2	4	5	7	8	11	
2. MULTIPLE DX	1173	5.0	11	1	2	4	6	8	10	19	
A. NOT OPERATED	19	3.6	15	<1	<1	2	5	10	13	13	
B. OPERATED	2160	4.6	10	1	2	4	6	7	9	15	
TOTAL 0-19 YRS											
20-34	193	3.7	3	1	2	4	5	6	6	9	
35-49	366	4.4	9	1	2	4	5	7	8	15	
50-64	423	4.3	14	1	2	4	5	7	8	12	
65+	713	4.8	8	1	2	4	6	8	9	15	
65+	484	5.0	11	1	2	4	6	9	12	18	
GRAND TOTAL	2179	4.6	10	1	2	4	6	7	9	15	

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+										
B. Operated										
0-19 YRS	117	1.8	1	<1	<1	2	2	3	4	7
20-34	198	1.6	1	<1	<1	1	2	3	4	5
35-49	95	1.8	1	<1	<1	2	2	3	4	6
50-64	64	2.9	14	<1	<1	2	3	5	6	26
65+	16	2.4	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	5	4.2	25	<1	<1	2	5	13	13	13
50-64	9	5.9	8	1	2	6	8	9	9	9
65+	7	2.6	5	<1	<1	2	4	6	7	7
B. Operated										
0-19 YRS	17	2.0	1	<1	<1	2	2	4	4	4
20-34	43	3.5	19	<1	<1	2	4	7	13	25
35-49	38	2.4	2	<1	<1	2	3	4	6	7
50-64	43	3.6	9	<1	1	2	5	7	11	14
65+	26	4.5	39	<1	<1	2	4	10	22	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.1	1	<1	<1	2	3	3	4	4
B. Operated	490	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	26	3.7	11	<1	<1	2	6	9	10	13
B. Operated	167	3.3	14	<1	<1	2	4	7	10	24
1. SINGLE DX	504	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	193	3.3	14	<1	<1	2	4	7	10	23
A. NOT OPERATED	40	3.2	8	<1	<1	2	4	8	9	13
B. OPERATED	657	2.3	6	<1	<1	2	2	4	5	13
TOTAL 0-19 YRS	136	1.8	1	<1	<1	2	2	3	4	7
20-34	250	2.0	4	<1	<1	1	2	3	5	13
35-49	141	2.1	2	<1	<1	2	2	4	4	8
50-64	121	3.3	12	<1	<1	2	4	7	9	18
65+	49	3.6	22	<1	<1	2	4	6	11	27
GRAND TOTAL	697	2.3	6	<1	<1	2	2	4	6	13

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	14.3	77	4	4	11	20	28	33	33
20-34	18	8.8	38	<1	1	7	13	17	21	23
35-49	17	9.5	54	1	4	10	11	13	27	35
50-64	9	8.7	14	2	4	8	11	14	14	14
65+	13	14.3	147	5	6	9	17	37	41	42
B. Operated										
0-19 YRS	26	17.5	179	3	4	14	29	40	41	43
20-34	37	17.3	400	2	3	10	19	43	68	88
35-49	20	14.3	171	1	2	7	26	34	40	43
50-64	12	15.5	306	2	3	10	16	40	62	66
65+	13	14.1	137	1	2	10	22	29	37	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	19.8	98	5	7	22	35	38	40	40
20-34	15	16.7	117	3	5	27	33	34	34	34
35-49	14	18.2	271	3	5	32	53	88	99+	99+
50-64	14	22.4	247	3	8	15	30	51	55	56
65+	29	16.0	185	3	3	14	20	29	32	72
B. Operated										
0-19 YRS	25	17.9	147	3	7	14	21	43	45	49
20-34	39	24.7	280	4	5	22	38	51	57	99+
35-49	23	29.2	316	8	10	26	40	48	68	76
50-64	37	27.6	441	6	7	25	44	74	96	99+
65+	33	24.3	342	4	6	24	42	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	11.7	73	2	4	10	14	24	33	40
B. Operated	108	16.2	256	2	3	10	22	39	43	83
2. MULTIPLE DX										
A. Not Operated	90	18.2	176	3	5	15	26	35	50	88
B. Operated	157	24.9	320	4	7	22	37	56	83	99+
1. SINGLE DX	197	14.2	177	2	3	10	18	32	40	73
2. MULTIPLE DX	247	22.4	277	4	6	18	31	50	71	99+
A. NOT OPERATED	179	15.0	135	2	4	12	20	31	36	67
B. OPERATED	265	21.3	311	3	4	16	31	49	67	99+
TOTAL 0-19 YRS	101	17.0	125	4	5	14	22	34	41	46
20-34	109	18.5	283	2	3	13	27	45	52	93
35-49	74	18.6	260	2	4	12	30	42	52	94
50-64	72	22.2	364	3	6	15	29	56	77	99+
65+	88	18.6	245	2	4	14	29	45	78	99+
GRAND TOTAL	444	18.8	249	3	4	14	27	43	56	99+

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	8.4	45	1	1	7	12	18	21	30
20-34	28	4.4	14	1	1	3	7	8	10	18
35-49	30	5.0	15	<1	1	3	9	10	12	13
50-64	30	6.3	55	1	1	4	6	20	23	29
65+	68	12.7	187	2	2	10	16	23	28	88
B. Operated										
0-19 YRS	234	6.0	60	1	2	4	6	13	17	47
20-34	375	5.2	21	1	2	4	6	10	12	25
35-49	148	6.0	30	1	2	5	8	11	15	30
50-64	89	7.7	41	2	2	5	11	16	19	32
65+	60	10.3	143	1	2	7	15	18	30	74
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	10.9	303	1	1	5	15	22	53	84
20-34	31	6.4	48	<1	1	4	9	15	26	28
35-49	48	5.9	19	1	1	5	8	12	16	18
50-64	85	10.1	89	2	2	7	14	19	24	51
65+	393	18.0	281	3	4	13	23	41	56	97
B. Operated										
0-19 YRS	107	6.9	83	1	1	4	8	14	20	83
20-34	153	7.4	105	1	2	4	8	16	21	66
35-49	119	10.3	135	2	3	7	13	21	34	96
50-64	111	14.9	189	3	4	12	19	32	48	90
65+	172	21.5	306	3	5	17	29	45	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	8.4	92	1	1	6	11	18	23	42
B. Operated	906	6.1	44	1	2	4	7	12	17	35
2. MULTIPLE DX										
A. Not Operated	591	14.8	241	2	2	10	19	34	50	90
B. Operated	662	12.8	206	2	2	8	16	30	44	97
1. SINGLE DX	1122	6.6	54	1	2	4	8	14	18	35
2. MULTIPLE DX	1253	13.7	224	2	2	9	18	33	48	93
A. NOT OPERATED	807	13.1	209	1	2	9	16	30	45	87
B. OPERATED	1568	8.9	123	1	2	5	10	20	30	68
TOTAL 0-19 YRS	435	6.9	83	1	1	4	8	15	19	58
20-34	587	5.8	45	1	2	4	6	11	16	33
35-49	345	7.4	68	1	2	5	9	15	20	44
50-64	315	10.7	117	2	2	7	14	22	31	61
65+	693	17.7	276	2	3	13	23	40	58	99
GRAND TOTAL	2375	10.3	156	1	2	6	13	23	35	78

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	16.0		16	16	16	16	16	16	16
B. Operated										
0-19 YRS	58	4.1	7	1	1	3	5	7	10	14
20-34	47	3.6	6	<1	1	2	5	7	9	11
35-49	25	3.4	8	1	1	2	5	7	9	13
50-64	14	5.8	16	1	1	5	9	11	13	14
65+	8	8.9	20	1	2	9	11	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	4	5.8	68	<1	<1	2	10	18	18	18
35-49										
50-64										
65+	6	12.3	151	<1	<1	9	18	32	34	34
B. Operated										
0-19 YRS	50	4.7	10	1	2	4	6	8	11	19
20-34	48	7.6	140	2	2	4	7	14	47	99+
35-49	28	6.7	57	<1	<1	5	7	17	27	33
50-64	35	6.9	18	1	2	6	10	15	15	99+
65+	23	9.7	57	1	2	8	12	21	25	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.3	70	1	1	2	12	16	16	16
B. Operated	152	4.2	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. Not Operated	15	6.8	94	<1	<1	1	10	18	30	34
B. Operated	184	6.8	60	1	2	5	8	14	21	88
1. SINGLE DX	155	4.3	10	1	1	3	6	9	11	16
2. MULTIPLE DX	199	6.8	62	1	2	5	8	15	22	83
A. NOT OPERATED	18	6.7	86	<1	<1	2	11	18	28	34
B. OPERATED	336	5.6	39	1	2	4	7	11	15	48
TOTAL 0-19 YRS	114	4.2	9	1	1	4	5	7	10	16
20-34	99	5.6	76	1	2	3	6	10	16	83
35-49	54	5.1	35	<1	1	3	6	10	18	33
50-64	49	6.6	18	1	2	6	9	14	15	99+
65+	38	10.1	60	1	2	9	13	20	27	34
GRAND TOTAL	354	5.7	41	1	1	4	7	12	16	45

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	9	7.0	27	1	2	6	9	16	18	18
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	5	6.8	15	3	3	7	10	12	12	12
65+										
<i>B. Operated</i>										
0-19 YRS	3	5.3	5	4	4	4	7	8	8	8
20-34	5	3.8	2	3	3	3	4	6	6	6
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	14.0		14	14	14	14	14	14	14
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	6	12.8	188	2	2	8	12	37	40	40
65+	15	12.2	53	3	4	10	17	26	26	26
<i>B. Operated</i>										
0-19 YRS	4	10.8	48	2	2	11	16	18	18	18
20-34	2	12.0	8	10	10	12	14	14	14	14
35-49	2	16.5	181	7	7	16	26	26	26	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	20	5.7	20	<1	1	4	8	12	15	18
<i>B. Operated</i>	11	5.3	12	2	2	4	7	10	14	14
2. MULTIPLE DX										
<i>A. Not Operated</i>	27	10.5	78	2	2	8	12	25	28	40
<i>B. Operated</i>	8	12.5	54	2	3	12	16	24	26	26
1. SINGLE DX	31	5.5	17	1	1	4	8	12	14	18
2. MULTIPLE DX	35	11.0	72	2	2	9	14	26	26	40
A. NOT OPERATED	47	8.5	58	1	1	7	10	18	26	40
B. OPERATED	19	8.3	41	2	2	7	13	17	22	26
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	3.1	6	<1	<1	2	4	7	8	8
35-49	20	6.8	25	1	2	5	8	16	18	18
50-64	12	10.1	103	2	2	8	11	22	37	40
65+	23	11.5	53	3	3	10	15	26	26	26
GRAND TOTAL	66	8.4	53	1	2	7	10	18	26	38

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	57	2.5	3	<1	<1	2	3	5	6	8
20-34	104	3.8	11	1	1	3	4	8	10	19
35-49	95	4.4	12	1	1	3	6	9	13	15
50-64	70	4.9	12	<1	1	4	6	10	12	15
65+	76	6.1	36	1	2	5	7	12	18	36
<i>B. Operated</i>										
0-19 YRS	122	4.2	24	<1	1	2	4	11	18	23
20-34	307	3.8	19	<1	<1	2	4	9	12	23
35-49	200	4.3	16	<1	1	3	5	10	12	21
50-64	217	3.9	24	<1	1	2	4	8	12	34
65+	132	3.0	5	1	1	2	4	5	7	13
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	60	4.3	39	1	1	3	5	7	11	39
20-34	109	5.3	30	1	1	3	7	11	13	32
35-49	129	5.7	26	1	1	4	8	12	15	26
50-64	126	7.2	43	1	2	5	9	14	20	36
65+	201	9.5	87	2	2	7	12	19	25	65
<i>B. Operated</i>										
0-19 YRS	172	6.2	49	<1	2	3	8	16	19	28
20-34	391	4.4	20	<1	1	3	4	10	14	24
35-49	226	5.1	22	<1	1	3	7	12	15	22
50-64	203	6.7	52	<1	1	4	9	16	21	31
65+	165	7.8	145	1	2	3	8	17	28	66
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	402	4.4	16	1	1	3	5	9	12	20
<i>B. Operated</i>	978	3.9	18	<1	<1	2	4	9	12	23
2. MULTIPLE DX										
<i>A. Not Operated</i>	625	7.0	54	1	1	5	9	15	19	39
<i>B. Operated</i>	1157	5.7	49	<1	1	3	6	13	18	31
1. SINGLE DX	1380	4.0	18	<1	1	3	5	9	12	22
2. MULTIPLE DX	1782	6.2	52	1	1	3	8	14	18	36
A. NOT OPERATED	1027	6.0	41	1	1	4	7	13	16	37
B. OPERATED	2135	4.9	36	<1	1	3	5	11	16	28
TOTAL 0-19 YRS	411	4.8	35	<1	1	3	5	12	16	28
20-34	911	4.2	20	<1	<1	3	4	10	13	24
35-49	650	4.9	19	1	1	3	7	11	14	22
50-64	616	5.6	38	<1	1	3	7	13	17	32
65+	574	7.1	84	1	2	4	8	15	23	53
GRAND TOTAL	3162	5.2	38	<1	1	3	6	12	16	28

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	5.0	7	3	3	4	7	9	9	9
50-64	2	6.0	18	3	3	6	9	9	9	9
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.0	8	3	3	4	8	9	9	9
B. Operated										
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated										
1. SINGLE DX	7	5.0	8	3	3	4	8	9	9	9
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. NOT OPERATED	8	5.0	7	3	3	4	7	9	9	9
B. OPERATED										
TOTAL 0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	4	5.0	7	3	3	4	7	9	9	9
50-64	2	6.0	18	3	3	6	9	9	9	9
65+										
GRAND TOTAL	8	5.0	7	3	3	4	7	9	9	9

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	4.0	13	<1	<1	3	5	10	11	11
35-49	1	32.0		32	32	32	32	32	32	32
50-64	2	10.5	5	9	9	10	12	12	12	12
65+										
B. Operated										
0-19 YRS	12	7.0	21	1	1	8	11	12	14	14
20-34	4	5.3	16	2	2	4	8	11	11	11
35-49	2	17.5	181	8	8	17	27	27	27	27
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	5.7	31	1	1	4	7	9	19	28
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	95.0		95	95	95	95	95	95	95
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	4.0	9	1	1	4	6	7	7	7
B. Operated										
0-19 YRS	31	11.9	276	3	3	8	11	18	25	97
20-34	8	17.3	118	5	5	19	31	74	99+	99+
35-49	5	15.4	67	5	5	17	22	24	24	24
50-64	3	13.7	80	8	8	9	20	24	24	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	8.1	87	<1	<1	5	11	22	32	32
B. Operated	18	7.8	40	1	1	7	11	13	22	27
2. MULTIPLE DX										
A. Not Operated	47	7.3	199	1	1	4	7	10	25	95
B. Operated	47	13.3	212	3	4	9	17	25	42	99+
1. SINGLE DX	28	7.9	54	1	1	6	11	13	27	32
2. MULTIPLE DX	94	10.3	212	1	2	7	11	24	29	99
A. NOT OPERATED	57	7.4	177	1	1	4	7	12	27	91
B. OPERATED	65	11.8	169	2	3	9	14	24	30	99+
TOTAL 0-19 YRS	90	7.9	119	1	1	5	9	14	18	69
20-34	14	11.6	114	1	2	11	19	36	84	99+
35-49	9	26.6	744	5	6	22	28	70	95	95
50-64	6	11.2	45	5	5	9	12	23	24	24
65+	3	4.0	9	1	1	4	6	7	7	7
GRAND TOTAL	122	9.7	176	1	2	7	11	22	28	98

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.5	1	<1	<1	1	2	2	3	5
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	265	2.3	4	<1	<1	2	3	4	5	10
20-34	68	2.7	2	<1	<1	2	3	5	5	8
35-49	29	4.6	24	<1	<1	3	5	10	20	20
50-64	12	2.9	1	1	1	3	4	4	4	4
65+	8	3.4	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	3	<1	<1	1	3	5	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	69	4.3	49	<1	1	2	5	8	10	49
20-34	27	5.1	57	1	2	3	5	6	15	41
35-49	15	2.9	3	<1	<1	2	5	5	6	6
50-64	14	4.2	5	2	2	4	5	7	9	10
65+	7	3.6	3	1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.5	1	<1	<1	1	2	2	3	5
B. Operated	382	2.6	5	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. Not Operated	20	2.0	3	<1	<1	1	3	5	6	6
B. Operated	132	4.3	38	<1	1	3	5	7	10	44
1. SINGLE DX	408	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX	152	4.0	34	<1	1	3	5	7	9	41
A. NOT OPERATED	46	1.7	2	<1	<1	1	2	3	5	6
B. OPERATED	514	3.0	14	<1	<1	2	3	5	7	19
TOTAL 0-19 YRS	376	2.6	13	<1	<1	2	3	5	7	12
20-34	96	3.4	19	<1	<1	3	4	5	8	27
35-49	46	3.9	17	<1	<1	3	5	7	14	20
50-64	27	3.6	4	1	2	3	4	6	7	10
65+	15	3.5	3	1	2	4	5	5	7	7
GRAND TOTAL	560	2.9	13	<1	<1	2	3	5	7	18

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.8	17	<1	<1	4	7	10	12	19
20-34	7	5.0	7	1	1	6	7	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	6.3	18	1	1	6	9	11	11	11
65+	2	6.5	1	6	6	6	7	7	7	7
B. Operated										
0-19 YRS	126	5.1	14	2	2	3	8	9	12	15
20-34	44	5.9	38	<1	1	4	8	11	21	28
35-49	19	5.6	48	<1	<1	3	8	18	23	23
50-64	10	6.7	23	1	1	7	11	12	12	12
65+	4	5.0	29	1	1	3	8	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	6.5	71	<1	1	4	7	12	22	51
20-34	20	3.8	10	<1	<1	3	6	9	10	11
35-49	13	5.2	31	1	1	3	7	12	19	21
50-64	9	6.9	21	1	1	7	12	57	99+	99+
65+	8	19.0	291	5	6	12	23	48	58	58
B. Operated										
0-19 YRS	153	6.8	56	2	2	3	9	16	19	40
20-34	51	9.0	64	1	2	7	12	20	29	33
35-49	24	10.6	73	2	3	9	14	20	31	37
50-64	17	9.4	112	1	2	4	14	22	35	42
65+	9	10.6	133	1	1	8	12	29	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	5.0	14	<1	1	4	7	10	11	19
B. Operated	203	5.4	23	1	2	3	9	11	12	25
2. MULTIPLE DX										
A. Not Operated	135	6.7	76	<1	1	4	8	13	24	67
B. Operated	254	7.9	66	2	2	5	11	17	22	40
1. SINGLE DX	243	5.3	21	1	1	3	8	10	12	24
2. MULTIPLE DX	389	7.5	70	1	2	4	10	17	22	50
A. NOT OPERATED	175	6.3	62	<1	1	4	8	12	21	61
B. OPERATED	457	6.8	48	1	2	4	9	14	19	37
TOTAL 0-19 YRS	390	6.1	43	1	2	3	9	12	17	32
20-34	122	6.8	46	<1	1	5	9	14	24	31
35-49	57	7.5	59	1	1	4	10	19	23	36
50-64	40	7.9	59	1	1	5	12	15	32	99+
65+	23	12.2	175	1	2	9	13	28	46	58
GRAND TOTAL	632	6.7	52	1	1	4	9	13	19	39

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	122	5.6	5	2	3	6	7	8	9	12	
20-34	5	5.4	4	2	2	6	7	7	7	7	
35-49	2	4.0	8	2	2	4	6	6	6	6	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	11	1.6	2	<1	<1	1	2	4	5	5	
20-34	1	1.0		1	1	1	1	1	1	1	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	125	6.8	23	2	3	6	8	11	14	28	
20-34	6	5.2	5	2	2	5	7	8	8	8	
35-49											
50-64	1	10.0		10	10	10	10	10	10	10	
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	3	3.3	4	1	1	4	5	5	5	5	
B. Operated	129	5.6	5	2	2	6	7	8	9	12	
2. MULTIPLE DX											
A. Not Operated	12	1.6	2	<1	<1	1	2	4	5	5	
B. Operated	132	6.8	22	2	3	6	8	11	14	26	
1. SINGLE DX	132	5.5	5	2	2	6	7	8	9	12	
2. MULTIPLE DX	144	6.3	22	1	2	6	8	10	13	24	
A. NOT OPERATED	15	1.9	2	<1	<1	1	3	5	5	5	
B. OPERATED	261	6.2	14	2	3	6	7	9	11	22	
TOTAL 0-19 YRS	261	6.0	14	1	2	6	7	9	11	22	
20-34	12	4.9	6	1	2	5	7	8	8	8	
35-49	2	4.0	8	2	2	4	6	6	6	6	
50-64	1	10.0		10	10	10	10	10	10	10	
65+											
GRAND TOTAL	276	5.9	14	1	2	6	7	9	11	21	

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	7	2.4	5	1	1	2	3	6	7	7	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	75	5.4	14	3	3	4	6	8	9	28	
20-34											
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	5.0	3	3	3	6	6	6	6	6	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	23	8.0	57	3	4	6	8	15	26	38	
20-34											
35-49											
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	7	2.4	5	1	1	2	3	6	7	7	
B. Operated	75	5.4	14	3	3	4	6	8	9	28	
2. MULTIPLE DX											
A. Not Operated	3	5.0	3	3	3	6	6	6	6	6	
B. Operated	23	8.0	57	3	4	6	8	15	26	38	
1. SINGLE DX	82	5.1	14	2	3	4	6	8	9	27	
2. MULTIPLE DX	26	7.7	52	3	3	6	7	14	24	38	
A. NOT OPERATED	10	3.2	5	1	1	2	6	7	7	7	
B. OPERATED	98	6.0	25	3	3	5	6	8	12	36	
TOTAL 0-19 YRS	108	5.8	24	2	3	5	6	8	11	35	
20-34											
35-49											
50-64											
65+											
GRAND TOTAL	108	5.8	24	2	3	5	6	8	11	35	

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
I. SINGLE DX											
A. Not Operated											
0-19 YRS	49	1.7	3	<1	<1	1	2	3	5	9	
20-34	2	2.0		2	2	2	2	2	2	2	
35-49	2	1.5	1	<1	<1	1	2	2	2	2	
50-64	9	4.9	27	<1	<1	4	6	14	16	16	
65+	2	4.0	8	2	2	4	6	6	6	6	
B. Operated											
0-19 YRS	76	4.9	23	<1	<1	3	7	11	15	23	
20-34	44	3.7	14	<1	<1	2	5	6	12	21	
35-49	11	4.9	41	<1	<1	3	6	14	22	23	
50-64	9	8.3	20	2	2	8	10	15	17	17	
65+	5	4.4	6	1	1	4	6	8	8	8	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	37	5.3	33	1	1	3	6	13	20	24	
20-34	2	3.0		3	3	3	3	3	3	3	
35-49	3										
50-64	3	12.3	57	7	7	9	18	21	21	21	
65+	6	8.8	24	2	2	9	11	16	16	16	
B. Operated											
0-19 YRS	91	10.6	116	1	2	9	14	20	27	65	
20-34	34	8.3	53	<1	<1	6	12	16	24	34	
35-49	15	10.5	112	<1	1	6	18	21	34	38	
50-64	13	8.7	61	1	2	6	16	19	24	25	
65+	9	17.0	164	7	7	13	20	38	48	48	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	64	2.2	7	<1	<1	1	2	4	8	15	
B. Operated											
	145	4.7	21	<1	<1	3	6	11	14	23	
2. MULTIPLE DX											
A. Not Operated											
	48	6.1	34	1	1	4	8	14	21	24	
B. Operated											
	162	10.3	102	1	2	9	14	20	26	56	
1. SINGLE DX	209	4.0	18	<1	<1	2	5	9	12	22	
2. MULTIPLE DX	210	9.3	89	1	1	7	13	20	25	52	
A. NOT OPERATED	112	3.9	22	<1	<1	2	4	11	15	23	
B. OPERATED	307	7.7	71	<1	1	5	11	17	22	42	
TOTAL 0-19 YRS											
	253	6.4	65	<1	<1	3	9	15	19	37	
20-34	82	5.6	35	<1	<1	4	7	13	17	31	
35-49	28	7.7	83	<1	<1	4	11	21	24	38	
50-64	34	7.9	42	1	1	7	11	17	20	25	
65+	22	10.7	101	1	2	8	13	20	33	48	
GRAND TOTAL	419	6.7	61	<1	<1	4	9	16	21	37	

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	5	1.8	3	1	1	1	2	5	5	5	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	282	2.9	2	<1	1	3	4	5	6	9	
20-34	44	4.3	10	1	2	3	5	8	11	18	
35-49	12	3.9	11	<1	1	3	4	9	12	13	
50-64	1	2.0		2	2	2	2	2	2	2	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2	
20-34	2	1.0		<1	<1	<1	1	1	1	1	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	202	3.2	5	1	1	3	4	5	7	14	
20-34	31	3.6	7	<1	1	3	5	6	6	15	
35-49	7	4.7	9	2	2	4	6	10	11	11	
50-64	5	10.2	101	3	3	5	16	27	27	27	
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	5	1.8	3	1	1	1	2	5	5	5	
B. Operated	339	3.1	4	<1	1	3	4	5	7	11	
2. MULTIPLE DX											
A. Not Operated	14	1.1		<1	<1	1	1	2	2	2	
B. Operated	245	3.4	8	1	1	3	4	6	8	15	
1. SINGLE DX	344	3.1	4	<1	1	3	4	5	7	11	
2. MULTIPLE DX	259	3.3	8	<1	1	3	4	6	8	15	
A. NOT OPERATED	19	1.3	1	<1	<1	1	1	2	4	5	
B. OPERATED	584	3.2	6	<1	1	3	4	5	7	13	
TOTAL											
0-19 YRS	501	2.9	4	<1	1	3	4	5	6	10	
20-34	77	3.9	9	<1	1	3	5	6	10	17	
35-49	19	4.2	10	1	2	3	5	9	12	13	
50-64	6	8.8	92	2	2	4	12	25	27	27	
65+											
GRAND TOTAL	603	3.2	6	<1	1	3	4	5	7	13	

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	3	14.0	331	3	3	4	27	35	35	35
35-49	4	5.0	5	3	3	5	7	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	5.5	13	3	3	5	8	8	8	8
B. Operated										
0-19 YRS	147	6.7	29	1	1	5	10	13	17	22
20-34	70	5.5	26	<1	1	4	6	13	18	22
35-49	13	4.0	5	<1	1	3	6	7	8	8
50-64	9	6.8	12	2	2	7	9	11	13	13
65+	9	4.9	17	2	2	3	8	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.6	9	<1	1	2	5	8	10	11
20-34	9	3.1	5	<1	<1	2	5	6	6	6
35-49	9	5.6	9	1	1	6	8	9	9	9
50-64	7	5.0	12	1	1	7	8	9	9	9
65+	7	6.9	11	2	2	7	9	11	11	11
B. Operated										
0-19 YRS	124	9.2	75	1	2	8	13	17	20	50
20-34	74	7.9	55	<1	2	6	10	14	18	48
35-49	46	11.3	92	2	2	9	15	24	30	45
50-64	37	13.5	107	1	3	11	18	26	38	43
65+	14	17.6	343	2	3	12	16	57	62	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	5.5	63	1	1	3	7	8	26	35
B. Operated	248	6.2	27	<1	1	4	9	13	16	22
2. MULTIPLE DX										
A. Not Operated	47	4.6	10	1	1	4	7	9	10	11
B. Operated	295	10.1	93	1	2	8	13	19	25	56
1. SINGLE DX	265	6.1	29	1	1	4	9	13	16	22
2. MULTIPLE DX	342	9.4	85	1	2	7	12	18	25	56
A. NOT OPERATED	64	4.8	23	1	1	4	7	8	10	32
B. OPERATED	543	8.3	66	1	2	6	12	16	21	44
TOTAL 0-19 YRS	293	7.5	50	1	1	5	11	15	18	28
20-34	156	6.7	45	<1	1	5	8	14	18	34
35-49	72	8.9	71	1	2	6	12	19	25	44
50-64	54	11.1	88	1	2	9	14	23	35	43
65+	32	10.9	187	2	2	8	12	18	53	63
GRAND TOTAL	607	8.0	63	1	1	6	11	16	21	43

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.6	6	1	1	2	4	6	8	8
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	119	4.4	6	2	2	4	5	8	9	11
20-34	14	5.9	13	2	3	5	8	10	15	16
35-49	8	5.1	2	3	3	5	6	7	7	7
50-64	4	5.3	2	4	4	5	6	7	7	7
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. Operated										
0-19 YRS	62	4.6	10	2	2	4	5	9	11	16
20-34	26	5.0	10	1	2	4	6	8	11	17
35-49	16	4.3	4	2	2	4	6	7	8	8
50-64	23	4.0	9	2	2	3	4	5	10	17
65+	11	4.3	6	2	2	4	5	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.6	6	1	1	2	4	6	8	8
B. Operated	147	4.6	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	11	1.4	1	<1	<1	1	1	3	5	5
B. Operated	138	4.5	8	2	2	4	5	8	10	17
1. SINGLE DX	157	4.4	6	1	2	4	5	8	9	14
2. MULTIPLE DX	149	4.3	9	1	2	4	5	8	9	17
A. NOT OPERATED	21	2.0	4	<1	<1	1	2	5	6	8
B. OPERATED	285	4.5	7	2	2	4	5	8	9	16
TOTAL 0-19 YRS	200	4.2	7	1	1	3	5	8	9	13
20-34	41	5.2	11	1	2	5	6	8	12	17
35-49	24	4.5	3	2	3	4	6	7	8	8
50-64	28	4.2	8	2	2	4	4	6	8	17
65+	13	4.2	5	2	2	4	4	6	10	11
GRAND TOTAL	306	4.4	7	1	2	4	5	8	9	16

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	3.8	14	<1	1	2	5	9	13	16
20-34	10	4.5	6	2	2	4	6	8	10	10
35-49	10	3.8	3	1	1	4	5	6	6	6
50-64	11	6.8	102	1	2	4	5	18	35	37
65+	5	6.4	15	1	1	7	10	10	10	10
B. Operated										
0-19 YRS	295	4.8	17	1	1	3	7	10	13	22
20-34	195	4.4	29	1	2	3	4	8	11	25
35-49	65	4.6	15	1	2	3	5	9	12	23
50-64	40	6.8	24	1	2	5	10	14	16	19
65+	10	3.9	7	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	7.3	40	1	1	5	11	16	20	28
20-34	20	8.9	99	2	3	6	8	16	33	48
35-49	14	6.6	37	1	1	4	9	17	19	20
50-64	13	8.5	21	4	4	7	12	16	17	17
65+	21	9.5	21	3	4	10	12	15	18	20
B. Operated										
0-19 YRS	137	8.9	79	2	2	7	11	16	27	57
20-34	98	7.8	93	1	2	5	10	16	21	59
35-49	51	9.0	93	2	2	6	13	17	39	99
50-64	44	12.7	179	2	2	9	22	26	33	74
65+	23	11.5	65	2	3	10	15	21	27	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	4.4	22	1	1	3	5	10	13	27
B. Operated	605	4.8	21	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. Not Operated	155	7.8	43	1	2	6	12	16	19	28
B. Operated	353	9.2	98	2	2	7	12	19	27	62
1. SINGLE DX	703	4.7	21	1	1	3	5	10	12	22
2. MULTIPLE DX	508	8.8	81	1	2	6	12	18	25	55
A. NOT OPERATED	253	6.5	38	1	1	4	9	14	17	28
B. OPERATED	958	6.4	54	1	2	4	8	13	18	37
TOTAL 0-19 YRS	581	6.0	38	1	1	4	8	13	16	29
20-34	323	5.7	55	1	2	3	6	11	15	42
35-49	140	6.4	48	1	2	4	8	14	18	59
50-64	108	9.4	100	2	2	6	12	23	26	53
65+	59	9.1	42	1	2	8	12	18	21	36
GRAND TOTAL	1211	6.4	51	1	2	4	8	13	17	36

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	473	3.4	11	1	1	3	4	6	9	15
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	21	4.4	48	1	1	2	3	10	22	32
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	289	7.5	88	1	1	4	8	17	27	55
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	16	14.5	200	1	1	10	23	40	44	45
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	473	3.4	11	1	1	3	4	6	9	15
B. Operated	21	4.4	48	1	1	2	3	10	22	32
2. MULTIPLE DX										
A. Not Operated	289	7.5	88	1	1	4	8	17	27	55
B. Operated	16	14.5	200	1	1	10	23	40	44	45
1. SINGLE DX	494	3.5	13	1	1	3	4	6	9	19
2. MULTIPLE DX	305	7.8	95	1	1	4	10	20	29	55
A. NOT OPERATED	762	5.0	44	1	1	3	5	10	15	37
B. OPERATED	37	8.8	136	1	1	3	13	24	38	45
TOTAL 0-19 YRS	799	5.2	49	1	1	3	5	11	17	41
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	799	5.2	49	1	1	3	5	11	17	41

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	620	3.0	5	1	1	2	4	6	7	12	
20-34	119	4.4	28	1	1	3	5	10	14	28	
35-49	57	3.6	6	1	1	3	4	7	8	14	
50-64	50	4.6	11	1	1	4	6	9	12	16	
65+	43	6.0	31	<1	1	4	8	13	20	26	
B. Operated											
0-19 YRS	4	6.5	16	3	3	5	9	12	12	12	
20-34	1	6.0		6	6	6	6	6	6	6	
35-49	2	4.0		4	4	4	4	4	4	4	
50-64											
65+	1	10.0		10	10	10	10	10	10	10	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	920	4.0	16	1	1	3	5	8	10	23	
20-34	117	4.4	16	1	1	3	6	9	11	23	
35-49	105	7.2	78	1	1	5	9	15	18	50	
50-64	132	5.9	24	1	1	5	8	11	16	26	
65+	190	9.1	74	2	2	7	11	19	27	55	
B. Operated											
0-19 YRS	10	9.4	71	1	2	7	10	21	32	32	
20-34	7	6.6	50	1	1	5	6	19	22	22	
35-49	5	9.6	44	3	3	8	16	18	18	18	
50-64	9	8.7	17	2	3	9	12	14	15	15	
65+	10	22.6	274	6	7	17	34	48	60	60	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	889	3.5	10	1	1	3	4	7	9	16	
B. Operated											
	8	6.3	11	3	3	5	8	11	12	12	
2. MULTIPLE DX											
A. Not Operated											
	1464	5.1	32	1	1	3	6	10	15	28	
B. Operated											
	41	12.0	131	2	3	8	15	26	35	60	
1. SINGLE DX											
	897	3.5	10	1	1	3	4	7	9	16	
2. MULTIPLE DX											
	1505	5.3	36	1	1	4	6	11	16	31	
A. NOT OPERATED											
	2353	4.5	24	1	1	3	5	9	13	26	
B. OPERATED											
	49	11.1	115	2	3	8	13	22	34	60	
TOTAL 0-19 YRS											
	1554	3.6	12	1	1	3	4	7	9	18	
20-34	244	4.5	23	1	1	3	6	10	12	23	
35-49	169	6.1	55	1	1	4	7	14	17	27	
50-64	191	5.7	21	1	1	5	7	11	15	26	
65+	244	9.1	82	1	2	6	11	20	28	60	
GRAND TOTAL											
	2402	4.6	27	1	1	3	6	9	13	27	

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	418	2.9	5	1	1	2	4	5	7	11	
20-34	34	4.9	13	1	2	3	6	10	14	15	
35-49	14	4.3	10	1	1	4	5	8	12	13	
50-64	15	4.7	7	1	2	4	7	9	10	10	
65+	29	5.9	13	2	2	5	8	11	13	16	
B. Operated											
0-19 YRS	2	13.5	85	7	7	13	20	20	20	20	
20-34	7	3.0		3	3	3	3	3	3	3	
35-49	3	16.0	469	3	3	4	32	41	41	41	
50-64											
65+	1	53.0		53	53	53	53	53	53	53	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	494	3.6	6	1	1	3	5	7	8	13	
20-34	63	5.3	21	1	2	4	6	10	12	25	
35-49	33	4.8	10	2	2	4	6	8	12	15	
50-64	52	6.7	14	1	3	6	9	12	15	97	
65+	97	7.8	32	2	2	6	10	16	19	68	
B. Operated											
0-19 YRS	7	16.4	182	1	2	14	21	39	43	43	
20-34	9	7.4	41	2	2	3	15	16	17	17	
35-49	5	14.4	46	7	7	15	19	24	24	24	
50-64	11	20.8	414	3	4	13	25	56	69	70	
65+	10	20.8	116	2	8	20	26	36	42	42	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	510	3.3	7	1	1	2	4	6	9	14	
B. Operated											
	13	11.5	277	3	3	3	10	43	51	53	
2. MULTIPLE DX											
A. Not Operated											
	739	4.5	14	1	1	4	6	9	12	20	
B. Operated											
	42	16.5	193	2	3	14	22	34	44	70	
1. SINGLE DX											
	523	3.5	15	1	1	3	4	6	9	16	
2. MULTIPLE DX											
	781	5.2	30	1	1	4	6	11	15	29	
A. NOT OPERATED											
	1249	4.0	12	1	1	3	5	8	11	17	
B. OPERATED											
	55	15.3	213	2	3	13	20	41	45	69	
TOTAL 0-19 YRS											
	921	3.4	9	1	1	3	4	6	8	14	
20-34	113	5.2	19	1	2	4	6	11	15	24	
35-49	55	6.2	43	1	2	4	7	13	17	40	
50-64	78	8.3	91	1	2	6	10	14	24	91	
65+	137	8.6	60	2	2	6	12	18	22	59	
GRAND TOTAL											
	1304	4.5	25	1	1	3	5	9	13	25	

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	71	2.8	5	<1	1	2	4	6	9	10	
20-34	124	3.9	11	1	1	3	5	10	11	15	
35-49	76	3.6	10	1	1	2	5	9	10	13	
50-64	32	5.3	61	<1	<1	3	5	10	24	40	
65+	30	4.2	6	<1	1	4	5	7	10	11	
B. Operated											
0-19 YRS											
20-34	6	3.2	3	2	2	3	4	6	6	6	
35-49	12	3.3	3	1	1	3	4	6	7	7	
50-64	5	8.8	68	3	3	5	12	23	23	23	
65+	8	4.0	6	2	2	3	5	8	9	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	65	4.4	8	1	1	4	6	8	10	11	
20-34	134	6.0	81	1	1	4	7	11	13	36	
35-49	88	5.7	39	1	1	3	7	14	19	33	
50-64	77	6.6	42	1	1	4	8	13	18	38	
65+	81	7.8	35	2	3	6	10	16	25	77	
B. Operated											
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9	
20-34	8	8.3	50	2	2	5	13	20	22	22	
35-49	24	8.0	58	1	2	6	10	17	24	35	
50-64	11	7.5	38	<1	2	7	9	16	23	24	
65+	11	13.8	153	3	4	7	18	37	39	39	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	333	3.8	14	1	1	2	5	8	11	15	
B. Operated											
	31	4.3	16	1	2	3	5	8	9	23	
2. MULTIPLE DX											
A. Not Operated											
	445	6.1	48	1	1	4	8	12	17	31	
B. Operated											
	56	9.0	72	2	2	7	11	20	32	39	
1. SINGLE DX											
	364	3.8	14	1	1	3	5	8	10	15	
2. MULTIPLE DX											
	501	6.5	51	1	1	4	8	13	19	37	
A. NOT OPERATED											
	778	5.1	35	1	1	4	6	11	14	27	
B. OPERATED											
	87	7.3	57	2	2	4	9	16	23	38	
TOTAL 0-19 YRS											
	138	3.6	7	1	1	2	5	8	9	11	
20-34	272	5.0	48	1	1	3	6	11	13	24	
35-49	200	5.1	30	1	1	3	6	10	16	28	
50-64	125	6.5	47	1	1	4	8	12	21	40	
65+	130	7.3	42	1	2	5	8	15	24	51	
GRAND TOTAL											
	865	5.4	37	1	1	4	7	11	14	31	

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	38	1.6	1	<1	<1	1	2	3	4	6	
20-34	30	2.2	3	<1	1	2	3	4	7	7	
35-49	32	2.7	2	<1	1	3	4	5	5	8	
50-64	72	2.7	3	<1	<1	2	3	5	6	9	
65+	85	3.0	5	1	1	2	4	6	7	11	
B. Operated											
0-19 YRS	19	1.5		1	1	1	2	2	3	3	
20-34	17	3.2	3	<1	<1	3	4	6	7	7	
35-49	14	4.3	5	1	2	4	6	8	8	8	
50-64	22	3.7	3	1	2	4	5	6	7	7	
65+	19	2.8	3	1	1	3	4	5	6	6	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	48	3.3	16	<1	1	2	3	7	10	23	
20-34	29	2.9	3	1	1	3	4	6	6	7	
35-49	37	4.5	16	<1	1	4	5	8	12	22	
50-64	70	4.0	8	1	1	3	5	8	9	17	
65+	166	4.7	15	1	1	3	6	9	13	20	
B. Operated											
0-19 YRS	10	3.2	12	1	1	2	4	9	12	12	
20-34	11	4.5	14	<1	1	3	6	10	14	14	
35-49	26	5.0	13	1	1	4	7	11	12	15	
50-64	37	4.3	9	1	1	4	6	8	9	15	
65+	91	6.8	53	1	2	4	8	15	20	44	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	257	2.6	3	<1	1	2	3	5	6	9	
B. Operated											
	91	3.0	3	1	1	3	4	6	7	8	
2. MULTIPLE DX											
A. Not Operated											
	350	4.2	13	1	1	3	5	8	11	20	
B. Operated											
	175	5.6	34	1	1	4	7	11	15	29	
1. SINGLE DX	348	2.7	3	<1	1	2	4	5	6	9	
2. MULTIPLE DX	525	4.7	21	1	1	3	6	9	14	21	
A. NOT OPERATED	607	3.5	10	<1	1	3	4	7	9	18	
B. OPERATED	266	4.7	25	1	1	3	6	8	14	24	
TOTAL 0-19 YRS											
	115	2.4	9	<1	1	1	2	5	8	18	
20-34	87	2.9	5	<1	1	2	4	6	7	12	
35-49	109	4.1	10	<1	1	3	5	8	9	18	
50-64	201	3.5	6	<1	1	3	5	7	8	13	
65+	361	4.7	24	1	1	3	6	9	14	21	
GRAND TOTAL	873	3.9	15	1	1	3	5	8	9	20	

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	26	3.3	3	<1	1	3	4	5	6	7
20-34	11	2.2	1	<1	1	2	3	4	4	4
35-49	18	3.2	8	<1	<1	2	3	8	9	10
50-64	14	2.5	4	<1	<1	2	3	4	8	9
65+	14	5.9	18	<1	1	5	10	13	13	13
<i>B. Operated</i>										
0-19 YRS	42	2.6	5	<1	<1	2	3	6	8	10
20-34	55	2.8	6	<1	<1	2	3	5	7	14
35-49	34	3.2	8	<1	1	3	4	5	6	17
50-64	22	2.9	3	<1	1	3	4	5	6	7
65+	8	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	22	3.2	3	<1	1	3	4	6	6	6
20-34	19	3.0	10	<1	1	2	4	7	11	14
35-49	20	4.7	12	1	2	4	5	9	13	16
50-64	44	6.7	29	1	1	6	10	13	19	24
65+	59	6.2	31	1	1	4	9	14	21	24
<i>B. Operated</i>										
0-19 YRS	15	5.5	19	1	1	4	9	13	13	13
20-34	17	6.9	53	<1	1	3	10	20	23	24
35-49	16	5.6	23	<1	<1	5	7	17	71	99+
50-64	20	5.7	22	1	2	3	11	13	14	14
65+	21	8.9	109	1	1	4	11	25	34	42
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	83	3.4	8	<1	1	3	4	7	10	13
<i>B. Operated</i>	161	2.8	5	<1	1	2	3	5	7	14
2. MULTIPLE DX										
<i>A. Not Operated</i>	164	5.4	24	1	1	4	7	11	15	24
<i>B. Operated</i>	89	6.6	48	<1	1	4	10	15	23	77
1. SINGLE DX	244	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	253	5.8	32	1	1	4	8	13	18	28
A. NOT OPERATED	247	4.7	19	1	1	3	6	10	14	22
B. OPERATED	250	4.2	24	<1	1	2	5	10	14	28
TOTAL 0-19 YRS	105	3.3	6	<1	1	3	4	7	9	13
20-34	102	3.4	16	<1	1	2	3	7	13	22
35-49	88	4.0	12	<1	1	3	5	9	15	68
50-64	100	5.1	21	<1	1	3	7	12	14	22
65+	102	6.4	44	1	1	4	8	14	22	35
GRAND TOTAL	497	4.5	21	<1	1	3	5	10	14	24

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	5.5	1	5	5	5	6	6	6	6
	5	10.0	82	3	3	6	16	24	24	24
<i>B. Operated</i>										
0-19 YRS	2	22.0	512	6	6	22	38	38	38	38
20-34	8	4.9	29	1	1	3	4	14	18	18
35-49	4	12.3	30	8	8	10	16	20	20	20
50-64	5	10.6	180	2	2	6	15	34	34	34
65+	13	13.5	89	2	3	12	21	27	29	30
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	10.0	72	2	2	9	13	24	24	24
65+	30	14.9	191	2	4	12	18	47	59	99+
<i>B. Operated</i>										
0-19 YRS	1	45.0		45	45	45	45	45	45	45
20-34	5	23.4	1726	1	1	2	35	97	97	97
35-49	8	21.1	341	3	4	16	29	52	58	58
50-64	34	21.2	266	3	5	17	29	42	47	85
65+	84	27.0	423	5	7	23	38	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	7	8.7	59	3	3	6	12	22	24	24
<i>B. Operated</i>	32	11.3	104	2	2	7	18	27	34	38
2. MULTIPLE DX										
<i>A. Not Operated</i>	39	13.2	165	1	3	9	17	36	54	99+
<i>B. Operated</i>	132	25.2	417	3	5	21	34	65	94	99+
1. SINGLE DX	39	10.8	95	2	2	6	17	25	32	38
2. MULTIPLE DX	171	22.4	383	3	4	18	30	58	87	99+
A. NOT OPERATED	46	12.5	150	2	3	9	16	24	50	99+
B. OPERATED	164	22.5	385	3	3	19	30	53	85	99+
TOTAL 0-19 YRS	3	29.7	432	6	6	38	43	45	45	45
20-34	16	10.4	557	1	1	3	5	18	73	97
35-49	13	17.4	232	4	6	12	20	42	55	58
50-64	46	18.2	246	2	3	13	26	34	45	85
65+	132	22.3	361	3	4	19	30	60	95	99+
GRAND TOTAL	210	20.3	350	2	3	16	28	47	84	99+

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.2	2	<1	<1	2	3	4	5	6
20-34	202	2.6	4	<1	1	2	3	5	6	9
35-49	486	3.4	9	1	1	3	4	6	8	14
50-64	482	3.6	8	1	1	3	5	7	9	15
65+	337	4.8	22	1	1	3	6	10	13	27
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	4.3	9	1	2	3	5	10	11	11
35-49	70	3.8	10	1	1	3	5	8	10	17
50-64	91	2.7	6	1	1	2	3	5	8	13
65+	18	3.8	19	1	1	2	4	12	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.0	5	1	1	2	4	6	7	9
20-34	207	3.8	23	<1	1	2	5	8	9	26
35-49	626	3.9	9	1	1	3	5	8	10	15
50-64	935	5.0	16	1	1	4	6	10	13	21
65+	943	6.0	25	1	2	4	8	13	16	27
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	34	6.3	29	1	1	5	9	14	17	25
35-49	151	5.6	51	1	2	4	7	12	14	29
50-64	225	6.0	46	1	1	4	8	12	17	35
65+	117	8.8	69	1	2	6	13	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1540	3.6	11	1	1	3	5	7	9	16
B. Operated	192	3.3	9	1	1	2	4	8	9	15
2. MULTIPLE DX										
A. Not Operated	2760	5.0	19	1	1	4	6	10	13	22
B. Operated	528	6.5	52	1	2	4	8	14	18	35
1. SINGLE DX	1732	3.6	11	1	1	3	4	7	9	16
2. MULTIPLE DX	3288	5.2	24	1	1	4	7	11	14	24
A. NOT OPERATED	4300	4.5	17	1	1	3	6	9	12	21
B. OPERATED	720	5.7	43	1	1	3	7	13	17	31
TOTAL 0-19 YRS	84	2.7	4	<1	1	2	4	5	7	9
20-34	455	3.5	15	<1	1	2	4	7	9	16
35-49	1333	3.9	14	1	1	3	5	8	10	16
50-64	1733	4.6	18	1	1	3	6	9	12	21
65+	1415	5.9	29	1	2	4	8	13	16	28
GRAND TOTAL	5020	4.7	20	1	1	3	6	10	13	22

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	3.6	15	<1	1	2	4	8	10	20
20-34	16	3.3	11	<1	<1	2	4	9	12	13
35-49	14	4.6	12	1	1	3	7	10	12	12
50-64	17	4.6	15	1	1	3	6	10	14	15
65+	49	6.4	37	1	1	5	8	14	17	35
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	12	4.4	13	<1	1	3	7	10	11	11
35-49	14	4.4	8	1	2	4	5	8	10	11
50-64	23	6.4	37	1	2	5	9	12	19	29
65+	28	8.7	180	1	1	3	7	26	45	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	4.8	32	1	1	3	6	9	12	29
20-34	37	3.9	17	<1	1	3	5	8	10	23
35-49	52	3.2	9	<1	1	2	4	7	11	14
50-64	74	6.7	51	1	1	5	8	14	17	43
65+	181	7.6	50	1	2	6	10	17	24	83
B. Operated										
0-19 YRS	6	10.7	42	5	5	8	12	22	23	23
20-34	11	6.1	17	2	2	5	8	12	16	16
35-49	20	5.8	15	1	1	5	8	11	13	14
50-64	49	8.4	46	1	2	7	12	18	21	33
65+	61	9.3	47	1	2	8	14	18	24	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	251	4.3	20	<1	1	3	5	9	13	20
B. Operated	80	6.4	79	1	1	4	8	12	26	52
2. MULTIPLE DX										
A. Not Operated	478	5.9	40	1	1	4	7	13	18	46
B. Operated	147	8.4	41	1	2	7	12	17	21	36
1. SINGLE DX	331	4.8	35	1	1	3	6	10	13	31
2. MULTIPLE DX	625	6.5	42	1	1	5	8	14	19	44
A. NOT OPERATED	729	5.4	34	1	1	4	7	12	17	31
B. OPERATED	227	7.7	55	1	1	6	10	17	23	46
TOTAL 0-19 YRS	298	4.3	24	1	1	3	5	9	12	24
20-34	76	4.2	15	<1	<1	3	5	9	11	21
35-49	100	4.1	11	1	1	3	5	9	12	14
50-64	163	7.0	44	1	1	5	9	15	18	33
65+	319	7.9	59	1	2	6	10	17	25	67
GRAND TOTAL	956	5.9	40	1	1	4	8	13	17	35

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	38	3.1	4	1	1	3	4	7	7	8	
20-34	224	2.6	3	1	1	2	3	5	6	9	
35-49	235	2.4	5	<1	1	2	3	4	5	10	
50-64	156	2.7	5	1	1	2	3	5	7	13	
65+	113	4.6	44	1	1	3	5	8	12	36	
B. Operated											
0-19 YRS	42	2.0	4	<1	<1	1	2	5	7	9	
20-34	42	4.8	18	<1	<1	3	6	11	14	18	
35-49	56	4.4	11	<1	<1	3	7	8	11	17	
50-64	35	6.2	19	2	2	4	9	13	14	17	
65+	47	7.3	39	1	1	6	8	14	23	28	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	33	5.8	21	1	1	5	8	12	13	23	
20-34	102	2.8	7	<1	1	2	4	6	6	16	
35-49	99	3.2	9	1	1	2	4	7	8	17	
50-64	121	4.5	19	1	1	3	5	8	14	23	
65+	196	7.8	71	1	2	5	9	17	28	78	
B. Operated											
0-19 YRS	25	4.5	19	<1	<1	3	6	10	14	18	
20-34	39	6.8	39	<1	1	5	7	18	21	26	
35-49	36	7.4	25	<1	2	6	10	16	18	20	
50-64	64	8.8	82	2	2	6	11	15	29	51	
65+	160	10.5	132	2	3	8	12	19	35	93	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	766	2.8	11	1	1	2	4	5	7	13	
B. Operated											
	222	4.9	21	<1	1	3	7	11	14	23	
2. MULTIPLE DX											
A. Not Operated											
	551	5.2	38	1	1	4	6	11	16	36	
B. Operated											
	324	8.9	93	1	2	6	11	17	24	57	
1. SINGLE DX	988	3.3	14	<1	1	2	4	7	9	17	
2. MULTIPLE DX	875	6.6	61	1	1	4	8	13	20	46	
A. NOT OPERATED	1317	3.8	23	1	1	2	5	7	11	27	
B. OPERATED	546	7.3	68	<1	1	5	9	15	20	42	
TOTAL 0-19 YRS											
	138	3.7	13	<1	1	2	5	8	11	19	
20-34	407	3.3	11	<1	1	2	4	6	9	20	
35-49	426	3.2	11	<1	1	2	4	7	9	17	
50-64	376	4.6	28	1	1	3	5	10	13	30	
65+	516	7.9	85	1	2	5	10	16	25	68	
GRAND TOTAL	1863	4.8	39	1	1	3	6	10	15	34	

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1703	2.5	4	<1	1	2	3	5	6	10	
20-34	1310	3.0	8	<1	1	2	4	6	8	13	
35-49	645	3.5	7	<1	1	3	4	7	9	13	
50-64	350	4.3	14	<1	1	3	6	9	12	21	
65+	377	5.1	30	1	1	4	6	9	13	24	
B. Operated											
0-19 YRS	172	4.3	8	1	2	4	5	8	11	15	
20-34	313	4.8	22	1	1	4	6	9	14	24	
35-49	99	5.3	29	<1	1	4	6	10	12	34	
50-64	45	7.0	29	<1	1	6	10	14	17	27	
65+	17	5.6	35	<1	1	5	6	13	21	25	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	827	3.1	7	<1	1	2	4	6	8	13	
20-34	1013	3.9	15	1	1	3	5	8	11	18	
35-49	516	4.8	15	1	1	4	6	9	13	19	
50-64	503	6.2	26	1	1	5	8	13	16	25	
65+	767	7.9	62	1	2	6	10	16	23	45	
B. Operated											
0-19 YRS	105	6.2	14	2	3	5	8	11	15	18	
20-34	237	6.5	40	1	1	4	8	14	21	29	
35-49	127	8.6	85	1	2	7	11	16	21	45	
50-64	90	12.6	198	1	3	9	13	26	45	83	
65+	108	13.0	179	2	3	9	17	24	33	79	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	4385	3.1	9	<1	1	2	4	6	8	14	
B. Operated											
	646	4.9	20	1	1	4	6	10	13	24	
2. MULTIPLE DX											
A. Not Operated											
	3626	5.0	28	1	1	3	6	11	14	25	
B. Operated											
	667	8.7	95	1	2	6	11	18	24	49	
1. SINGLE DX	5031	3.4	11	<1	1	2	4	7	9	15	
2. MULTIPLE DX	4293	5.6	40	1	1	4	7	12	16	29	
A. NOT OPERATED	8011	4.0	19	1	1	3	5	8	11	21	
B. OPERATED	1313	6.8	62	1	1	5	8	14	19	34	
TOTAL 0-19 YRS											
	2807	2.9	6	<1	1	2	4	6	8	12	
20-34	2873	3.8	16	<1	1	3	5	8	11	21	
35-49	1387	4.6	21	1	1	3	6	9	12	20	
50-64	988	6.1	43	1	1	4	8	13	16	29	
65+	1269	7.5	66	1	2	5	9	15	22	44	
GRAND TOTAL	9324	4.4	26	1	1	3	5	9	13	24	

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	4.1	14	<1	1	3	6	9	11	18
20-34	40	2.9	8	<1	1	2	4	7	9	13
35-49	29	3.8	14	1	1	2	5	10	11	16
50-64	26	3.0	5	<1	1	2	4	5	6	11
65+	68	5.3	18	1	1	4	7	11	15	20
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	4.9	48	<1	<1	2	5	16	23	24
35-49	11	4.8	19	<1	1	3	8	12	12	12
50-64	14	8.6	52	2	2	7	11	16	26	29
65+	12	6.3	34	2	2	4	10	14	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	245	4.3	17	1	1	3	6	8	11	22
20-34	89	5.1	36	1	1	4	5	10	15	35
35-49	66	4.7	20	1	1	4	7	9	12	27
50-64	110	7.0	64	1	1	4	8	15	21	47
65+	260	8.8	98	1	2	6	10	18	28	43
B. Operated										
0-19 YRS	9	9.7	52	3	3	7	11	22	26	26
20-34	12	9.3	32	<1	3	8	11	16	23	24
35-49	18	14.2	309	1	2	7	18	45	59	64
50-64	20	13.6	233	1	2	7	31	44	70	99+
65+	54	16.9	185	3	4	15	24	38	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	377	4.1	14	1	1	3	5	9	11	18
B. Operated	49	6.4	39	1	1	4	10	14	21	29
2. MULTIPLE DX										
A. Not Operated	770	6.3	57	1	1	4	8	14	19	38
B. Operated	113	14.5	189	2	3	9	19	38	53	99+
1. SINGLE DX	426	4.0	17	1	1	3	6	10	12	20
2. MULTIPLE DX	883	7.4	81	1	1	5	8	16	26	53
A. NOT OPERATED	1147	5.6	44	1	1	4	7	11	17	34
B. OPERATED	162	12.1	157	1	2	8	16	30	45	99+
TOTAL 0-19 YRS	469	4.4	17	1	1	3	6	9	11	22
20-34	152	4.8	31	1	1	3	6	10	14	30
35-49	124	5.9	70	1	1	4	7	11	17	55
50-64	170	7.3	80	1	1	4	8	16	30	52
65+	394	9.2	104	1	2	6	11	20	31	67
GRAND TOTAL	1309	6.4	62	1	1	4	8	14	21	43

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	704	4.1	15	1	1	3	5	9	12	19
20-34	251	3.5	10	<1	1	2	5	7	9	16
35-49	184	4.9	30	1	1	3	6	10	14	27
50-64	267	4.6	34	1	1	3	6	8	13	21
65+	526	6.7	73	1	1	4	8	14	19	54
B. Operated										
0-19 YRS	31	3.4	9	<1	1	2	4	8	11	13
20-34	113	3.7	16	<1	<1	3	5	7	9	22
35-49	46	4.2	40	<1	<1	3	5	7	10	43
50-64	73	5.4	43	1	1	3	7	10	14	40
65+	31	6.6	41	1	1	5	10	21	22	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	706	6.4	47	1	1	4	8	13	19	37
20-34	289	4.6	18	1	1	4	6	9	10	23
35-49	326	5.9	44	1	1	4	7	12	17	40
50-64	613	6.8	72	1	1	5	8	13	19	38
65+	1861	9.9	128	1	2	7	12	21	36	95
B. Operated										
0-19 YRS	41	9.9	145	<1	1	6	11	23	40	58
20-34	63	5.4	32	<1	<1	3	8	13	19	25
35-49	87	8.2	51	1	2	6	11	17	21	40
50-64	113	9.6	117	1	2	6	13	18	25	63
65+	189	15.3	295	2	3	11	18	41	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1932	4.9	36	1	1	3	6	10	14	29
B. Operated	294	4.5	29	<1	1	3	5	10	13	39
2. MULTIPLE DX										
A. Not Operated	3795	8.0	92	1	1	5	10	17	25	70
B. Operated	493	11.0	178	1	1	7	13	23	41	97
1. SINGLE DX	2226	4.8	35	1	1	3	6	10	14	30
2. MULTIPLE DX	4288	8.4	103	1	1	6	10	18	26	72
A. NOT OPERATED	5727	7.0	75	1	1	5	8	14	21	55
B. OPERATED	787	8.6	132	1	1	5	11	19	30	82
TOTAL 0-19 YRS	1482	5.3	35	1	1	3	6	11	15	31
20-34	716	4.1	16	<1	1	3	5	8	11	23
35-49	643	5.8	42	1	1	4	7	12	17	39
50-64	1066	6.5	67	1	1	4	8	13	19	40
65+	2607	9.6	132	1	2	6	11	21	34	95
GRAND TOTAL	6514	7.2	82	1	1	5	8	15	22	59

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	2.0	4	<1	1	2	2	3	5	14
20-34	13	4.0	8	1	1	3	6	8	9	9
35-49	5	2.2	1	<1	<1	2	3	4	4	4
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	15	6.1	7	3	3	6	8	10	10	10
20-34	2	13.0	98	6	6	13	20	20	20	20
35-49	2	11.0	98	4	4	11	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	4.5	30	1	1	3	5	10	14	35
20-34	19	5.5	14	<1	1	5	7	12	14	14
35-49	5	10.4	257	2	2	3	13	39	39	39
50-64	16	8.6	128	1	1	6	10	14	38	48
65+	10	8.9	135	1	1	4	13	28	37	37
B. Operated										
0-19 YRS	34	12.2	235	1	2	8	15	47	93	99+
20-34	33	16.0	226	1	2	12	18	35	51	69
35-49	14	13.1	250	2	3	8	18	60	90	99+
50-64	5	29.0	439	11	11	26	40	63	63	63
65+	3	13.7	310	3	3	4	26	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	189	2.2	4	1	1	2	2	4	6	13
B. Operated	19	7.3	23	3	3	6	9	15	19	20
2. MULTIPLE DX										
A. Not Operated	123	5.8	58	1	1	3	6	12	17	42
B. Operated	89	14.8	249	1	2	10	19	41	68	99+
1. SINGLE DX	208	2.6	8	1	1	2	3	6	8	17
2. MULTIPLE DX	212	9.5	157	1	1	5	12	26	39	99+
A. NOT OPERATED	312	3.6	28	1	1	2	4	7	11	38
B. OPERATED	108	13.4	217	2	3	9	17	34	63	99+
TOTAL 0-19 YRS										
20-34	289	4.1	47	1	1	2	4	9	15	66
35-49	67	10.6	147	1	1	7	14	23	34	66
50-64	26	10.3	193	1	2	4	17	37	66	99+
65+	24	12.0	244	1	1	7	12	34	52	63
	14	9.6	148	1	1	4	13	34	36	37
GRAND TOTAL	420	6.1	95	1	1	3	7	15	26	71

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.3	3	1	1	2	3	5	6	8
20-34	19	4.7	13	<1	1	4	7	11	12	12
35-49	8	5.0	8	2	2	4	7	9	10	10
50-64	4	8.8	22	2	2	10	12	12	12	12
65+	5	3.4	1	3	3	3	4	5	5	5
B. Operated										
0-19 YRS	5	6.2	6	3	3	6	8	9	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	5.6	16	1	1	5	8	13	13	15
20-34	37	6.8	96	1	1	3	8	11	35	44
35-49	15	7.5	34	2	2	6	12	13	19	21
50-64	17	6.2	23	2	2	6	8	11	17	21
65+	13	11.2	57	2	3	10	14	24	27	28
B. Operated										
0-19 YRS	25	15.1	378	2	3	8	20	30	51	95
20-34	33	14.7	296	<1	1	11	19	26	43	92
35-49	17	14.1	103	2	3	13	23	34	74	99+
50-64	7	24.9	1115	2	2	8	49	79	84	84
65+	3	14.0	1	13	13	14	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	3.2	7	1	1	2	4	7	10	12
B. Operated	8	5.9	16	1	1	5	8	12	13	13
2. MULTIPLE DX										
A. Not Operated	138	6.7	45	1	1	5	10	13	18	42
B. Operated	85	15.5	328	1	2	10	19	30	66	98
1. SINGLE DX	123	3.3	8	1	1	2	4	8	10	13
2. MULTIPLE DX	223	10.1	170	1	2	6	12	22	29	93
A. NOT OPERATED	253	5.1	31	1	1	3	7	11	13	28
B. OPERATED	93	14.7	308	1	2	9	19	29	58	98
TOTAL 0-19 YRS										
20-34	165	5.5	81	1	1	3	6	11	15	35
35-49	91	9.1	165	1	1	4	11	21	27	73
50-64	41	9.9	69	2	2	8	13	24	32	99+
65+	28	11.2	329	2	2	6	10	18	63	84
	21	9.8	49	2	3	10	14	18	25	28
GRAND TOTAL	346	7.7	123	1	1	4	9	17	26	84

343: Fracture of face bones (802)

343: Fracture of fac bones (802)				PERCENTILES							
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	15	1.7	1	<1	<1	1	2	3	5	5	
20-34	34	1.8	2	<1	<1	1	2	3	4	8	
35-49	15	3.0	11	<1	1	1	4	8	11	12	
50-64	3	1.3		1	1	1	2	2	2	2	
65+	4	4.5	2	3	3	4	5	6	6	6	
B. Operated											
0-19 YRS	217	2.1	2	<1	1	2	2	4	5	8	
20-34	447	2.8	4	<1	1	2	4	5	7	10	
35-49	96	3.0	8	<1	1	2	4	5	7	18	
50-64	21	3.5	6	<1	1	2	5	7	8	8	
65+	8	4.5	12	1	1	4	5	10	12	12	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	33	3.1	6	<1	1	2	4	8	8	9	
20-34	64	3.5	15	<1	1	2	5	7	10	24	
35-49	20	2.9	6	<1	<1	2	4	7	8	8	
50-64	16	4.3	4	1	2	4	5	7	9	10	
65+	20	8.5	51	1	3	6	11	20	25	27	
B. Operated											
0-19 YRS	127	4.5	18	<1	1	3	6	10	14	21	
20-34	357	4.9	41	1	1	3	5	10	13	32	
35-49	107	5.3	26	1	1	4	7	10	11	29	
50-64	36	8.8	43	1	2	7	12	20	20	26	
65+	20	16.9	273	1	2	11	20	51	53	54	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	71	2.2	4	<1	<1	1	3	5	6	11	
B. Operated	789	2.7	4	<1	1	2	4	5	7	10	
2. MULTIPLE DX											
A. Not Operated	153	4.1	18	<1	1	3	5	8	10	26	
B. Operated	647	5.5	46	1	1	4	6	11	16	32	
1. SINGLE DX											
860	2.6	4	<1	1	2	3	5	7	10	29	
2. MULTIPLE DX											
800	5.2	41	1	1	3	6	10	16	25	25	
A. NOT OPERATED											
224	3.5	14	<1	1	2	4	8	10	25	25	
B. OPERATED											
1436	3.9	25	1	1	3	5	8	11	24	24	
TOTAL 0-19 YRS											
392	2.9	9	<1	1	2	4	6	9	16	19	
20-34	902	3.6	20	1	1	3	4	7	10	19	
35-49	238	4.0	18	1	1	3	5	8	11	25	
50-64	76	6.1	29	1	1	5	8	13	19	25	
65+	52	10.8	148	1	2	6	13	24	49	54	
GRAND TOTAL											
1660	3.9	24	<1	1	2	5	8	11	24	24	

344: Fracture of vertebral column without mention of spinal cord injury (805)

344. Fracture of Vertebral Body				PERCENTILES							
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	69	5.0	34	1	1	4	6	10	14	36	
20-34	141	5.8	29	1	1	4	7	12	17	23	
35-49	60	7.2	33	1	2	6	9	14	17	35	
50-64	56	9.8	58	1	2	8	13	21	23	40	
65+	57	13.5	195	3	4	10	16	25	34	92	
B. Operated											
0-19 YRS	10	9.8	43	3	3	7	15	20	21	21	
20-34	14	9.7	91	1	3	6	12	23	35	38	
35-49	6	10.2	48	5	5	8	9	22	24	24	
50-64	5	22.2	336	2	2	15	40	44	44	44	
65+	1	8.0		8	8	8	8	8	8	8	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	62	6.3	34	1	2	5	6	14	20	30	
20-34	120	8.8	107	1	2	6	10	15	22	62	
35-49	61	8.9	55	1	2	7	11	18	27	37	
50-64	83	13.5	134	2	2	11	20	26	34	63	
65+	229	18.0	195	3	5	15	26	37	62	99+	
B. Operated											
0-19 YRS	12	17.8	136	3	3	19	28	33	34	34	
20-34	51	16.7	314	2	3	10	21	43	63	79	
35-49	22	24.7	558	2	4	15	32	65	78	89	
50-64	23	21.2	303	4	6	19	31	48	87	99+	
65+	21	20.8	241	3	4	17	35	49	73	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	383	7.6	67	1	1	6	9	16	21	39	
B. Operated	36	11.5	109	2	3	8	14	24	39	44	
2. MULTIPLE DX											
A. Not Operated	555	13.0	153	2	3	9	17	29	39	97	
B. Operated	129	19.6	325	2	3	15	24	46	66	99+	
1. SINGLE DX											
	419	8.0	71	1	1	6	9	16	22	40	
2. MULTIPLE DX											
	684	14.3	192	2	3	10	19	33	46	99+	
A. NOT OPERATED											
	938	10.8	125	1	2	7	14	25	33	75	
B. OPERATED											
	165	17.9	288	2	3	12	22	43	63	98	
TOTAL 0-19 YRS											
	153	6.8	53	1	1	5	7	17	24	34	
20-34	326	8.8	117	1	2	6	10	18	24	64	
35-49	149	10.6	152	1	2	7	11	20	32	71	
50-64	167	13.6	149	1	2	10	19	27	40	78	
65+	308	17.3	200	3	5	14	24	36	54	99+	
GRAND TOTAL											
	1103	11.9	155	1	2	8	15	27	38	80	

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	14	3.6	15	<1	1	3	4	7	14	16
20-34	8	6.6	27	3	3	5	7	15	19	19
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	3	5.3	4	3	3	6	7	7	7	7
65+	4	10.3	72	1	1	9	16	21	21	21
<i>B. Operated</i>										
0-19 YRS										
20-34	5	28.0	1070	8	8	14	36	86	86	86
35-49	1	9.0		9	9	54	99+	99+	99+	99+
50-64										
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	6	10.7	39	3	3	11	17	18	18	18
35-49	7	12.4	181	4	4	7	13	36	42	42
50-64	1	11.0		11	11	11	11	11	11	11
65+	10	13.4	98	1	3	11	19	29	34	34
<i>B. Operated</i>										
0-19 YRS	2	27.0	18	24	24	27	30	30	30	30
20-34	9	54.4	608	27	36	79	99+	99+	99+	99+
35-49	4	14.3	72	6	6	20	42	99+	99+	99+
50-64	2	51.5	181	42	42	80	99+	99+	99+	99+
65+	2	19.5	5	18	18	21	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	31	5.5	26	1	1	4	7	14	19	21
<i>B. Operated</i>	6	24.8	916	8	8	14	69	97	99+	99+
2. MULTIPLE DX										
<i>A. Not Operated</i>	27	11.3	94	2	2	9	14	23	35	42
<i>B. Operated</i>	19	39.1	624	8	19	48	99+	99+	99+	99+
1. SINGLE DX	37	8.7	201	1	1	5	9	20	60	99+
2. MULTIPLE DX	46	22.8	496	2	4	20	51	99+	99+	99+
A. NOT OPERATED	58	8.2	65	1	1	6	11	19	23	41
B. OPERATED	25	35.7	698	8	9	41	99+	99+	99+	99+
TOTAL 0-19 YRS	19	5.9	67	<1	1	3	5	21	27	30
20-34	28	26.7	786	3	4	19	75	99+	99+	99+
35-49	14	11.7	110	3	4	8	21	94	99+	99+
50-64	6	21.7	577	3	4	26	80	99+	99+	99+
65+	16	13.4	81	1	2	13	21	32	77	99+
GRAND TOTAL	83	16.5	410	1	2	11	31	99+	99+	99+

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	42	2.9	4	<1	1	2	4	5	8	9
35-49	27	4.8	44	1	1	3	5	8	12	36
50-64	46	4.1	6	1	2	4	5	8	9	12
65+	58	7.9	41	1	2	6	11	16	19	37
<i>B. Operated</i>										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	20	5.1	15	1	2	4	7	9	14	18
20-34	63	5.1	24	1	1	4	6	12	17	24
35-49	109	5.4	27	1	1	4	7	11	14	28
50-64	147	8.1	60	1	2	6	10	17	21	30
65+	243	13.7	208	2	3	10	16	27	39	94
<i>B. Operated</i>										
0-19 YRS	6	10.0	24	5	5	8	16	16	16	16
20-34	32	8.9	74	1	2	7	11	22	28	38
35-49	36	9.3	77	1	2	6	12	25	28	41
50-64	39	16.7	226	2	4	11	21	39	54	66
65+	31	16.6	171	4	6	14	19	42	63	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	185	5.0	26	1	1	4	6	10	14	31
<i>B. Operated</i>	4	10.3	211	2	2	3	18	32	32	32
2. MULTIPLE DX										
<i>A. Not Operated</i>	582	9.5	123	1	2	6	11	20	26	69
<i>B. Operated</i>	144	12.8	146	1	3	10	16	26	42	68
1. SINGLE DX	189	5.1	29	1	1	4	6	10	15	34
2. MULTIPLE DX	726	10.2	129	1	2	7	13	22	28	68
A. NOT OPERATED	767	8.4	103	1	1	5	10	17	24	63
B. OPERATED	148	12.7	146	1	3	9	16	27	42	66
TOTAL 0-19 YRS	39	5.7	36	1	1	4	7	14	17	32
20-34	138	5.3	34	1	1	4	6	11	18	30
35-49	173	6.1	42	1	1	4	7	13	16	35
50-64	233	8.7	91	1	2	6	11	19	23	60
65+	332	13.0	180	2	3	9	16	25	38	95
GRAND TOTAL	915	9.1	113	1	2	6	11	20	27	65

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	5.9	42	1	1	4	7	13	22	27
20-34	34	10.3	67	1	3	8	15	20	26	38
35-49	14	9.1	41	3	4	7	10	18	24	26
50-64	20	15.6	121	2	4	13	23	32	36	39
65+	81	17.4	133	3	5	14	22	32	36	57
B. Operated										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	4	38.0	477	11	11	41	55	59	59	59
35-49	4	38.0		11	11	11	11	11	11	11
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	13.0	163	2	4	9	18	32	45	51
20-34	39	16.3	262	3	5	10	18	35	49	88
35-49	22	17.8	81	5	6	17	24	27	34	43
50-64	43	18.8	268	4	5	15	24	33	61	79
65+	182	23.1	253	5	7	20	31	52	69	99+
B. Operated										
0-19 YRS	13	18.2	333	2	3	14	24	66	92	99+
20-34	33	23.5	266	3	6	17	33	47	51	68
35-49	16	24.6	242	2	3	20	41	46	49	51
50-64	7	36.1	310	9	12	37	46	60	63	63
65+	22	31.1	388	8	11	29	54	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	13.5	116	1	3	11	18	29	34	55
B. Operated	6	32.5	403	11	11	31	52	58	59	59
2. MULTIPLE DX										
A. Not Operated	311	20.5	246	4	6	17	27	44	59	99+
B. Operated	91	25.7	317	3	6	22	40	54	68	99+
1. SINGLE DX	180	14.1	135	1	3	12	19	30	35	57
2. MULTIPLE DX	402	21.6	266	4	6	18	29	49	63	99+
A. NOT OPERATED	485	18.0	210	3	4	14	24	38	53	99+
B. OPERATED	97	26.2	320	3	6	22	40	55	68	99+
TOTAL 0-19 YRS	63	11.3	167	1	2	6	15	27	50	95
20-34	107	16.7	225	3	3	13	22	38	46	77
35-49	56	19.0	194	3	5	17	25	44	49	59
50-64	71	19.5	254	4	5	15	25	41	56	77
65+	285	22.1	241	5	7	19	30	51	63	99+
GRAND TOTAL	582	19.3	237	3	4	15	26	43	56	99+

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	2.0	5	<1	<1	1	2	3	5	15
20-34	18	2.9	6	<1	1	3	4	6	8	10
35-49	10	3.5	6	<1	<1	3	6	7	7	7
50-64	20	6.3	67	<1	1	3	8	14	26	36
65+	87	9.8	119	1	1	6	14	27	35	47
B. Operated										
0-19 YRS	339	3.1	15	1	1	2	3	6	11	23
20-34	46	3.3	12	1	1	3	4	6	10	21
35-49	33	3.9	13	1	1	3	5	6	13	18
50-64	42	4.6	13	1	1	3	6	8	13	16
65+	46	7.6	128	1	1	4	7	14	38	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	6.3	102	1	1	2	5	24	33	36
20-34	12	6.0	73	1	1	4	6	15	30	32
35-49	12	4.7	14	<1	1	3	7	11	11	11
50-64	28	10.0	141	1	1	5	13	32	39	45
65+	159	16.7	241	2	3	12	25	39	50	99
B. Operated										
0-19 YRS	78	9.3	166	1	1	5	11	20	28	81
20-34	39	10.8	125	1	2	7	15	25	31	57
35-49	31	12.3	155	1	2	7	16	31	43	47
50-64	49	10.1	207	1	2	6	12	20	30	94
65+	96	14.2	152	3	4	11	19	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	213	5.7	69	<1	1	2	6	16	26	41
B. Operated	506	3.7	26	1	1	2	4	7	12	24
2. MULTIPLE DX										
A. Not Operated	232	13.8	215	1	1	8	20	36	44	94
B. Operated	293	11.5	163	1	2	7	15	27	37	94
1. SINGLE DX	719	4.3	40	1	1	2	4	9	16	36
2. MULTIPLE DX	525	12.5	187	1	2	8	17	32	43	93
A. NOT OPERATED	445	9.9	161	1	1	5	13	29	38	63
B. OPERATED	799	6.6	91	1	1	3	7	16	23	53
TOTAL 0-19 YRS	516	4.0	45	1	1	2	4	9	16	30
20-34	115	6.1	66	1	1	3	6	15	22	41
35-49	86	7.0	78	1	1	4	7	16	28	46
50-64	139	7.9	119	1	1	4	9	16	26	50
65+	388	13.5	189	1	2	8	19	36	44	97
GRAND TOTAL	1244	7.8	118	1	1	4	9	20	31	57

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	41	1.4	1	<1	<1	1	2	3	4	5	
20-34	27	1.7	1	<1	<1	1	2	3	4	5	
35-49	9	1.3	1	<1	<1	1	2	3	3	3	
50-64	15	2.5	11	<1	1	1	2	10	11	11	
65+	21	4.7	30	<1	1	3	6	10	18	24	
B. Operated											
0-19 YRS	1206	1.6	3	<1	1	1	2	3	4	7	
20-34	266	2.4	3	1	1	2	3	5	6	7	
35-49	217	2.2	3	1	1	2	3	4	6	9	
50-64	279	2.5	7	1	1	2	3	5	7	14	
65+	215	2.7	7	1	1	2	3	5	7	16	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	15	2.7	4	1	1	3	4	6	7	7	
20-34	21	2.5	2	1	1	2	3	5	6	7	
35-49	9	3.2	5	<1	<1	3	5	6	7	7	
50-64	17	4.6	6	1	1	4	7	7	8	9	
65+	43	12.6	238	1	1	8	17	30	65	99+	
B. Operated											
0-19 YRS	175	3.7	48	1	1	2	3	6	10	39	
20-34	142	5.9	46	1	1	4	7	12	20	41	
35-49	112	5.8	44	1	1	4	8	11	13	41	
50-64	133	4.7	40	1	1	3	5	10	14	33	
65+	174	8.1	153	1	1	4	9	18	29	80	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	113	2.2	9	<1	<1	1	2	4	6	18	
B. Operated											
	2183	2.0	4	1	1	1	2	4	5	11	
2. MULTIPLE DX											
A. Not Operated											
	105	7.1	120	1	1	4	7	18	27	82	
B. Operated											
	736	5.7	73	1	1	3	6	11	20	43	
1. SINGLE DX	2296	2.0	5	1	1	1	2	4	5	11	
2. MULTIPLE DX	841	5.8	79	1	1	3	6	12	21	54	
A. NOT OPERATED	218	4.6	68	<1	1	2	5	10	18	65	
B. OPERATED	2919	2.9	24	1	1	2	3	6	9	24	
TOTAL 0-19 YRS											
	1437	1.9	9	<1	1	1	2	3	4	11	
20-34	456	3.5	19	1	1	2	4	6	10	23	
35-49	347	3.4	19	1	1	2	4	7	10	23	
50-64	444	3.2	18	1	1	2	4	7	10	24	
65+	453	5.8	96	1	1	3	6	13	21	64	
GRAND TOTAL	3137	3.0	27	1	1	2	3	6	9	27	

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4	
20-34	26	1.7	2	<1	<1	1	2	4	5	6	
35-49	11	1.5		<1	<1	1	2	3	3	3	
50-64	7	1.4	1	1	1	1	2	3	3	3	
65+	6	12.7	301	1	1	5	17	43	46	46	
B. Operated											
0-19 YRS	192	1.5	1	<1	<1	1	2	3	3	5	
20-34	248	2.1	3	<1	<1	2	2	4	5	9	
35-49	90	2.2	3	<1	<1	2	3	4	6	11	
50-64	51	2.1	5	<1	1	1	2	3	5	14	
65+	25	2.3	6	<1	1	1	3	6	8	11	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	16	3.5	10	1	1	2	6	8	9	10	
20-34	14	2.9	4	<1	1	2	3	6	7	7	
35-49	7	2.0	2	<1	<1	1	3	5	5	5	
50-64	5	3.2	19	<1	<1	1	4	11	11	11	
65+	18	14.1	256	1	2	9	19	32	53	66	
B. Operated											
0-19 YRS	60	3.3	24	<1	1	2	3	7	12	27	
20-34	128	4.5	39	1	1	3	5	9	14	30	
35-49	50	4.2	16	1	1	3	6	9	12	22	
50-64	40	6.5	63	1	1	4	8	13	22	42	
65+	18	5.7	56	1	1	3	6	17	25	29	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	60	2.7	38	<1	<1	1	2	4	6	43	
B. Operated											
	606	1.9	3	<1	<1	1	2	3	5	9	
2. MULTIPLE DX											
A. Not Operated											
	60	6.3	105	<1	1	3	7	15	24	63	
B. Operated											
	296	4.5	37	1	1	2	5	10	14	30	
1. SINGLE DX	666	2.0	6	<1	<1	1	2	3	5	10	
2. MULTIPLE DX	356	4.8	49	1	1	2	6	11	16	33	
A. NOT OPERATED	120	4.5	74	<1	<1	2	4	10	18	52	
B. OPERATED	902	2.8	15	<1	1	2	3	6	9	20	
TOTAL 0-19 YRS											
	278	2.0	7	<1	<1	1	2	3	5	14	
20-34	416	2.8	15	<1	<1	2	3	6	8	19	
35-49	158	2.8	8	<1	1	2	3	6	8	14	
50-64	103	3.8	32	<1	1	2	4	10	13	36	
65+	67	7.3	130	1	1	3	8	19	30	63	
GRAND TOTAL	1022	3.0	23	<1	1	2	3	6	9	23	

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	10.9	155	1	1	5	19	32	34	34
20-34	2	30.0	1250	5	5	30	55	55	55	55
35-49	1	7.0		7	7	7	7	7	7	7
50-64	13	11.9	523	<1	<1	3	10	38	75	84
65+	39	13.8	195	1	2	11	17	41	55	99+
B. Operated										
0-19 YRS	13	16.5	204	2	3	14	16	46	48	48
20-34	11	6.8	12	2	3	5	9	12	14	14
35-49	28	10.3	27	4	4	10	12	16	18	29
50-64	84	13.5	53	6	7	12	16	20	26	85
65+	423	18.5	157	6	7	15	24	36	43	83
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	40.5	13	38	38	40	43	43	43	43
20-34	5	27.6	1472	5	5	12	34	96	96	96
35-49	7	16.4	229	5	5	11	17	43	49	49
50-64	12	16.8	221	4	6	11	27	62	93	99+
65+	85	25.4	591	1	3	16	37	72	89	99+
B. Operated										
0-19 YRS	23	23.2	336	3	4	17	34	48	57	63
20-34	21	19.6	326	6	6	11	24	51	61	68
35-49	40	17.0	114	5	6	16	20	30	39	53
50-64	144	18.8	165	6	7	15	23	38	50	73
65+	1157	27.5	380	7	10	22	40	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	66	13.3	264	1	1	8	15	36	55	97
B. Operated										
	559	17.1	140	5	7	14	22	33	41	80
2. MULTIPLE DX										
A. Not Operated										
	111	24.3	556	2	4	15	37	70	91	99+
B. Operated										
	1385	26.1	358	6	9	21	37	65	95	99+
1. SINGLE DX	625	16.7	154	3	6	13	22	33	43	86
2. MULTIPLE DX	1496	26.0	373	6	8	21	37	66	94	99+
A. NOT OPERATED	177	20.2	473	1	2	13	28	57	83	99+
B. OPERATED	1944	23.5	312	6	8	19	32	55	81	99+
TOTAL 0-19 YRS										
	49	19.4	282	1	2	13	31	46	48	63
20-34	39	17.6	420	4	5	10	17	52	63	96
35-49	76	14.3	98	4	5	11	18	28	37	52
50-64	253	16.6	153	5	7	13	20	32	49	99
65+	1704	24.9	348	6	8	20	34	62	89	99+
GRAND TOTAL	2121	23.2	326	5	7	18	31	55	81	99+

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	22.6	173	1	3	24	32	40	45	51
20-34	7	16.3	417	<1	<1	3	35	47	48	48
35-49	3	33.0	741	2	2	44	51	53	53	53
50-64	7	14.1	367	1	1	8	14	48	56	56
65+	11	20.0	343	1	2	12	29	51	55	55
B. Operated										
0-19 YRS	87	21.8	340	3	3	15	34	48	56	73
20-34	41	15.0	181	2	4	12	18	33	40	73
35-49	10	12.1	55	1	2	14	20	53	96	99+
50-64	11	15.3	155	<1	2	14	23	35	40	41
65+	19	14.5	67	6	6	13	19	28	33	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	23.2	282	1	2	21	34	47	53	60
20-34	9	24.2	870	<1	1	9	69	85	99+	99+
35-49	3	49.0	2212	1	1	51	84	95	95	95
50-64	9	16.8	195	4	7	17	75	99+	99+	99+
65+	40	24.7	480	2	5	20	51	99+	99+	99+
B. Operated										
0-19 YRS	102	22.3	337	3	4	17	34	52	65	99+
20-34	84	24.4	346	2	7	18	37	56	66	99+
35-49	25	22.8	354	4	7	17	31	62	81	99+
50-64	21	30.3	593	3	7	22	68	99+	99+	99+
65+	67	32.7	607	10	11	28	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	111	21.7	226	1	2	23	32	44	48	55
B. Operated										
	168	18.3	252	2	3	13	26	42	50	75
2. MULTIPLE DX										
A. Not Operated										
	107	24.0	441	1	3	20	46	71	99+	99+
B. Operated										
	299	25.8	431	3	6	20	40	72	99+	99+
1. SINGLE DX	279	19.6	243	1	3	16	30	43	48	72
2. MULTIPLE DX	406	25.3	433	2	5	20	41	72	99+	99+
A. NOT OPERATED	218	22.8	331	1	2	22	35	53	72	99+
B. OPERATED	467	23.1	379	3	5	18	35	64	80	99+
TOTAL 0-19 YRS										
20-34	141	21.2	344	2	3	15	32	53	70	99+
35-49	41	22.8	460	2	2	17	38	66	97	99+
50-64	48	22.0	421	1	3	16	45	99+	99+	99+
65+	137	26.8	510	4	7	23	47	96	99+	99+
GRAND TOTAL	685	23.0	363	2	4	19	35	60	79	99+

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	2.6	3	1	1	2	3	6	6	8
20-34	58	4.0	15	1	1	3	5	8	9	22
35-49	22	6.0	47	<1	1	4	7	13	25	30
50-64	25	6.4	45	1	1	4	7	18	22	30
65+	20	11.3	70	3	4	9	16	54	99+	99+
B. Operated										
0-19 YRS	293	4.1	18	1	1	3	5	9	11	25
20-34	234	5.9	27	1	1	5	7	12	17	29
35-49	130	6.7	44	1	1	5	8	13	17	44
50-64	78	8.0	41	1	1	6	11	18	20	32
65+	24	10.7	67	2	2	8	14	21	29	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	3.8	6	1	1	3	6	6	8	12
20-34	35	4.9	23	1	1	3	6	12	17	18
35-49	23	9.7	172	1	2	5	10	30	43	55
50-64	30	10.7	105	1	2	6	16	29	32	37
65+	47	20.2	285	3	4	14	30	46	65	99+
B. Operated										
0-19 YRS	90	12.7	206	1	2	8	15	30	47	67
20-34	177	14.9	279	2	3	8	19	42	58	98
35-49	102	11.5	161	2	2	8	14	25	37	94
50-64	73	15.8	245	2	3	11	22	38	50	99+
65+	55	24.0	364	3	4	21	42	55	61	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	4.2	24	1	1	3	5	8	16	34
B. Operated	759	5.7	32	1	1	4	7	12	17	29
2. MULTIPLE DX										
A. Not Operated	169	10.6	167	1	1	6	13	30	40	73
B. Operated	497	14.9	257	2	3	9	19	43	54	99+
1. SINGLE DX	1019	5.3	30	1	1	4	6	11	17	30
2. MULTIPLE DX	666	13.9	237	1	2	8	17	37	51	98
A. NOT OPERATED	429	6.8	90	1	1	4	7	17	30	66
B. OPERATED	1256	9.4	141	1	1	5	11	22	35	72
TOTAL 0-19 YRS	552	5.1	56	1	1	3	5	11	17	46
20-34	504	8.8	134	1	1	5	9	20	31	69
35-49	277	8.7	102	1	2	5	11	17	28	58
50-64	206	11.0	136	1	2	7	15	27	37	96
65+	146	18.9	276	2	4	13	28	48	61	99+
GRAND TOTAL	1685	8.7	129	1	1	5	10	21	33	70

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	2.7	6	1	1	2	3	7	8	10
20-34	100	3.3	15	<1	<1	2	4	7	9	24
35-49	52	3.8	9	1	1	3	5	6	10	17
50-64	56	4.8	17	1	1	4	5	10	15	20
65+	51	7.1	88	1	1	4	8	15	19	59
B. Operated										
0-19 YRS	283	3.6	9	1	1	3	4	6	9	17
20-34	487	4.3	9	1	2	4	5	7	10	15
35-49	306	4.5	9	2	2	4	5	7	11	19
50-64	211	6.0	20	2	2	5	7	10	13	26
65+	112	9.2	55	2	3	8	11	17	22	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.1	17	<1	1	2	5	12	14	16
20-34	48	6.2	168	1	1	4	6	12	16	90
35-49	29	7.1	62	2	2	5	8	12	22	42
50-64	53	11.1	246	1	1	5	10	33	43	83
65+	80	12.5	155	2	2	8	16	29	41	56
B. Operated										
0-19 YRS	110	7.4	104	1	2	5	9	14	16	60
20-34	295	6.9	57	1	2	5	8	12	18	46
35-49	179	7.4	77	2	3	6	8	14	17	62
50-64	160	8.5	85	2	3	6	10	16	19	68
65+	107	15.4	206	3	4	11	18	33	48	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	336	4.1	25	<1	1	3	5	8	11	24
B. Operated	1399	4.9	16	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	236	9.3	159	1	1	5	10	24	37	63
B. Operated	851	8.5	98	2	2	6	9	16	24	55
1. SINGLE DX	1735	4.7	18	1	1	4	6	9	12	21
2. MULTIPLE DX	1087	8.7	111	1	2	5	9	16	29	57
A. NOT OPERATED	572	6.2	87	1	1	4	6	13	23	47
B. OPERATED	2250	6.2	50	1	2	4	7	12	16	37
TOTAL 0-19 YRS	496	4.3	32	1	1	3	5	9	13	24
20-34	930	5.2	34	1	1	4	6	9	12	33
35-49	566	5.5	35	1	2	4	6	10	13	25
50-64	480	7.3	69	2	2	5	8	13	18	45
65+	350	11.5	137	2	3	6	14	27	35	59
GRAND TOTAL	2822	6.2	58	1	2	4	7	12	17	43

355: Fracture of other bones (810-811; 829)

355: Fracture of other bones (610-611, 629)				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	1.8	2	<1	<1	1	2	4	6	7
20-34	29	2.6	6	<1	<1	2	3	5	9	11
35-49	8	2.4	8	1	1	1	3	7	9	9
50-64	5	3.6	14	1	1	3	5	10	10	10
65+	9	7.7	130	1	1	3	9	27	36	36
B. Operated										
0-19 YRS	23	3.1	6	1	1	2	4	6	10	10
20-34	16	2.6	2	1	1	2	3	4	5	6
35-49	10	3.1	3	1	1	3	3	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	4.2	44	1	1	2	4	9	19	37
20-34	56	3.9	9	1	1	3	5	8	11	14
35-49	21	6.3	16	1	1	5	9	12	14	15
50-64	18	6.9	26	1	2	5	10	15	17	18
65+	43	10.3	91	1	2	8	14	25	29	42
B. Operated										
0-19 YRS	12	4.8	25	<1	1	3	5	12	18	19
20-34	21	11.5	319	2	2	4	10	37	62	65
35-49	9	5.7	9	2	2	6	8	10	10	10
50-64	7	9.3	92	1	1	6	12	26	29	29
65+	3	12.3	290	2	2	3	25	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	94	2.7	18	<1	1	1	3	6	9	26
B. Operated										
	51	3.0	4	1	1	3	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
	186	6.0	45	1	1	4	8	14	19	35
B. Operated										
	52	8.7	163	1	2	4	9	20	32	65
1. SINGLE DX										
	145	2.8	13	<1	1	2	3	6	9	15
2. MULTIPLE DX										
	238	6.6	72	1	1	4	8	14	23	44
A. NOT OPERATED										
	280	4.9	38	1	1	3	6	11	16	34
B. OPERATED										
	103	5.9	92	1	1	3	5	10	20	62
TOTAL 0-19 YRS										
	126	3.2	22	<1	1	2	3	6	10	27
20-34	122	4.7	68	1	1	3	5	9	12	61
35-49	48	4.9	13	1	1	4	7	10	11	15
50-64	32	6.7	38	1	1	4	10	14	18	29
65+	55	9.9	102	1	1	6	14	25	32	42
GRAND TOTAL										
	383	5.2	53	1	1	3	5	11	18	37

356: Fracture of multiple bones (804; 809; 819; 828)

356: Fracture of multiple bones (804, 805, 810, 820)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64	1	22.0		22	22	22	22	22	22	22
65+	1	19.0		19	19	19	19	19	19	19
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	2	1	1	2	3	4	4	4
B. Operated										
2. MULTIPLE DX										
A. Not Operated	5	9.6	101	1	1	4	20	22	22	22
B. Operated	2	8.0	32	4	4	8	12	12	12	12
1. SINGLE DX	5	2.2	2	1	1	2	3	4	4	4
2. MULTIPLE DX	7	9.1	73	1	1	4	17	21	22	22
A. NOT OPERATED	10	5.9	61	1	1	3	4	20	22	22
B. OPERATED	2	8.0	32	4	4	8	12	12	12	12
TOTAL 0-19 YRS	5	3.6	22	1	1	2	5	12	12	12
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49										
50-64	2	13.0	162	4	4	13	22	22	22	22
65+	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	12	6.3	53	1	1	3	8	20	22	22

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1	
20-34	17	1.3	1	<1	<1	1	1	3	4	4	
35-49	4	2.8	2	1	1	3	4	4	4	4	
50-64	6	2.3	3	1	1	2	4	5	5	5	
65+	5	6.4	67	2	2	3	8	21	21	21	
B. Operated											
0-19 YRS	65	2.2	2	<1	1	2	3	4	4	9	
20-34	283	2.4	2	<1	1	2	3	4	5	7	
35-49	73	2.4	2	<1	1	2	3	4	6	9	
50-64	34	1.9	2	1	1	1	3	3	5	8	
65+	32	2.1	2	<1	<1	1	3	4	5	6	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	4	4.5	27	1	1	3	8	12	12	12	
20-34	10	4.1	30	1	1	2	5	12	19	19	
35-49	4	1.5		<1	<1	1	2	2	2	2	
50-64	6	7.8	44	1	1	7	14	16	16	16	
65+	8	8.6	48	2	2	6	13	20	21	21	
B. Operated											
0-19 YRS	15	3.3	8	1	1	3	5	6	10	11	
20-34	55	3.4	24	1	1	3	4	5	5	36	
35-49	19	8.5	406	1	2	4	5	10	56	91	
50-64	33	3.5	12	1	1	3	5	6	9	19	
65+	35	9.9	78	1	1	8	17	22	27	31	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	38	2.2	11	<1	<1	1	3	4	5	21	
B. Operated	487	2.3	2	<1	1	2	3	4	5	8	
2. MULTIPLE DX											
A. Not Operated	32	5.7	36	<1	1	3	8	16	19	21	
B. Operated	157	5.5	84	1	1	3	5	13	21	38	
1. SINGLE DX	525	2.3	3	<1	1	2	3	4	5	8	
2. MULTIPLE DX	189	5.5	75	1	1	3	5	14	19	35	
A. NOT OPERATED	70	3.8	25	<1	<1	2	4	11	17	21	
B. OPERATED	644	3.1	24	<1	1	2	3	5	7	22	
TOTAL											
0-19 YRS	90	2.4	4	<1	1	2	3	4	6	12	
20-34	365	2.5	6	<1	1	2	3	4	5	8	
35-49	100	3.5	81	<1	1	2	3	5	6	52	
50-64	79	3.1	11	1	1	2	3	6	10	18	
65+	80	6.4	55	<1	1	3	8	20	22	30	
GRAND TOTAL	714	3.1	24	<1	1	2	3	5	8	22	

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	15	2.5	4	1	1	2	3	4	8	9	
20-34	17	1.6	1	<1	<1	1	2	4	4	4	
35-49	4	1.8	1	1	1	2	2	3	3	3	
50-64	3	2.3	2	<1	<1	2	3	4	4	4	
65+	1	14.0		14	14	14	14	14	14	14	
B. Operated											
0-19 YRS	110	3.5	3	1	1	3	5	5	7	11	
20-34	266	3.4	3	1	2	3	4	5	6	9	
35-49	138	3.7	3	1	2	4	5	6	7	9	
50-64	38	4.6	7	1	2	4	5	8	10	13	
65+	5	6.2	8	4	4	5	7	11	11	11	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	4	2.0	1	1	1	2	3	3	3	3	
35-49	2	4.0	8	2	2	4	6	6	6	6	
50-64	1	3.0	3	3	3	3	3	3	3	3	
65+	2	10.5	1	10	10	10	11	11	11	11	
B. Operated											
0-19 YRS	34	4.6	41	1	1	4	5	7	8	39	
20-34	108	4.1	5	1	2	4	5	7	9	12	
35-49	54	4.9	12	1	2	4	6	9	14	16	
50-64	42	5.6	34	1	2	4	6	9	13	38	
65+	8	7.1	57	2	2	5	7	20	25	25	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	40	2.3	6	<1	<1	2	3	4	7	14	
B. Operated	557	3.6	4	1	2	3	5	6	7	11	
2. MULTIPLE DX											
A. Not Operated	10	4.3	12	1	1	3	6	10	11	11	
B. Operated	246	4.7	18	1	2	4	5	8	11	26	
1. SINGLE DX	597	3.5	4	1	1	3	5	6	7	12	
2. MULTIPLE DX	256	4.7	18	1	2	4	5	8	11	24	
A. NOT OPERATED	50	2.7	8	<1	<1	2	3	5	10	14	
B. OPERATED	803	3.9	8	1	2	3	5	6	8	14	
TOTAL 0-19 YRS	160	3.6	12	1	1	3	5	6	7	13	
20-34	395	3.5	4	1	1	3	4	6	7	11	
35-49	198	4.0	6	1	2	4	5	7	8	14	
50-64	84	5.0	20	1	2	4	6	8	12	30	
65+	16	7.7	33	2	2	6	10	14	22	25	
GRAND TOTAL	853	3.9	8	1	1	3	5	6	8	14	

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	12	4.5	18	<1	<1	3	8	11	12	12	
20-34	10	4.0	15	1	1	2	7	10	13	13	
35-49	5	5.2	21	<1	<1	5	8	12	12	12	
50-64	5	6.8	3	5	5	6	8	9	9	9	
65+	1	1.0		1	1	1	1	1	1	1	
B. Operated											
0-19 YRS	61	3.1	14	<1	1	2	4	9	12	18	
20-34	73	3.5	21	<1	1	2	3	9	14	25	
35-49	35	3.2	17	<1	<1	2	3	8	15	18	
50-64	16	2.9	10	<1	<1	2	3	8	11	13	
65+	8	8.6	115	1	1	4	11	27	33	33	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	12	2.6	6	1	1	2	3	6	9	9	
20-34	8	3.3	6	1	1	2	5	7	8	8	
35-49	13	8.8	58	2	2	6	13	19	27	29	
50-64	6	6.0	10	1	1	6	7	11	11	11	
65+	5	8.4	18	3	3	10	11	13	13	13	
B. Operated											
0-19 YRS	29	7.2	264	1	1	1	5	20	36	82	
20-34	54	7.2	88	1	1	4	9	13	21	60	
35-49	36	6.0	35	1	1	3	8	14	19	26	
50-64	16	15.1	823	1	2	4	10	77	90	92	
65+	23	12.5	276	1	1	6	22	42	79	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	33	4.7	15	<1	1	4	7	10	12	13	
B. Operated	193	3.5	22	<1	1	2	3	9	14	24	
2. MULTIPLE DX											
A. Not Operated	44	5.7	29	1	1	5	7	12	16	29	
B. Operated	158	8.5	211	1	1	3	9	20	32	91	
1. SINGLE DX	226	3.7	21	<1	1	2	4	9	13	22	
2. MULTIPLE DX	202	7.9	172	1	1	4	9	17	29	88	
A. NOT OPERATED	77	5.3	23	1	1	5	7	12	13	26	
B. OPERATED	351	5.7	113	<1	1	2	6	13	21	82	
TOTAL 0-19 YRS											
20-34	114	4.3	78	<1	1	2	4	9	14	51	
35-49	145	4.9	48	1	1	2	6	12	15	30	
50-64	89	5.3	33	<1	1	3	7	14	17	28	
65+	43	8.3	329	<1	1	4	7	11	38	92	
65+	37	10.8	199	1	1	6	13	32	58	99+	
GRAND TOTAL	428	5.7	96	1	1	2	7	12	18	73	

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	41	2.8	4	<1	1	2	4	5	8	9	
20-34	78	2.3	3	<1	1	2	3	4	6	10	
35-49	25	2.9	5	<1	1	2	4	6	7	9	
50-64	15	4.5	18	1	1	3	5	10	15	17	
65+	11	6.8	30	1	2	6	7	16	20	20	
B. Operated											
0-19 YRS	122	3.6	3	1	2	3	5	6	7	9	
20-34	258	3.7	8	1	1	3	4	6	7	14	
35-49	39	3.5	4	1	1	4	5	6	7	9	
50-64	13	4.3	3	2	2	4	5	7	9	9	
65+	3	6.7	25	2	2	6	10	12	12	12	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	17	3.5	9	1	1	3	4	8	11	12	
20-34	19	2.9	9	<1	<1	2	3	6	11	13	
35-49	16	3.6	17	<1	1	2	4	12	14	14	
50-64	13	5.2	65	1	1	3	4	13	28	31	
65+	35	8.7	83	2	3	6	11	20	23	50	
B. Operated											
0-19 YRS	66	4.9	9	2	2	4	6	7	9	18	
20-34	168	4.6	6	1	2	4	5	7	10	14	
35-49	68	5.0	9	2	2	4	6	9	11	16	
50-64	14	4.1	4	2	2	4	5	6	8	9	
65+	4	8.5	27	2	2	9	12	14	14	14	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	170	3.0	8	1	1	2	4	6	8	16	
B. Operated	435	3.7	6	1	1	3	5	6	7	12	
2. MULTIPLE DX											
A. Not Operated	100	5.5	48	1	1	3	6	12	19	40	
B. Operated	320	4.8	7	2	2	4	6	7	10	15	
1. SINGLE DX	605	3.5	7	1	1	3	4	6	7	13	
2. MULTIPLE DX	420	4.9	17	1	2	4	6	8	12	21	
A. NOT OPERATED	270	3.9	24	1	1	2	4	8	12	23	
B. OPERATED	755	4.1	7	1	2	4	5	7	8	14	
TOTAL 0-19 YRS											
20-34	246	3.8	6	1	1	3	5	7	8	13	
35-49	523	3.8	7	1	1	3	5	6	8	13	
50-64	148	4.1	8	1	1	4	5	7	10	14	
65+	55	4.5	21	1	2	3	5	9	10	30	
	53	8.2	63	2	2	6	11	18	22	49	
GRAND TOTAL	1025	4.1	11	1	1	4	5	7	9	17	

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	5.1	36	2	2	3	5	6	21	26
20-34	93	3.6	6	1	1	3	4	7	9	13
35-49	72	6.0	13	2	2	5	8	10	12	22
50-64	40	6.7	15	2	3	6	9	12	13	20
65+	9	7.8	36	1	2	5	11	17	18	18
B. Operated										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	5	16.2	359	6	6	8	20	50	50	50
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	59	5.2	17	1	1	4	7	10	12	25
35-49	55	5.7	21	1	2	4	7	10	12	28
50-64	44	7.3	30	1	2	5	9	16	20	26
65+	45	10.2	67	2	3	7	14	20	28	41
B. Operated										
0-19 YRS										
20-34	6	8.7	13	3	3	10	10	13	13	13
35-49	3	6.3	9	3	3	7	8	9	9	9
50-64	3	35.7	4	34	34	35	37	38	38	38
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	5.2	15	1	2	4	7	9	12	21
B. Operated	8	11.8	244	2	3	7	9	38	50	50
2. MULTIPLE DX										
A. Not Operated	209	6.7	35	1	2	5	8	14	20	29
B. Operated	12	14.8	167	3	3	10	23	36	38	38
1. SINGLE DX	237	5.4	23	1	2	4	7	10	12	23
2. MULTIPLE DX	221	7.2	45	1	2	5	9	14	20	36
A. NOT OPERATED	438	5.9	25	1	2	4	7	11	16	27
B. OPERATED	20	13.6	189	2	3	8	12	36	44	50
TOTAL 0-19 YRS	21	4.3	27	1	1	3	4	6	15	26
20-34	160	4.4	12	1	1	3	6	9	10	15
35-49	135	6.2	30	2	2	5	8	10	12	31
50-64	88	7.9	50	2	2	6	9	15	21	37
65+	54	9.8	62	2	3	7	14	20	27	41
GRAND TOTAL	458	6.2	34	1	2	5	8	12	17	34

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	2.2	3	<1	1	1	3	5	6	9
20-34	268	4.1	16	1	1	3	5	9	10	15
35-49	178	4.7	10	1	1	4	6	8	10	17
50-64	68	5.3	16	1	2	4	7	11	13	22
65+	23	6.0	27	<1	1	4	8	13	19	20
B. Operated										
0-19 YRS										
20-34	6	6.3	89	1	1	2	7	23	25	25
35-49	9	6.2	64	1	1	5	5	19	27	27
50-64	3	9.0	57	1	1	10	14	16	16	16
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	2.5	5	<1	1	2	3	5	8	9
20-34	149	3.9	12	1	1	3	5	7	10	18
35-49	129	5.3	25	1	1	4	7	10	13	30
50-64	83	5.8	13	1	2	5	8	11	13	18
65+	79	7.9	45	1	2	6	10	15	18	39
B. Operated										
0-19 YRS	7	3.0	5	1	1	3	5	7	7	7
20-34	9	4.9	12	1	1	4	7	10	11	11
35-49	5	15.8	265	1	1	6	33	34	34	34
50-64	4	7.3	8	4	4	7	9	10	10	10
65+	7	17.9	67	6	6	21	22	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	633	4.2	14	1	1	3	6	8	10	17
B. Operated	18	6.7	64	1	1	4	7	22	26	27
2. MULTIPLE DX										
A. Not Operated	494	5.1	22	1	1	4	7	10	13	26
B. Operated	32	9.3	90	1	1	6	10	24	32	34
1. SINGLE DX	651	4.2	15	1	1	3	6	8	11	19
2. MULTIPLE DX	526	5.4	27	1	1	4	7	11	14	28
A. NOT OPERATED	1127	4.6	18	1	1	3	6	9	12	19
B. OPERATED	50	8.4	81	1	1	5	10	23	28	34
TOTAL 0-19 YRS	157	2.3	4	<1	1	1	3	5	7	9
20-34	432	4.1	15	1	1	3	5	8	10	17
35-49	321	5.2	22	1	1	4	6	9	12	29
50-64	158	5.7	15	1	2	5	7	11	13	19
65+	109	8.1	49	1	2	6	10	18	21	35
GRAND TOTAL	1177	4.7	21	1	1	3	6	10	12	25

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	71	2.3	3	<1	<1	2	3	5	6	8	
20-34	63	2.4	4	<1	<1	2	3	5	7	9	
35-49	34	2.8	8	<1	<1	2	3	7	9	12	
50-64	15	4.7	18	<1	1	3	8	10	13	14	
65+	21	5.1	31	1	1	4	6	11	18	26	
B. Operated											
0-19 YRS	55	2.7	2	1	1	2	3	4	6	8	
20-34	170	2.6	2	<1	1	2	3	4	5	8	
35-49	119	3.0	3	1	1	3	4	5	6	10	
50-64	45	4.5	12	1	1	3	5	9	12	15	
65+	22	5.9	16	2	2	5	8	13	15	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	32	2.8	15	<1	1	2	3	5	6	22	
20-34	53	3.4	12	<1	<1	2	3	9	12	17	
35-49	22	3.6	9	1	1	3	4	9	11	12	
50-64	26	5.9	27	1	1	5	7	11	18	23	
65+	66	8.1	41	2	2	7	10	17	21	34	
B. Operated											
0-19 YRS	13	3.4	- 2	<1	1	3	4	6	6	6	
20-34	44	4.0	13	<1	1	3	5	10	13	16	
35-49	24	3.4	7	<1	1	2	4	7	10	11	
50-64	24	9.5	136	1	2	5	11	20	44	45	
65+	18	6.6	19	1	2	5	9	14	16	17	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	204	2.9	9	<1	1	2	4	6	9	13	
B. Operated											
	411	3.1	5	1	1	3	4	5	7	13	
2. MULTIPLE DX											
A. Not Operated											
	199	5.2	29	1	1	3	7	12	17	25	
B. Operated											
	123	5.3	40	1	1	3	6	11	15	44	
1. SINGLE DX	615	3.0	6	<1	1	2	4	5	8	13	
2. MULTIPLE DX	322	5.2	33	1	1	3	7	12	16	28	
A. NOT OPERATED	403	4.0	20	<1	1	2	5	9	12	23	
B. OPERATED	534	3.6	14	1	1	3	4	7	10	16	
TOTAL 0-19 YRS											
	171	2.6	5	<1	1	2	3	5	6	8	
20-34	330	2.9	6	<1	1	2	3	5	7	13	
35-49	199	3.1	5	<1	1	3	4	6	7	12	
50-64	110	5.9	46	1	1	4	8	12	16	44	
65+	127	7.0	33	1	2	6	9	14	18	28	
GRAND TOTAL	937	3.8	16	<1	1	3	4	8	11	19	

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	922	1.4	1	<1	1	1	1	2	3	5	
20-34	201	1.6	2	<1	<1	1	2	3	4	7	
35-49	60	1.7	1	<1	1	1	2	3	4	6	
50-64	28	2.1	2	<1	1	2	2	5	6	6	
65+	17	2.4	6	1	1	1	3	5	8	10	
B. Operated											
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1	
20-34	1	3.0		3	3	3	3	3	3	3	
35-49											
50-64	1	1.0		1	1	1	1	1	1	1	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	465	1.8	3	<1	1	1	2	3	5	9	
20-34	264	3.0	32	<1	1	1	3	5	9	37	
35-49	99	3.3	11	<1	1	2	4	8	10	16	
50-64	68	4.2	68	1	1	2	3	6	10	57	
65+	86	8.1	165	1	1	3	7	22	45	54	
B. Operated											
0-19 YRS	104	3.7	33	<1	1	2	4	8	11	34	
20-34	136	3.3	18	<1	1	2	4	8	11	26	
35-49	35	3.5	20	<1	1	2	4	6	17	20	
50-64	30	5.0	43	<1	1	2	5	12	16	33	
65+	32	8.3	251	1	1	4	7	14	54	75	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1228	1.4	1	<1	1	1	2	2	3	6	
B. Operated	3	1.7	1	<1	<1	1	2	3	3	3	
2. MULTIPLE DX											
A. Not Operated	982	3.0	33	<1	1	2	3	5	9	37	
B. Operated	337	4.1	48	<1	1	2	5	9	12	35	
1. SINGLE DX	1231	1.5	1	<1	1	1	2	2	3	6	
2. MULTIPLE DX	1319	3.3	37	<1	1	2	3	6	10	37	
A. NOT OPERATED	2210	2.1	16	<1	1	1	2	4	5	15	
B. OPERATED	340	4.1	48	<1	1	2	5	9	12	35	
TOTAL 0-19 YRS											
20-34	602	2.6	19	<1	1	1	2	5	8	23	
35-49	194	2.8	10	<1	1	2	3	6	9	18	
50-64	127	3.9	48	1	1	2	4	6	11	40	
65+	135	7.4	167	1	1	3	6	13	42	61	
GRAND TOTAL	2550	2.4	21	<1	1	1	2	4	6	19	

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	550	1.4	1	<1	1	1	1	2	3	6
20-34	132	1.8	2	<1	<1	1	2	3	6	9
35-49	41	2.7	14	<1	<1	1	3	5	8	23
50-64	28	2.8	9	<1	1	2	4	6	8	15
65+	23	6.7	98	1	1	2	10	14	29	45
B. Operated										
0-19 YRS	8	9.6	216	1	1	5	9	34	45	45
20-34	16	9.4	88	<1	1	8	11	27	29	30
35-49	5	8.2	28	1	1	9	12	14	14	14
50-64	2	7.0	7	7	7	7	7	7	7	7
65+	12	17.9	247	5	7	11	24	39	58	61
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	333	2.2	6	1	1	1	2	4	7	15
20-34	171	3.3	44	<1	<1	2	3	5	11	37
35-49	69	3.9	28	<1	1	2	4	10	16	28
50-64	50	5.4	41	1	1	3	6	13	18	33
65+	71	9.8	123	1	2	6	13	22	36	58
B. Operated										
0-19 YRS	71	5.7	114	<1	1	2	6	14	22	66
20-34	85	9.9	304	<1	1	3	11	33	59	99+
35-49	33	7.5	157	<1	<1	2	7	21	26	63
50-64	27	8.2	124	<1	1	5	11	43	99+	99+
65+	33	9.3	95	<1	1	5	23	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	774	1.7	6	<1	1	1	2	3	5	10
B. Operated	43	11.6	151	1	1	8	12	28	35	61
2. MULTIPLE DX										
A. Not Operated	694	3.7	37	<1	1	2	4	9	13	33
B. Operated	249	8.1	184	<1	1	3	10	26	55	99+
1. SINGLE DX	817	2.2	18	<1	1	1	2	4	8	22
2. MULTIPLE DX	943	4.8	79	<1	1	2	4	13	22	85
A. NOT OPERATED	1468	2.6	21	<1	1	1	2	5	9	21
B. OPERATED	292	8.6	180	<1	1	3	11	27	53	99+
TOTAL 0-19 YRS	962	2.1	14	<1	1	1	2	3	6	16
20-34	404	4.4	96	<1	<1	2	3	9	21	76
35-49	148	4.5	55	<1	<1	2	4	13	21	30
50-64	107	5.4	55	<1	1	3	7	14	21	99+
65+	139	9.9	127	1	1	7	13	27	44	99+
GRAND TOTAL	1760	3.6	53	<1	1	1	3	9	15	51

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.4	4	1	1	2	3	5	7	7
20-34	17	2.7	3	<1	<1	2	4	5	6	7
35-49	7	2.4	2	<1	<1	2	4	5	5	5
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	3	11.0	76	5	5	7	17	21	21	21
B. Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	15	6.9	18	2	3	5	10	12	15	16
35-49	5	8.8	5	5	5	9	10	11	11	11
50-64	1	9.0	9	9	9	9	9	9	9	9
65+	2	8.0	8	8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	7.5	52	1	1	5	9	18	26	26
20-34	23	5.6	11	<1	1	5	8	10	12	13
35-49	19	4.4	9	1	2	4	6	8	11	13
50-64	17	6.3	12	3	3	5	7	13	14	14
65+	25	8.4	22	3	3	7	12	16	17	19
B. Operated										
0-19 YRS	21	11.3	220	2	4	8	10	20	46	72
20-34	54	10.6	111	2	3	7	11	22	28	61
35-49	31	11.5	92	2	4	9	15	22	39	41
50-64	21	17.1	315	4	5	9	19	48	64	64
65+	12	23.7	648	2	3	14	31	70	79	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.4	12	<1	1	2	5	7	7	21
B. Operated	25	7.4	12	3	3	8	10	12	13	16
2. MULTIPLE DX										
A. Not Operated	94	6.4	19	1	2	5	8	13	14	23
B. Operated	139	13.0	207	2	3	8	14	26	43	73
1. SINGLE DX	64	5.0	16	<1	1	4	7	10	12	20
2. MULTIPLE DX	233	10.4	142	2	3	7	11	19	29	67
A. NOT OPERATED	133	5.5	19	1	1	5	7	12	14	22
B. OPERATED	164	12.2	181	2	3	8	12	24	40	71
TOTAL 0-19 YRS	42	8.3	132	1	1	6	9	14	25	72
20-34	109	7.8	69	1	1	6	9	15	22	51
35-49	62	8.1	62	1	2	6	10	16	22	41
50-64	42	11.7	189	3	3	7	12	27	48	64
65+	42	12.9	238	2	3	8	14	22	50	80
GRAND TOTAL	297	9.2	119	1	2	6	10	17	26	65

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	90	4.2	15	1	1	3	6	9	13	19	
20-34	51	4.1	10	1	1	3	6	8	11	16	
35-49	12	4.8	19	1	1	3	7	10	15	16	
50-64	8	6.3	18	1	1	6	9	12	13	13	
65+	3	5.7	12	2	2	6	8	9	9	9	
B. Operated											
0-19 YRS	38	7.5	8	4	5	7	9	11	12	18	
20-34	29	7.7	12	1	4	8	9	13	14	16	
35-49	7	6.7	23	2	2	6	8	15	16	16	
50-64	8	9.0	20	4	4	8	13	15	15	15	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	69	5.6	30	1	1	4	7	11	19	30	
20-34	63	4.7	10	1	1	4	7	9	11	13	
35-49	12	7.0	22	1	1	7	11	13	14	14	
50-64	20	6.3	15	1	2	5	8	13	13	13	
65+	9	5.7	24	1	1	5	7	14	16	16	
B. Operated											
0-19 YRS	55	16.3	349	5	6	10	16	28	59	98	
20-34	112	14.3	194	2	5	10	15	35	55	99+	
35-49	34	16.0	233	2	3	11	22	34	48	72	
50-64	18	19.2	195	6	8	14	23	42	52	56	
65+	13	15.8	66	6	8	14	18	26	36	38	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	164	4.3	14	1	1	3	6	9	12	16	
B. Operated											
	82	7.7	11	3	4	7	9	12	15	17	
2. MULTIPLE DX											
A. Not Operated											
	173	5.5	20	1	1	4	7	11	13	21	
B. Operated											
	232	15.5	228	3	6	11	16	34	53	98	
1. SINGLE DX	246	5.4	15	1	1	5	7	10	13	16	
2. MULTIPLE DX	405	11.2	163	1	2	8	13	22	38	89	
A. NOT OPERATED	337	4.9	17	1	1	4	7	10	13	20	
B. OPERATED	314	13.4	183	3	5	9	14	27	46	94	
TOTAL											
0-19 YRS	252	7.7	111	1	1	6	9	14	21	62	
20-34	255	9.1	112	1	2	7	10	17	33	84	
35-49	65	11.3	155	1	1	8	13	24	36	69	
50-64	54	11.0	108	2	2	9	13	17	35	56	
65+	25	10.9	69	1	2	9	14	21	27	38	
GRAND TOTAL	651	9.0	115	1	2	7	11	16	27	63	

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	12	3.3	12	<1	<1	2	4	10	11	11	
20-34	10	2.7	4	<1	<1	2	4	6	7	7	
35-49	4	6.0	5	3	3	6	7	8	8	8	
50-64	1	2.0		2	2	2	2	2	2	2	
65+											
B. Operated											
0-19 YRS	38	4.7	15	<1	1	4	6	9	12	19	
20-34	38	4.2	7	<1	1	4	6	7	9	13	
35-49	19	6.1	14	1	2	5	8	12	13	13	
50-64	11	4.8	17	<1	<1	4	6	10	16	16	
65+	3	4.7	14	2	2	3	7	9	9	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	11	3.9	8	<1	<1	4	5	8	9	9	
20-34	8	3.5	4	<1	1	3	4	7	8	8	
35-49	3	1.0		1	1	1	1	1	1	1	
50-64	4	6.5	30	1	1	5	10	14	14	14	
65+	2	3.5	5	2	2	3	5	5	5	5	
B. Operated											
0-19 YRS	45	5.2	9	1	1	5	7	9	11	14	
20-34	62	6.2	11	1	2	6	8	10	12	17	
35-49	28	5.7	17	1	1	5	7	12	16	16	
50-64	20	7.5	96	1	1	6	7	11	29	47	
65+	6	9.8	99	4	4	6	8	28	30	30	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	27	3.4	8	<1	<1	2	5	8	9	11	
B. Operated											
	109	4.8	12	<1	1	4	6	9	13	17	
2. MULTIPLE DX											
A. Not Operated											
	28	3.8	9	<1	<1	3	5	8	9	14	
B. Operated											
	161	6.1	25	1	1	6	8	10	13	29	
1. SINGLE DX	136	4.5	12	<1	1	4	6	9	12	16	
2. MULTIPLE DX	189	5.8	23	1	1	5	7	10	12	25	
A. NOT OPERATED	55	3.6	9	<1	<1	3	5	8	9	14	
B. OPERATED	270	5.6	20	1	1	5	7	10	13	19	
TOTAL 0-19 YRS	106	4.7	12	<1	1	4	6	9	10	16	
20-34	118	5.1	10	1	1	5	7	9	11	16	
35-49	54	5.6	15	1	1	5	8	12	13	16	
50-64	36	6.4	61	1	1	5	7	12	15	47	
65+	11	7.3	62	2	2	5	8	17	29	30	
GRAND TOTAL	325	5.2	19	1	1	5	7	10	12	17	

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	40	1.9	2	<1	<1	1	2	4	5	7	
20-34	16	1.6	1	<1	<1	1	2	4	5	5	
35-49	8	6.0	104	<1	<1	3	4	23	31	31	
50-64	4	2.0	1	1	1	2	3	3	3	3	
65+	8	2.1	2	1	1	2	3	4	4	4	
B. Operated											
0-19 YRS	118	2.0	4	<1	<1	1	2	5	6	11	
20-34	60	2.2	14	<1	<1	1	2	4	6	25	
35-49	22	1.7	1	<1	1	2	2	3	4	4	
50-64	12	4.0	13	1	1	3	5	8	13	14	
65+	9	4.0	26	1	1	2	4	13	17	17	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	65	2.3	4	<1	1	1	3	6	6	10	
20-34	59	2.6	8	<1	<1	1	4	6	9	13	
35-49	35	2.5	5	<1	<1	2	3	5	6	12	
50-64	31	3.7	10	<1	<1	2	6	9	9	11	
65+	43	14.1	431	1	1	7	14	36	74	88	
B. Operated											
0-19 YRS	202	2.9	10	<1	<1	2	4	6	8	16	
20-34	274	3.6	18	<1	<1	2	4	8	12	28	
35-49	100	4.2	43	<1	1	2	5	10	13	74	
50-64	86	5.1	36	<1	1	3	7	13	17	32	
65+	129	8.0	93	1	1	5	11	20	24	71	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	76	2.3	13	<1	<1	1	3	4	5	25	
B. Operated											
	221	2.2	8	<1	<1	1	2	5	6	15	
2. MULTIPLE DX											
A. Not Operated											
	233	4.8	103	<1	1	2	5	9	13	73	
B. Operated											
	791	4.4	36	<1	1	2	5	10	16	34	
1. SINGLE DX											
	297	2.2	9	<1	<1	1	2	4	6	16	
2. MULTIPLE DX											
	1024	4.5	51	<1	1	2	5	10	16	38	
A. NOT OPERATED											
	309	4.2	82	<1	<1	2	4	8	11	57	
B. OPERATED											
	1012	3.9	31	<1	<1	2	5	9	14	29	
TOTAL 0-19 YRS											
	425	2.5	7	<1	<1	1	3	5	8	11	
20-34	409	3.2	15	<1	<1	2	4	7	11	27	
35-49	165	3.6	33	<1	1	2	4	7	12	48	
50-64	133	4.6	27	<1	1	3	6	10	14	28	
65+	189	8.9	170	1	1	4	11	20	30	85	
GRAND TOTAL											
	1321	4.0	43	<1	<1	2	4	9	13	33	

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	21	1.9	2	<1	<1	1	2	4	5	6	
20-34	27	2.0	2	<1	<1	1	3	3	6	7	
35-49	8	3.3	3	<1	1	3	4	6	7	7	
50-64	4	3.0	1	2	2	3	4	4	4	4	
65+	2	16.0	200	6	6	16	26	26	26	26	
B. Operated											
0-19 YRS	32	3.7	24	1	1	2	4	8	13	26	
20-34	37	3.4	5	<1	1	3	5	6	7	11	
35-49	17	3.9	23	1	1	2	4	9	16	20	
50-64	2	4.0	18	1	1	4	7	7	7	7	
65+	3	6.0	39	1	1	4	11	13	13	13	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	11	3.7	28	1	1	2	4	11	18	19	
20-34	24	4.9	44	<1	1	3	6	10	19	32	
35-49	10	2.6	3	<1	<1	2	4	5	6	6	
50-64	7	13.4	223	1	1	10	17	39	44	44	
65+	4	4.0	1	3	3	4	29	99+	99+	99+	
B. Operated											
0-19 YRS	22	3.9	9	1	1	3	5	9	10	11	
20-34	51	6.6	57	<1	1	5	8	15	20	40	
35-49	19	13.5	354	1	2	7	15	36	61	79	
50-64	10	8.4	66	1	2	6	11	20	29	29	
65+	4	23.5	327	7	7	22	39	42	42	42	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	62	2.7	12	<1	<1	2	3	5	6	24	
B. Operated	91	3.7	16	1	1	2	5	8	11	24	
2. MULTIPLE DX											
A. Not Operated	56	5.3	59	1	1	3	5	16	27	96	
B. Operated	106	8.1	124	1	1	5	9	17	33	58	
1. SINGLE DX	153	3.3	14	<1	1	2	4	6	8	26	
2. MULTIPLE DX	162	7.1	103	1	1	4	8	16	32	74	
A. NOT OPERATED	118	3.9	35	<1	1	2	4	7	17	61	
B. OPERATED	197	6.1	78	1	1	3	7	12	20	41	
TOTAL 0-19 YRS											
20-34	86	3.3	15	<1	1	2	4	8	10	23	
35-49	139	4.6	33	<1	1	3	6	10	14	33	
50-64	54	7.0	152	1	1	3	7	17	30	77	
65+	23	8.6	104	1	1	4	11	19	34	44	
	13	12.3	182	1	3	6	26	48	88	99+	
GRAND TOTAL	315	5.3	63	1	1	3	6	11	19	43	

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	3.1	4	1	1	3	4	6	7	9
20-34	72	3.7	6	1	1	3	5	7	8	11
35-49	35	3.9	12	<1	1	3	4	8	11	17
50-64	15	3.9	9	<1	1	3	5	7	11	12
65+	9	6.9	44	1	2	3	10	18	19	19
B. Operated										
0-19 YRS	178	2.8	11	<1	1	2	3	6	9	20
20-34	299	3.0	16	<1	1	2	3	7	9	25
35-49	126	2.8	14	<1	1	2	3	5	8	20
50-64	68	2.8	13	1	1	2	3	5	9	21
65+	28	4.3	32	<1	1	2	5	13	15	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	5.8	65	<1	1	4	7	10	10	46
20-34	63	6.3	45	1	1	4	8	12	22	38
35-49	19	5.0	10	1	2	4	6	11	12	12
50-64	12	6.4	35	1	1	4	9	16	19	20
65+	11	11.0	45	4	4	10	18	47	92	99+
B. Operated										
0-19 YRS	148	4.3	39	1	1	2	4	9	13	46
20-34	317	4.7	61	1	1	2	4	10	18	49
35-49	104	5.5	67	1	1	3	6	10	17	51
50-64	84	4.9	32	1	1	3	6	13	18	27
65+	33	3.8	10	1	1	3	5	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	3.8	9	1	1	3	5	7	9	17
B. Operated	699	3.0	15	<1	1	2	3	7	9	22
2. MULTIPLE DX										
A. Not Operated	136	6.4	45	1	1	4	8	12	22	53
B. Operated	686	4.7	51	1	1	3	5	10	16	43
1. SINGLE DX	880	3.1	14	<1	1	2	3	7	9	20
2. MULTIPLE DX	822	5.0	50	1	1	3	5	11	16	45
A. NOT OPERATED	317	4.9	26	1	1	3	6	10	13	30
B. OPERATED	1385	3.8	33	<1	1	2	4	8	13	32
TOTAL 0-19 YRS	407	3.6	25	<1	1	2	4	7	10	23
20-34	751	4.1	37	1	1	2	4	8	12	37
35-49	284	4.1	34	<1	1	2	4	8	12	32
50-64	179	4.1	24	1	1	2	5	9	16	24
65+	81	5.3	31	1	1	3	7	14	20	76
GRAND TOTAL	1702	4.0	32	1	1	2	4	8	13	32

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	3.8	13	<1	1	3	5	7	9	22
20-34	54	3.8	8	<1	1	3	5	8	9	15
35-49	16	3.2	6	1	1	2	4	8	8	8
50-64	6	4.3	3	1	1	5	5	6	6	6
65+	14	6.3	68	1	1	3	7	17	28	31
B. Operated										
0-19 YRS	153	4.2	26	<1	1	2	5	10	18	23
20-34	137	4.4	22	<1	1	3	5	11	14	28
35-49	59	5.0	37	<1	1	4	6	9	14	38
50-64	24	4.6	19	<1	1	3	7	10	13	18
65+	15	7.8	106	<1	1	5	8	15	35	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	5.7	18	1	1	4	9	12	14	16
20-34	35	5.1	14	1	1	4	6	12	14	14
35-49	13	10.0	147	1	3	5	9	29	42	45
50-64	16	7.6	89	2	3	4	8	15	33	40
65+	8	10.5	203	1	1	7	44	99+	99+	99+
B. Operated										
0-19 YRS	67	9.6	185	1	1	4	11	30	37	74
20-34	80	7.1	62	1	1	5	9	14	19	45
35-49	35	10.4	162	1	2	7	14	20	27	72
50-64	22	10.6	68	1	1	8	17	20	25	31
65+	15	19.8	263	2	3	17	33	59	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	4.0	15	<1	1	3	5	8	9	22
B. Operated	388	4.6	29	<1	1	3	5	10	15	27
2. MULTIPLE DX										
A. Not Operated	100	6.7	60	1	2	4	8	14	31	99+
B. Operated	219	9.6	137	1	1	6	13	22	34	74
1. SINGLE DX	534	4.4	25	<1	1	3	5	9	14	26
2. MULTIPLE DX	319	8.7	114	1	1	5	11	20	34	85
A. NOT OPERATED	246	5.1	35	1	1	4	6	11	15	46
B. OPERATED	607	6.4	74	1	1	3	8	15	22	44
TOTAL 0-19 YRS	304	5.5	62	<1	1	3	6	12	20	38
20-34	306	5.1	30	1	1	3	6	11	14	29
35-49	123	6.8	86	1	1	4	7	16	23	52
50-64	68	7.2	55	1	1	5	10	18	20	38
65+	52	11.3	178	1	1	5	16	42	90	99+
GRAND TOTAL	853	6.0	63	1	1	4	7	14	20	45

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.9	3	<1	<1	1	2	5	6	6
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	6.0	39	<1	<1	4	11	13	13	13
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	5.0	21	1	1	4	8	10	10	10
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+	2	17.5	365	4	4	17	31	31	31	31
B. Operated										
0-19 YRS	6	10.3	35	2	3	10	12	19	20	20
20-34	30	10.0	123	1	1	5	12	28	36	41
35-49	7	15.9	415	2	2	7	22	51	58	58
50-64	7	17.3	407	2	2	9	28	51	56	56
65+	3	9.7	20	5	5	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	18	2.7	9	<1	<1	1	4	6	10	13
B. Operated										
	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
	7	8.6	106	1	1	4	9	27	31	31
B. Operated										
	53	11.7	176	1	2	7	14	31	40	58
1. SINGLE DX										
	24	2.4	7	<1	<1	1	3	5	8	13
2. MULTIPLE DX										
	60	11.4	167	1	2	7	13	31	38	58
A. NOT OPERATED										
	25	4.3	40	<1	<1	2	5	10	17	31
B. OPERATED										
	59	10.7	167	1	1	6	13	29	39	58
TOTAL 0-19 YRS										
	20	4.4	27	<1	1	2	7	11	16	20
20-34	38	8.4	107	1	1	4	10	25	34	41
35-49	12	11.6	262	<1	1	5	13	35	55	58
50-64	8	15.6	371	2	2	7	23	49	56	56
65+	6	11.5	106	4	4	8	14	29	31	31
GRAND TOTAL										
	84	8.8	137	1	1	4	10	25	34	57

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th: (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.4	14	1	1	2	5	10	10	10
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	3	1.7		1	1	2	2	2	2	2
50-64	4	6.5	6	3	3	7	8	9	9	9
65+	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	39	3.6	19	1	1	2	4	7	9	27
20-34	70	3.8	8	<1	1	3	5	8	10	15
35-49	38	3.2	7	<1	1	3	4	6	7	15
50-64	19	4.7	17	1	1	3	7	12	14	15
65+	6	4.7	10	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.9	7	1	2	5	7	8	10	10
20-34	28	4.3	10	1	1	3	6	8	11	13
35-49	14	13.6	574	2	2	5	11	90	97	99+
50-64	8	10.0	90	4	4	7	9	26	33	33
65+	15	12.8	131	3	5	9	18	21	41	48
B. Operated										
0-19 YRS	21	8.1	120	1	1	4	9	22	39	43
20-34	56	5.5	29	1	1	4	6	16	17	25
35-49	25	6.8	58	2	2	5	7	18	24	35
50-64	25	9.2	236	1	2	5	9	13	33	80
65+	23	12.4	106	2	4	10	18	24	37	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	17	4.1	11	1	1	3	7	10	11	11
B. Operated										
	122	3.7	11	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. Not Operated										
	77	8.3	152	1	2	5	8	18	37	97
B. Operated										
	150	7.8	96	1	2	5	9	17	22	44
1. SINGLE DX										
	189	3.8	11	1	1	3	4	8	10	16
2. MULTIPLE DX										
	227	8.0	114	1	2	5	9	17	27	82
A. NOT OPERATED										
	94	7.5	129	1	2	5	8	13	30	95
B. OPERATED										
	322	5.6	54	1	1	3	6	12	17	37
TOTAL 0-19 YRS										
	77	5.0	46	1	1	3	5	10	13	41
20-34										
	157	4.5	16	1	1	3	5	10	14	17
35-49										
	80	6.1	130	1	1	3	6	11	27	97
50-64										
	56	7.6	126	1	1	5	8	13	17	77
65+										
	46	11.2	104	2	3	8	15	21	36	48
GRAND TOTAL										
	416	6.0	72	1	1	4	7	12	18	45

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	148	3.9	3	1	1	4	5	6	7	9	
20-34	129	3.9	4	1	2	4	5	6	7	10	
35-49	35	3.6	4	<1	1	4	5	6	7	10	
50-64	6	3.2	1	2	2	3	4	5	5	5	
65+	8	3.0	2	1	1	3	4	5	5	5	
B. Operated											
0-19 YRS	4	9.3	12	5	5	9	12	13	13	13	
20-34	1	14.0		14	14	14	14	14	14	14	
35-49	1	11.0		11	11	11	11	11	11	11	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	57	4.1	5	1	1	4	5	7	9	9	
20-34	61	3.6	4	1	1	3	5	6	6	11	
35-49	32	4.0	4	<1	1	5	5	6	7	9	
50-64	8	4.1	3	2	2	4	5	7	7	7	
65+	8	4.5	9	2	2	3	6	9	10	10	
B. Operated											
0-19 YRS	8	4.3	1	2	2	4	5	5	5	5	
20-34	21	5.1	24	<1	1	4	5	14	17	19	
35-49	6	4.3	7	2	2	3	6	9	9	9	
50-64	4	7.0	13	4	4	6	9	12	12	12	
65+	4	9.8	59	4	4	7	14	21	21	21	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	326	3.9	4	1	1	4	5	6	7	10	
B. Operated											
	6	10.3	11	5	5	11	13	14	14	14	
2. MULTIPLE DX											
A. Not Operated											
	166	3.9	5	1	1	4	5	6	8	10	
B. Operated											
	43	5.5	20	1	2	4	5	12	17	21	
1. SINGLE DX	332	4.0	4	1	1	4	5	6	7	11	
2. MULTIPLE DX	209	4.2	8	1	1	4	5	7	9	17	
A. NOT OPERATED	492	3.9	4	1	1	4	5	6	7	10	
B. OPERATED	49	6.1	21	1	2	5	7	13	16	21	
TOTAL 0-19 YRS											
	217	4.1	4	1	1	4	5	7	8	11	
20-34	212	4.0	6	1	1	4	5	6	8	15	
35-49	74	4.0	5	<1	1	4	5	6	8	11	
50-64	18	4.4	6	2	2	4	5	7	10	12	
65+	20	5.0	20	1	2	4	6	9	15	21	
GRAND TOTAL	541	4.1	6	1	1	4	5	6	8	13	

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	452	2.0	3	<1	<1	1	2	4	5	9	
20-34	345	2.2	5	<1	<1	1	2	4	6	13	
35-49	146	2.8	5	<1	1	2	3	6	8	11	
50-64	85	3.7	12	<1	1	3	5	7	8	21	
65+	118	7.1	38	1	2	6	9	15	18	33	
B. Operated											
0-19 YRS	37	3.1	7	1	1	2	4	7	8	14	
20-34	35	3.7	7	1	1	3	5	7	8	14	
35-49	18	4.4	33	<1	1	3	4	10	19	25	
50-64	5	4.8	18	1	1	4	8	11	11	11	
65+	6	12.5	95	3	3	9	20	27	28	28	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	413	2.3	5	<1	1	1	3	5	6	11	
20-34	460	2.6	7	<1	<1	2	3	5	8	14	
35-49	212	4.1	16	1	1	3	5	8	12	21	
50-64	178	5.4	33	<1	1	4	6	11	14	36	
65+	512	10.8	132	1	2	7	14	23	33	81	
B. Operated											
0-19 YRS	32	6.3	66	1	1	3	7	22	26	32	
20-34	50	4.1	16	<1	<1	3	7	10	11	18	
35-49	24	9.0	276	1	2	4	6	21	41	82	
50-64	28	11.5	124	1	2	7	16	26	35	48	
65+	41	18.4	360	2	3	14	25	74	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1146	2.8	10	<1	<1	2	3	6	8	16	
B. Operated	101	4.2	21	1	1	3	5	8	13	26	
2. MULTIPLE DX											
A. Not Operated	1775	5.4	59	<1	1	3	6	13	19	45	
B. Operated	175	9.7	184	1	1	5	12	24	38	99+	
1. SINGLE DX	1247	2.9	11	<1	1	2	3	6	8	17	
2. MULTIPLE DX	1950	5.7	72	<1	1	3	7	14	21	52	
A. NOT OPERATED	2921	4.4	42	<1	1	2	5	10	15	33	
B. OPERATED	276	7.7	131	1	1	4	9	20	30	95	
TOTAL											
0-19 YRS	934	2.3	7	<1	<1	1	3	5	6	13	
20-34	890	2.6	7	<1	<1	2	3	5	8	14	
35-49	400	3.9	30	1	1	2	5	8	11	23	
50-64	296	5.5	39	<1	1	4	6	11	16	37	
65+	677	10.6	135	1	2	7	14	22	34	98	
GRAND TOTAL	3197	4.6	50	<1	1	2	5	11	17	39	

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.6	6	1	1	2	3	5	9	10
20-34	21	2.3	5	<1	<1	1	3	5	8	10
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	3	4.7		4	4	5	5	5	5	5
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	19	6.4	84	1	1	3	9	18	30	37
35-49	7	13.7	739	1	1	3	8	62	75	75
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	3	6.0	13	3	3	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.6	7	1	1	3	6	7	7	7
20-34	19	3.1	4	1	1	3	4	5	7	9
35-49	8	4.0	9	1	1	3	6	9	9	9
50-64	3	5.0	48	<1	<1	1	10	13	13	13
65+	3	5.0	1	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	7	10.4	57	<1	<1	12	17	20	20	20
20-34	12	3.3	6	1	1	3	5	7	8	8
35-49	5	3.2	11	1	1	2	4	9	9	9
50-64	7	22.1	641	4	4	8	30	66	74	74
65+	3	20.0	868	2	2	4	41	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	44	2.7	5	<1	1	2	4	5	7	10
B. Operated										
	35	7.3	189	1	1	3	8	12	33	75
2. MULTIPLE DX										
A. Not Operated										
	43	3.6	8	1	1	3	5	7	9	13
B. Operated										
	34	10.1	247	1	1	4	9	26	50	74
1. SINGLE DX	79	4.7	90	1	1	2	4	10	12	64
2. MULTIPLE DX	77	6.5	122	1	1	4	6	13	23	69
A. NOT OPERATED	87	3.1	6	<1	1	2	4	6	9	12
B. OPERATED	69	8.7	216	1	1	3	8	21	38	75
TOTAL 0-19 YRS										
	34	4.5	25	1	1	2	6	12	17	20
20-34	71	3.8	28	1	1	2	4	8	11	34
35-49	24	6.3	222	1	1	2	6	9	29	75
50-64	15	12.8	365	<1	1	6	12	32	63	74
65+	12	8.9	205	2	3	5	6	23	50	54
GRAND TOTAL	156	5.6	106	1	1	3	5	10	19	73

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	5	4.0	22	1	1	2	6	12	12	12
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	4	7.0	76	2	2	3	12	20	20	20
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	9	1.2		<1	<1	<1	1	2	2	2
B. Operated										
	14	3.9	14	<1	<1	2	5	11	12	12
2. MULTIPLE DX										
A. Not Operated										
	9	2.0	1	<1	<1	2	3	4	4	4
B. Operated										
	5	5.8	64	1	1	2	8	20	20	20
1. SINGLE DX	23	2.8	10	<1	<1	1	4	7	11	12
2. MULTIPLE DX	14	3.4	24	<1	<1	2	3	6	17	20
A. NOT OPERATED	18	1.6	1	<1	<1	1	2	3	4	4
B. OPERATED	19	4.4	25	<1	<1	2	5	12	16	20
TOTAL 0-19 YRS										
20-34	19	2.6	19	<1	<1	1	2	5	13	20
35-49	11	2.9	10	<1	<1	2	3	7	12	12
50-64	5	5.2	14	1	1	5	7	11	11	11
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL										
	37	3.0	15	<1	<1	2	3	6	12	20

181 Hospitals, Canada, January-December 1984

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	240	1.4	1	<1	<1	1	1	2	3	5	
20-34	37	1.5	1	<1	<1	1	2	3	3	5	
35-49	36	1.4	1	<1	<1	1	1	2	2	8	
50-64	32	1.9	6	1	1	1	2	3	6	14	
65+	35	1.8	3	<1	1	1	2	4	5	9	
B. Operated											
0-19 YRS	44	2.3	5	1	1	1	3	4	7	12	
20-34	9	2.3	6	<1	<1	1	3	7	7	7	
35-49	8	1.5	1	<1	<1	1	2	3	4	4	
50-64	3	3.0	12	1	1	1	6	7	7	7	
65+	6	3.5	3	1	1	4	4	6	6	6	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	55	2.1	4	<1	1	1	2	4	7	11	
20-34	13	3.9	19	1	1	2	4	12	14	15	
35-49	13	1.8	2	<1	<1	1	2	4	6	6	
50-64	24	1.8	1	<1	1	1	2	3	4	4	
65+	31	5.7	46	1	1	3	8	14	19	32	
B. Operated											
0-19 YRS	23	5.8	51	<1	1	4	6	12	21	35	
20-34	17	14.2	293	<1	1	8	15	44	57	62	
35-49	7	7.0	7	2	3	8	9	10	10	10	
50-64	15	11.3	87	1	1	8	17	23	31	34	
65+	29	6.3	101	1	1	3	6	13	39	42	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	380	1.5	2	<1	<1	1	1	2	4	8	
B. Operated	70	2.3	4	1	1	1	3	5	7	11	
2. MULTIPLE DX											
A. Not Operated	136	3.0	16	<1	1	2	3	7	11	21	
B. Operated	91	8.5	121	1	1	5	9	20	35	56	
1. SINGLE DX	450	1.6	2	<1	<1	1	2	3	4	8	
2. MULTIPLE DX	227	5.2	65	<1	1	2	6	12	19	43	
A. NOT OPERATED	516	1.9	6	<1	<1	1	2	3	5	14	
B. OPERATED	161	5.8	79	1	1	3	6	12	22	47	
TOTAL 0-19 YRS											
20-34	76	4.9	93	<1	1	2	3	11	20	58	
35-49	64	2.1	5	<1	<1	1	2	6	8	10	
50-64	74	3.8	34	1	1	1	3	12	17	31	
65+	101	4.4	47	1	1	2	4	10	15	40	
GRAND TOTAL	677	2.8	26	<1	<1	1	3	6	10	31	

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.1	28	1	1	2	9	13	15	15
20-34	6	6.0	13	2	2	5	8	12	12	12
35-49	4	18.5	242	3	3	15	28	40	40	40
50-64	1	22.0		22	22	22	22	22	22	22
65+	2	13.0	128	5	5	21	80	99+	99+	99+
B. Operated										
0-19 YRS	18	13.6	137	1	1	10	21	33	38	40
20-34	19	21.5	469	3	4	14	29	48	74	92
35-49	8	14.6	100	4	5	12	20	31	34	34
50-64	5	11.2	112	2	2	7	16	29	29	29
65+	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	11.2	112	1	2	10	13	20	36	49
20-34	13	7.8	26	1	2	8	13	15	15	15
35-49	10	5.3	14	1	1	6	6	10	14	14
50-64	5	9.8	96	3	3	6	13	27	27	27
65+	3	42.7	389	20	20	52	55	56	56	56
B. Operated										
0-19 YRS	38	17.3	134	3	7	12	29	33	39	45
20-34	42	26.5	311	4	7	25	41	52	68	99+
35-49	28	23.5	258	7	9	19	31	39	53	83
50-64	26	34.2	460	3	6	35	46	69	74	75
65+	11	38.5	619	11	13	37	78	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	9.5	92	1	1	7	15	27	64	99+
B. Operated	51	16.8	259	1	2	11	23	34	43	92
2. MULTIPLE DX										
A. Not Operated	51	10.9	144	1	2	7	13	22	48	56
B. Operated	145	25.8	339	4	7	21	38	52	74	99+
1. SINGLE DX	72	14.7	220	1	2	11	21	34	43	98
2. MULTIPLE DX	196	21.9	330	3	4	16	33	50	68	99+
A. NOT OPERATED	72	10.5	128	1	2	7	14	22	48	90
B. OPERATED	196	23.5	333	3	6	18	34	50	70	99+
TOTAL 0-19 YRS										
	84	13.9	130	1	2	11	18	31	38	48
20-34	80	20.7	335	3	3	15	32	51	59	98
35-49	50	18.0	225	2	4	15	21	37	40	83
50-64	37	27.5	456	2	4	25	45	55	73	75
65+	17	35.9	523	8	12	35	65	99+	99+	99+
GRAND TOTAL	268	20.0	310	2	3	14	30	46	56	99+

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	187	5.6	74	1	1	3	7	11	16	45	
20-34	95	3.5	13	<1	<1	2	5	9	11	17	
35-49	32	6.5	69	1	1	3	7	19	28	34	
50-64	25	6.9	84	<1	1	4	10	14	25	44	
65+	13	8.5	67	1	1	5	12	23	24	24	
B. Operated											
0-19 YRS	33	12.5	100	2	3	9	20	30	34	38	
20-34	21	13.7	101	2	4	11	17	29	37	37	
35-49	10	12.7	94	1	1	11	23	23	23	23	
50-64	8	15.3	158	<1	1	12	24	33	37	37	
65+	1	5.0		5	5	5	5	5	5	5	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	253	6.9	48	1	1	5	10	14	17	42	
20-34	185	5.6	26	1	1	4	8	12	16	23	
35-49	83	8.2	63	1	1	6	9	22	25	37	
50-64	47	11.0	102	2	2	8	14	22	30	55	
65+	36	16.2	231	4	6	13	19	24	38	92	
B. Operated											
0-19 YRS	37	18.9	194	1	2	19	25	34	51	58	
20-34	33	24.3	375	2	4	19	32	56	60	78	
35-49	22	12.5	86	2	3	10	18	26	31	38	
50-64	16	22.3	216	8	9	17	28	39	57	64	
65+	13	32.4	468	1	6	33	45	62	76	79	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	352	5.3	58	1	1	3	7	12	17	34	
B. Operated											
	73	13.1	102	1	3	10	20	26	36	38	
2. MULTIPLE DX											
A. Not Operated											
	604	7.6	64	1	1	6	10	16	22	40	
B. Operated											
	121	21.1	279	2	4	18	27	45	58	78	
1. SINGLE DX											
	425	6.6	74	1	1	4	8	16	23	37	
2. MULTIPLE DX											
	725	9.8	125	1	1	7	12	22	32	58	
A. NOT OPERATED											
	956	6.7	63	1	1	4	9	15	20	40	
B. OPERATED											
	194	18.1	227	1	3	15	24	37	52	72	
TOTAL 0-19 YRS											
	510	7.7	83	1	1	5	10	17	23	46	
20-34	334	7.4	97	1	1	4	9	17	23	56	
35-49	147	8.8	73	1	1	6	12	23	25	38	
50-64	96	12.2	143	1	1	9	16	28	36	60	
65+	63	17.8	301	2	3	14	22	36	54	90	
GRAND TOTAL											
	1180	8.7	109	1	1	8	11	21	27	88	

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	16	2.9	5	<1	<1	2	4	6	8	9	
20-34	18	3.4	9	<1	1	2	4	8	10	12	
35-49	7	2.3	2	1	1	2	4	4	4	4	
50-64	7	6.4	13	<1	1	7	8	11	12	12	
65+	5	5.2	8	1	1	6	7	8	8	8	
B. Operated											
0-19 YRS	16	1.7	1	<1	1	1	2	3	4	4	
20-34	37	4.7	44	<1	1	3	4	10	21	34	
35-49	17	3.3	4	1	2	2	5	7	7	7	
50-64	3	6.3	33	3	3	3	11	13	13	13	
65+	1	8.0		8	8	8	8	8	8	8	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	6	1.8	3	1	1	1	4	81	99+	99+	
20-34	13	3.9	5	1	2	4	4	8	9	9	
35-49	11	4.7	10	2	2	3	8	10	10	10	
50-64	9	9.1	95	1	1	4	14	25	31	31	
65+	6	18.7	99	4	4	22	24	29	30	30	
B. Operated											
0-19 YRS	17	2.1	2	1	1	2	3	4	5	6	
20-34	55	4.0	57	<1	1	2	4	8	10	53	
35-49	14	5.7	72	1	1	3	4	25	26	26	
50-64	17	6.0	36	1	2	3	7	17	20	21	
65+	9	13.9	262	1	1	11	23	75	99+	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	53	3.7	8	<1	1	3	5	8	9	12	
B. Operated											
	74	3.8	26	1	1	2	4	7	13	31	
2. MULTIPLE DX											
A. Not Operated											
	45	6.8	60	1	1	4	9	23	30	99+	
B. Operated											
	112	5.0	69	1	1	2	4	13	23	72	
1. SINGLE DX	127	3.8	18	<1	1	2	4	8	11	26	
2. MULTIPLE DX	157	5.6	66	1	1	3	6	15	25	96	
A. NOT OPERATED	98	5.1	34	1	1	3	7	11	23	66	
B. OPERATED	186	4.6	52	1	1	2	4	10	21	54	
TOTAL 0-19 YRS											
	55	2.2	3	<1	1	2	3	5	6	94	
20-34	123	4.1	40	<1	1	2	4	8	11	40	
35-49	49	4.2	25	1	1	3	4	8	11	26	
50-64	36	6.9	44	1	2	4	9	15	20	31	
65+	21	12.9	158	1	1	9	23	36	71	99+	
GRAND TOTAL	284	4.8	46	1	1	3	5	10	21	54	

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	208	2.7	14	<1	1	2	3	5	8	13
20-34	189	2.8	7	<1	1	2	3	6	9	13
35-49	72	3.5	5	<1	1	3	5	7	8	11
50-64	41	5.2	19	1	1	4	6	12	16	17
65+	39	7.2	29	1	2	7	10	15	16	25
B. Operated										
0-19 YRS	22	5.2	24	1	1	4	6	13	18	19
20-34	39	4.5	12	1	1	3	6	10	11	15
35-49	16	5.5	65	1	1	3	5	20	27	29
50-64	8	12.1	153	3	3	5	20	32	36	36
65+	4	5.0	54	1	1	2	9	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	114	3.1	12	<1	1	2	3	5	8	24
20-34	135	3.4	7	<1	1	3	4	7	9	13
35-49	68	4.9	17	1	1	3	6	10	15	19
50-64	62	9.2	142	1	2	6	10	19	31	74
65+	173	12.3	143	1	2	8	15	31	38	63
B. Operated										
0-19 YRS	17	10.1	127	1	1	7	12	31	38	40
20-34	35	7.7	65	<1	1	5	11	18	35	99+
35-49	29	8.6	72	<1	1	5	12	21	25	37
50-64	14	7.6	46	1	1	7	11	15	24	26
65+	12	22.9	532	2	2	19	33	51	78	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	549	3.3	13	<1	1	2	4	7	10	16
B. Operated	89	5.6	41	1	1	3	6	14	19	33
2. MULTIPLE DX										
A. Not Operated	552	6.9	83	1	1	4	8	16	27	51
B. Operated	107	10.0	142	1	1	6	13	25	37	90
1. SINGLE DX	638	3.7	18	1	1	2	4	8	11	19
2. MULTIPLE DX	659	7.4	94	1	1	4	9	18	29	54
A. NOT OPERATED	1101	5.1	52	1	1	3	6	11	17	38
B. OPERATED	196	8.0	100	1	1	4	10	20	29	63
TOTAL 0-19 YRS	361	3.3	22	<1	1	2	3	6	10	26
20-34	398	3.6	14	<1	1	2	4	8	10	18
35-49	185	5.0	27	1	1	3	6	9	16	27
50-64	125	7.9	94	1	1	5	9	17	24	51
65+	228	11.8	151	1	2	8	15	30	37	68
GRAND TOTAL	1297	5.6	60	1	1	3	6	12	19	40

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	708	1.6	2	<1	<1	1	2	3	4	7
20-34	289	2.3	11	<1	<1	1	2	4	6	11
35-49	111	2.2	3	<1	1	2	3	4	6	10
50-64	57	3.8	13	1	1	2	6	8	9	18
65+	78	5.8	32	<1	1	4	8	12	19	29
B. Operated										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	646	4.3	40	<1	1	2	5	9	17	35
20-34	1059	6.5	112	<1	1	3	7	15	29	65
35-49	578	6.3	66	1	1	3	7	15	24	46
50-64	364	8.1	108	1	1	5	10	19	27	47
65+	412	9.6	112	1	2	7	12	19	28	97
B. Operated										
0-19 YRS	9	18.1	612	1	1	4	36	59	69	69
20-34	28	12.4	150	1	1	9	19	38	44	99+
35-49	25	13.2	98	2	2	12	18	31	54	99+
50-64	24	17.4	185	1	4	13	26	39	44	45
65+	33	20.3	212	6	8	18	28	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1243	2.2	8	<1	<1	1	2	4	7	12
B. Operated	6	3.5	6	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	3059	6.6	90	1	1	3	7	16	25	52
B. Operated	119	16.2	200	1	2	13	24	40	64	99+
1. SINGLE DX	1249	2.2	8	<1	<1	1	2	4	7	12
2. MULTIPLE DX	3178	7.0	97	1	1	3	8	17	27	61
A. NOT OPERATED	4302	5.3	70	<1	1	2	6	13	21	48
B. OPERATED	125	15.6	198	1	2	12	23	39	62	99+
TOTAL 0-19 YRS	1367	3.0	27	<1	1	1	3	6	9	31
20-34	1376	5.7	95	<1	1	2	6	13	26	63
35-49	715	5.9	62	1	1	3	7	15	24	45
50-64	445	8.0	106	1	1	5	10	19	27	45
65+	524	9.7	115	1	2	7	12	21	29	99+
GRAND TOTAL	4427	5.6	77	<1	1	2	6	14	23	50

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	283	1.3	1	<1	<1	1	1	2	3	6
20-34	91	2.2	12	<1	<1	1	2	4	7	23
35-49	38	1.6	1	<1	1	1	2	4	4	5
50-64	19	3.3	10	<1	<1	1	6	9	9	9
65+	8	2.1	2	1	1	2	3	4	4	4
<i>B. Operated</i>										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	111	2.9	35	<1	1	2	3	6	8	33
20-34	101	3.4	16	<1	1	1	4	10	12	18
35-49	57	7.2	109	1	1	3	8	25	34	45
50-64	48	7.3	123	1	1	3	8	15	35	60
65+	26	8.1	60	1	1	6	10	18	25	35
<i>B. Operated</i>										
0-19 YRS	4	12.3	278	1	1	5	22	37	37	37
20-34	4	14.5	116	3	3	14	23	26	26	26
35-49	5	9.6	207	1	1	3	14	35	35	35
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	5	15.8	455	1	1	9	23	53	53	53
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	439	1.6	4	<1	<1	1	2	3	4	9
<i>B. Operated</i>	3	8.0	52	2	2	6	13	16	16	16
2. MULTIPLE DX										
<i>A. Not Operated</i>	343	4.8	59	<1	1	2	5	11	17	39
<i>B. Operated</i>	20	12.4	213	1	1	7	17	36	45	53
1. SINGLE DX	442	1.7	4	<1	<1	1	2	3	5	10
2. MULTIPLE DX	363	5.2	70	<1	1	2	5	12	21	45
A. NOT OPERATED	782	3.0	31	<1	1	1	3	6	11	33
B. OPERATED	23	11.8	191	1	1	7	15	35	43	53
TOTAL 0-19 YRS	400	1.9	14	<1	<1	1	2	3	5	14
20-34	197	3.1	19	<1	1	1	3	8	11	24
35-49	100	5.2	79	<1	1	2	4	14	30	41
50-64	69	6.2	91	<1	1	3	7	14	20	56
65+	39	7.9	103	1	1	4	10	17	29	53
GRAND TOTAL	805	3.3	37	<1	1	1	3	7	12	36

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	179	2.7	8	<1	1	2	3	6	7	15
20-34	107	3.0	10	<1	<1	2	4	6	9	18
35-49	56	3.2	10	<1	1	2	4	6	9	18
50-64	35	4.4	48	1	1	2	5	9	19	36
65+	52	4.7	26	1	1	3	6	11	16	28
<i>B. Operated</i>										
0-19 YRS	4	13.8	408	2	2	4	24	44	44	44
20-34	2	11.0	50	6	6	11	16	16	16	16
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	7.0	50	2	2	7	12	12	12	12
65+	3	37.0	103	26	26	39	44	46	46	46
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	142	4.9	45	1	1	2	5	13	20	33
20-34	112	3.9	22	1	1	2	5	7	13	29
35-49	67	6.3	56	1	1	4	8	14	19	40
50-64	95	6.8	43	1	1	5	9	14	24	31
65+	143	9.4	147	1	2	5	11	17	34	70
<i>B. Operated</i>										
0-19 YRS	4	16.0	281	4	4	15	55	99+	99+	99+
20-34	21	13.0	405	1	1	6	20	49	94	99+
35-49	15	20.6	461	2	4	14	19	61	68	70
50-64	16	18.0	436	4	4	8	22	51	70	77
65+	30	18.3	190	3	3	15	30	43	48	99+
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	429	3.2	15	<1	1	2	4	7	10	19
<i>B. Operated</i>	12	16.9	300	1	2	9	32	45	46	46
2. MULTIPLE DX										
<i>A. Not Operated</i>	559	6.3	71	1	1	4	7	14	21	43
<i>B. Operated</i>	86	17.2	330	2	3	11	26	49	78	99+
1. SINGLE DX	441	3.6	27	<1	1	2	4	7	12	29
2. MULTIPLE DX	645	7.8	119	1	1	4	9	17	31	70
A. NOT OPERATED	988	5.0	49	1	1	3	6	11	16	35
B. OPERATED	98	17.2	323	2	3	11	26	47	73	99+
TOTAL 0-19 YRS	329	3.9	34	1	1	2	4	8	15	41
20-34	242	4.3	56	<1	1	2	5	9	15	37
35-49	139	6.5	104	1	1	3	7	15	19	62
50-64	148	7.5	98	1	1	4	9	15	26	53
65+	228	9.8	148	1	1	5	11	26	39	71
GRAND TOTAL	1086	6.1	86	1	1	3	6	15	24	54

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	5.5	26	<1	1	5	7	11	17	23
20-34	39	3.1	12	<1	<1	2	4	8	12	16
35-49	13	5.2	15	<1	1	6	8	10	12	13
50-64	17	12.6	249	1	1	8	14	34	52	61
65+	35	8.9	79	<1	1	7	12	21	29	39
B. Operated										
0-19 YRS	58	5.2	17	1	1	4	8	12	14	17
20-34	214	4.1	22	<1	<1	2	5	10	14	24
35-49	123	7.6	79	<1	1	5	10	18	23	54
50-64	181	8.7	94	1	1	5	11	20	26	49
65+	264	9.5	101	2	2	6	13	21	29	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	3.9	9	1	1	3	5	9	11	13
20-34	85	6.4	40	1	1	4	8	13	17	36
35-49	56	6.4	21	<1	1	5	9	12	15	21
50-64	85	7.6	51	1	1	6	10	15	19	40
65+	127	7.5	54	1	2	6	9	13	20	63
B. Operated										
0-19 YRS	153	10.8	126	1	2	7	13	25	37	50
20-34	298	8.7	121	<1	1	5	10	19	31	58
35-49	284	11.3	141	1	2	8	15	27	39	63
50-64	486	15.1	243	1	2	10	21	37	54	98
65+	664	15.2	210	2	3	11	21	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	6.6	74	<1	<1	3	8	14	24	44
B. Operated	840	7.4	75	<1	1	4	9	17	23	46
2. MULTIPLE DX										
A. Not Operated	404	6.7	41	1	1	5	9	13	17	41
B. Operated	1885	13.2	194	1	2	9	17	31	45	90
1. SINGLE DX	965	7.3	75	<1	1	4	9	17	23	45
2. MULTIPLE DX	2289	12.1	173	1	2	8	16	29	42	80
A. NOT OPERATED	529	6.7	49	1	1	5	9	13	18	41
B. OPERATED	2725	11.4	164	1	2	7	15	28	41	76
TOTAL 0-19 YRS	283	8.0	85	1	1	5	10	18	28	42
20-34	636	6.5	75	<1	<1	4	8	14	21	44
35-49	476	9.6	112	<1	1	6	12	23	30	57
50-64	769	12.7	196	1	2	8	17	31	45	82
65+	1090	12.7	171	2	2	8	17	30	43	99
GRAND TOTAL	3254	10.6	149	1	1	7	14	26	38	70

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	2.1	1	1	1	2	3	4	5	7
20-34	166	2.8	4	1	1	2	4	5	6	11
35-49	77	3.1	5	<1	1	2	4	6	8	11
50-64	55	3.6	6	1	1	3	5	7	9	10
65+	64	4.3	8	1	2	4	5	7	9	18
B. Operated										
0-19 YRS	44	2.2	3	<1	1	2	3	5	6	8
20-34	104	3.0	6	1	1	2	4	5	8	13
35-49	65	4.4	34	1	1	3	5	7	12	40
50-64	22	7.0	86	1	1	4	7	18	30	40
65+	21	6.3	13	1	2	5	9	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	3.3	29	<1	1	2	3	5	9	32
20-34	56	3.2	7	1	1	2	4	7	9	14
35-49	40	4.2	10	1	1	3	5	8	11	17
50-64	44	4.0	7	1	1	3	5	8	9	13
65+	77	6.3	24	1	2	5	9	13	17	24
B. Operated										
0-19 YRS	12	7.3	34	1	1	8	12	15	16	16
20-34	49	4.6	20	1	1	3	6	10	15	21
35-49	26	5.7	19	1	1	4	9	12	15	15
50-64	22	6.1	15	1	2	5	8	12	14	15
65+	42	7.1	25	1	2	7	10	13	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	438	3.1	5	1	1	2	4	6	7	11
B. Operated	256	3.8	22	1	1	3	4	7	11	24
2. MULTIPLE DX										
A. Not Operated	252	4.5	17	1	1	3	6	9	13	19
B. Operated	151	5.9	22	1	1	4	9	13	15	20
1. SINGLE DX	694	3.3	11	1	1	2	4	6	8	14
2. MULTIPLE DX	403	5.0	19	1	1	3	7	11	14	20
A. NOT OPERATED	690	3.6	10	1	1	3	5	7	9	17
B. OPERATED	407	4.6	23	1	1	3	6	10	14	20
TOTAL 0-19 YRS	167	2.8	11	1	1	2	3	5	9	16
20-34	375	3.2	7	1	1	2	4	6	7	15
35-49	208	4.0	18	1	1	3	5	8	11	17
50-64	143	4.6	21	1	1	3	6	9	12	25
65+	204	5.8	19	1	2	5	8	11	14	20
GRAND TOTAL	1097	4.0	15	1	1	3	5	8	11	19

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	5.2	15	1	2	4	6	11	14	18
20-34	115	5.4	8	1	2	5	7	9	10	15
35-49	86	7.2	20	2	3	6	9	14	16	23
50-64	58	7.4	41	2	3	6	8	13	17	42
65+	31	7.3	15	2	3	7	10	13	14	16
B. Operated										
0-19 YRS	28	6.6	23	1	2	5	10	13	16	21
20-34	48	8.9	50	2	3	7	11	24	30	99+
35-49	29	8.8	86	2	2	6	10	17	28	47
50-64	31	8.8	34	1	2	8	13	19	20	21
65+	25	16.4	182	2	4	13	21	32	46	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	6.5	20	1	2	6	8	11	13	28
20-34	95	6.5	24	2	3	5	7	12	17	27
35-49	72	7.1	40	2	3	6	9	13	14	44
50-64	82	9.9	94	3	3	7	11	23	33	51
65+	70	12.5	133	2	3	9	16	22	33	69
B. Operated										
0-19 YRS	26	16.0	291	3	4	9	15	37	62	69
20-34	47	17.9	355	3	4	10	25	44	85	99+
35-49	51	11.5	69	3	3	9	15	25	30	32
50-64	70	17.8	251	3	4	14	21	37	42	85
65+	59	21.1	250	4	6	16	29	41	53	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	6.3	19	2	2	5	8	12	14	19
B. Operated	161	9.6	77	2	3	7	12	21	28	58
2. MULTIPLE DX										
A. Not Operated	370	8.5	67	2	3	6	10	16	23	50
B. Operated	253	17.1	244	3	4	13	22	36	47	86
1. SINGLE DX	505	7.4	40	2	2	6	9	14	18	36
2. MULTIPLE DX	623	12.0	157	2	3	8	14	27	36	74
A. NOT OPERATED	714	7.4	45	2	3	6	9	13	18	36
B. OPERATED	414	14.2	192	2	3	10	18	31	42	85
TOTAL 0-19 YRS	159	7.6	75	1	2	5	8	14	20	58
20-34	305	8.2	90	2	3	6	9	16	26	87
35-49	238	8.3	47	2	3	6	10	15	22	34
50-64	241	11.4	135	2	3	7	13	24	36	56
65+	185	14.9	180	3	3	11	19	31	42	72
GRAND TOTAL	1128	9.9	110	2	3	7	12	21	29	60

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.8	3	<1	1	2	4	5	5	5
20-34	39	4.6	35	1	1	3	5	12	13	34
35-49	41	5.8	23	1	1	4	8	12	15	22
50-64	26	6.0	45	1	1	3	8	20	22	24
65+	24	6.8	20	1	1	6	10	12	14	18
B. Operated										
0-19 YRS	16	4.4	34	<1	1	2	3	16	17	18
20-34	55	5.2	34	1	1	3	6	11	18	32
35-49	35	8.9	113	1	2	5	11	17	34	53
50-64	45	8.2	96	1	1	6	8	21	22	58
65+	55	8.1	156	1	1	4	8	20	28	80
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	4.0	21	<1	1	2	6	8	9	29
20-34	144	5.5	68	1	1	3	6	11	15	39
35-49	125	5.4	23	1	1	4	7	11	14	25
50-64	130	7.6	76	1	1	5	10	15	20	50
65+	163	9.6	137	1	2	5	11	18	33	61
B. Operated										
0-19 YRS	47	11.9	171	<1	1	9	15	25	48	55
20-34	96	11.0	161	1	1	6	17	28	34	65
35-49	119	11.0	145	1	1	9	15	23	29	89
50-64	152	15.1	290	2	3	10	17	30	56	96
65+	164	15.9	303	2	2	10	19	44	59	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	5.3	28	1	1	4	7	12	15	24
B. Operated	206	7.2	95	1	1	4	8	17	21	55
2. MULTIPLE DX										
A. Not Operated	612	6.9	78	1	1	4	8	14	19	45
B. Operated	578	13.5	236	1	2	9	17	29	47	90
1. SINGLE DX	352	6.4	68	1	1	4	8	14	20	39
2. MULTIPLE DX	1190	10.1	166	1	1	6	12	23	33	76
A. NOT OPERATED	758	6.6	69	1	1	4	8	13	18	41
B. OPERATED	784	11.9	207	1	2	7	15	27	42	84
TOTAL 0-19 YRS	129	6.8	89	<1	1	4	9	16	23	55
20-34	334	6.9	91	1	1	3	8	17	27	44
35-49	320	7.9	84	1	1	5	10	17	23	58
50-64	353	10.8	182	1	2	7	13	22	32	90
65+	406	11.8	211	1	2	7	14	28	45	79
GRAND TOTAL	1542	9.3	146	1	1	5	11	20	30	75

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.1	2	<1	<1	2	3	4	5	5
20-34	5	3.8	2	2	2	4	5	6	6	6
35-49	5	3.0	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.2	7	<1	1	3	4	5	9	13
20-34	8	8.4	88	2	2	4	12	25	27	27
35-49	15	5.2	25	1	3	4	5	9	19	22
50-64	6	5.8	14	2	2	5	9	11	11	11
65+	22	6.8	31	1	1	5	10	15	19	20
B. Operated										
0-19 YRS	4	3.8	18	1	1	2	6	10	10	10
20-34	4	4.8	3	3	3	4	6	7	7	7
35-49	3	10.7	30	5	5	11	15	16	16	16
50-64	5	7.6	56	1	1	5	13	19	19	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.7	3	<1	1	2	4	5	6	6
B. Operated	5	5.2	9	2	2	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	71	5.5	29	1	1	4	6	13	19	26
B. Operated	16	6.5	30	1	1	5	10	16	18	19
1. SINGLE DX	41	3.0	4	<1	1	2	4	6	7	8
2. MULTIPLE DX	87	5.7	29	1	1	4	7	13	19	25
A. NOT OPERATED	107	4.6	22	1	1	3	5	10	15	24
B. OPERATED	21	6.2	24	1	1	5	9	13	17	19
TOTAL 0-19 YRS	48	2.8	6	<1	1	2	4	5	8	13
20-34	19	5.9	40	2	2	4	6	14	23	27
35-49	24	5.5	23	1	2	4	6	11	18	22
50-64	13	5.9	28	1	1	3	9	13	18	19
65+	24	6.8	29	1	1	5	10	14	19	20
GRAND TOTAL	128	4.8	23	1	1	3	6	11	16	23

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	16	2.8	1	1	1	3	4	4	5	5
20-34	2535	2.2	2	<1	<1	2	3	4	4	6
35-49	841	2.1	1	<1	<1	2	3	4	4	6
50-64	10	1.8	3	<1	<1	1	2	4	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	43	1.0		<1	<1	<1	1	1	2	2
35-49	14	1.4	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	8	2.3	3	<1	<1	2	3	5	6	6
20-34	1009	2.9	5	<1	<1	3	4	5	6	10
35-49	435	2.6	4	<1	<1	2	3	5	6	10
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	<1	<1	1	2	4	4	4
B. Operated	3403	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	59	1.2		<1	<1	<1	1	2	2	3
B. Operated	1455	2.8	5	<1	<1	2	4	5	6	10
1. SINGLE DX	3410	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1514	2.7	5	<1	<1	2	4	5	6	10
A. NOT OPERATED	66	1.2		<1	<1	<1	1	2	2	4
B. OPERATED	4858	2.4	3	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	26	2.6	2	<1	1	2	3	4	5	6
20-34	3592	2.4	3	<1	<1	2	3	4	5	7
35-49	1292	2.3	2	<1	<1	2	3	4	5	7
50-64	13	1.9	2	<1	<1	1	2	4	6	6
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	4924	2.3	3	<1	<1	2	3	4	5	7

Appendix


ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

- 290 Other puerperal complications
- 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
- 380 Third degree burns
- 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5



Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis — <i>see Appendicitis, acute</i>
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction — <i>see Dependence</i>
	Adenocarcinoma — <i>see Neoplasm, malignant</i>
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499										
1500-1749										
1750-2499	202	5.2	6	3	3	5	6	8	9	16
2500+	26903	4.1	2	2	3	4	5	6	7	9
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	7	4.4	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
1-999 G	13	76.8	218	49	54	84	96	99+	99+	99+
1000-1499	116	51.7	281	28	35	50	64	79	88	99+
1500-1749	99	31.6	106	17	18	32	37	43	47	71
1750-2499	1807	10.6	63	3	4	8	14	21	26	38
2500+	34809	4.8	5	3	3	4	6	7	8	13
B. Operated										
1-999 G	13	81.5	172	64	72	99+	99+	99+	99+	99+
1000-1499	36	67.7	333	40	45	77	94	99+	99+	99+
1500-1749	16	47.8	259	30	32	47	71	96	99+	99+
1750-2499	85	21.6	164	5	8	20	28	36	54	99+
2500+	296	10.1	94	3	4	6	10	22	33	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27106	4.1	2	2	3	4	5	6	7	9
B. Operated	7	4.4	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	36844	5.3	21	3	3	4	6	7	10	24
B. Operated	446	20.4	520	4	4	10	32	82	99+	99+
1. SINGLE DX	27113	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX	37290	5.5	30	3	3	4	6	7	10	31
A. NOT OPERATED	63950	4.8	14	3	3	4	5	7	8	18
B. OPERATED	453	20.1	516	4	4	10	32	81	99+	99+
TOTAL 1-999 G	27	76.5	378	50	65	93	99+	99+	99+	99+
1000-1499	152	55.5	337	31	35	54	73	93	99+	99+
1500-1749	115	33.9	157	17	19	33	40	48	67	99+
1750-2499	2094	10.5	69	3	4	7	14	21	27	40
2500+	62015	4.5	5	3	3	4	5	6	7	12
GRAND TOTAL	64403	4.9	19	3	3	4	5	7	8	21

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499	31	9.1	28	4	5	7	10	17	24	24
2500+	208	5.9	4	3	4	6	7	8	9	13
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	7	4.4	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
1-999 G	4	74.0	261	64	64	69	98	99+	99+	99+
1000-1499	29	43.5	152	23	26	44	53	60	62	64
1500-1749	36	34.6	126	18	20	36	42	52	58	99+
1750-2499	334	13.5	74	4	5	12	18	24	29	42
2500+	460	7.1	12	4	4	6	8	10	14	23
B. Operated										
1-999 G	1	75.0		75	75	99+	99+	99+	99+	99+
1000-1499	13	67.8	265	39	46	81	93	99+	99+	99+
1500-1749	6	32.3	45	26	26	30	36	43	44	44
1750-2499	18	23.6	167	8	9	20	27	43	51	55
2500+	7	22.4	403	9	9	11	27	57	64	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	6.3	8	3	4	6	7	9	10	22
B. Operated										
2. MULTIPLE DX										
A. Not Operated	863	12.2	132	4	5	7	14	26	39	62
B. Operated	45	38.5	617	9	10	37	74	99+	99+	99+
1. SINGLE DX	239	6.3	8	3	4	6	7	9	10	22
2. MULTIPLE DX	908	13.5	188	4	5	8	16	31	45	99
A. NOT OPERATED	1102	11.0	111	4	4	7	12	23	34	61
B. OPERATED	45	38.5	617	9	10	37	74	99+	99+	99+
TOTAL 1-999 G	5	74.2	196	64	64	98	99+	99+	99+	99+
1000-1499	42	51.0	310	25	29	53	64	90	99+	99+
1500-1749	42	34.3	114	18	22	33	42	51	56	99+
1750-2499	383	13.6	81	4	5	11	18	24	29	44
2500+	675	6.9	16	4	4	6	8	9	13	23
GRAND TOTAL	1147	12.0	159	4	4	7	14	26	42	84

395: Single or multiple liveborn, born before admission to hospital
(V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	4.0		4	4	4	4	4	4	4
2500+	49	3.8	4	1	2	4	4	5	7	13
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499	1	23.0		23	23	23	23	23	23	23
1500-1749	1	16.0		16	16	16	16	16	16	16
1750-2499	7	13.9	15	6	7	15	17	18	18	18
2500+	55	4.4	5	1	2	4	6	7	8	14
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	21.0	338	8	8	21	34	34	34	34
2500+	2	32.5	61	27	27	32	38	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.8	4	1	2	4	4	5	7	13
B. Operated										
2. MULTIPLE DX										
A. Not Operated	64	5.9	21	2	2	5	7	14	16	22
B. Operated	4	26.8	177	8	10	36	99+	99+	99+	99+
1. SINGLE DX	50	3.8	4	1	2	4	4	5	7	13
2. MULTIPLE DX	68	7.1	52	2	2	5	8	17	34	99+
A. NOT OPERATED	114	5.0	15	1	2	4	5	8	15	20
B. OPERATED	4	26.8	177	8	10	36	99+	99+	99+	99+
TOTAL 1-999 G	1	23.0		23	23	23	23	23	23	23
1000-1499	1	16.0		16	16	16	16	16	16	16
1500-1749	1	14.3	70	4	5	14	17	26	34	34
1750-2499	10	4.6	20	1	2	4	5	7	8	32
2500+	106	5.7	34	1	2	4	6	14	20	99+
GRAND TOTAL	118	5.7	34	1	2	4	6	14	20	99+

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	147	2.7	2	1	1	2	3	4	5	8
20-34	244	2.9	3	<1	1	3	4	4	6	9
35-49	106	3.3	6	1	2	2	4	6	8	13
50-64	93	3.3	4	1	1	3	4	5	8	10
65+	51	4.6	42	1	1	3	4	9	12	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	3	2.7	4	1	1	3	52	99+	99+	99+
B. Operated										
0-19 YRS	41	3.8	11	1	1	3	4	8	11	19
20-34	60	4.4	18	<1	1	3	5	7	15	23
35-49	43	4.5	19	<1	1	3	5	10	11	26
50-64	38	4.9	45	<1	1	3	5	8	12	42
65+	25	6.0	75	1	2	3	4	14	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.2	1	<1	<1	2	3	4	4	4
B. Operated	641	3.1	7	<1	1	3	4	5	8	11
2. MULTIPLE DX										
A. Not Operated	7	3.9	5	1	1	4	6	72	99+	99+
B. Operated	207	4.6	28	1	1	3	5	9	13	32
1. SINGLE DX	650	3.1	7	<1	1	3	4	5	8	11
2. MULTIPLE DX	214	4.5	28	1	1	3	5	9	13	41
A. NOT OPERATED	16	2.9	3	<1	1	2	4	7	67	99+
B. OPERATED	848	3.5	12	<1	1	3	4	6	8	17
TOTAL 0-19 YRS	194	2.9	4	1	1	3	3	5	6	11
20-34	307	3.1	6	<1	1	3	4	5	7	16
35-49	153	3.6	9	1	1	3	4	7	9	15
50-64	131	3.8	16	1	1	3	4	7	9	18
65+	79	5.0	51	1	1	3	4	10	20	83
GRAND TOTAL	864	3.4	12	<1	1	3	4	6	8	19

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	3	34.0	607	11	11	31	53	60	60	60
65+	2	27.0	1058	4	4	27	50	50	50	50
B. Operated										
0-19 YRS										
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	5	24.6	586	5	5	11	41	63	63	63
50-64	11	13.4	167	1	2	10	19	35	42	43
65+	19	7.1	151	1	1	2	9	17	39	53
B. Operated										
0-19 YRS										
20-34	3	9.0	27	6	6	6	13	15	15	15
35-49	5	16.2	234	<1	<1	18	28	36	36	36
50-64	5	9.6	86	<1	<1	9	15	24	24	24
65+	3	14.3	236	4	4	7	26	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	22.3	496	1	2	12	40	57	60	60
B. Operated	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	39	10.8	217	1	1	5	11	32	48	63
B. Operated	16	12.4	131	<1	<1	8	21	31	35	36
1. SINGLE DX	11	17.1	426	1	1	8	26	54	59	60
2. MULTIPLE DX	55	11.3	190	1	1	6	12	32	41	62
A. NOT OPERATED	47	12.7	274	1	1	6	11	41	54	63
B. OPERATED	19	11.0	121	<1	<1	6	17	29	34	36
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	6.6	30	1	1	6	11	15	15	15
35-49	14	15.6	331	<1	1	9	25	39	58	63
50-64	20	15.1	242	<1	1	10	23	37	51	60
65+	24	9.7	219	1	1	4	10	34	51	53
GRAND TOTAL	66	12.2	228	1	1	6	13	34	51	63

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1247	3.6	29	<1	1	2	4	7	11	24
20-34	1250	3.0	21	<1	<1	2	3	6	10	24
35-49	320	3.5	20	<1	<1	2	4	8	14	27
50-64	239	8.1	142	<1	1	3	10	22	32	65
65+	342	10.4	164	1	1	5	15	29	40	99+
B. Operated										
0-19 YRS	232	3.4	20	<1	<1	2	3	6	10	25
20-34	805	3.4	17	<1	<1	3	4	6	8	16
35-49	354	3.9	15	<1	<1	3	5	8	11	20
50-64	225	4.7	54	1	1	3	5	10	12	24
65+	201	4.7	47	1	1	3	4	11	14	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	742	4.6	48	<1	<1	2	5	10	17	32
20-34	744	5.2	73	<1	1	3	5	11	20	41
35-49	768	5.3	60	1	1	3	6	11	19	48
50-64	1514	5.8	73	<1	1	3	6	15	23	51
65+	1513	10.1	172	1	1	5	14	26	43	99+
B. Operated										
0-19 YRS	196	5.0	38	<1	<1	3	6	10	16	34
20-34	819	5.0	43	<1	<1	4	6	10	14	46
35-49	706	5.4	43	<1	<1	3	6	12	17	38
50-64	951	6.3	74	<1	1	3	8	14	21	44
65+	1134	6.5	81	<1	1	3	8	16	25	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3398	4.4	52	<1	1	2	4	10	17	40
B. Operated	1817	3.8	25	<1	<1	3	4	7	10	22
2. MULTIPLE DX										
A. Not Operated	5281	6.7	100	<1	1	3	7	17	27	76
B. Operated	3806	5.9	62	<1	<1	3	7	13	19	49
1. SINGLE DX	5215	4.2	43	<1	<1	2	4	9	14	34
2. MULTIPLE DX	9087	6.3	84	<1	1	3	7	16	24	63
A. NOT OPERATED	8679	5.8	83	<1	1	3	6	15	24	63
B. OPERATED	5623	5.2	51	<1	<1	3	6	12	17	40
TOTAL 0-19 YRS	2417	4.0	35	<1	<1	2	4	8	13	31
20-34	3618	4.0	36	<1	<1	2	5	8	12	33
35-49	2148	4.8	41	<1	1	3	5	11	16	36
50-64	2929	6.1	78	<1	1	3	7	15	23	51
65+	3190	8.5	135	1	1	4	11	23	35	99+
GRAND TOTAL	14302	5.6	70	<1	1	3	6	13	21	52

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — <i>see Valvular disease</i>
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — <i>see Arteriosclerosis</i>
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any , except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — <i>see Neoplasm, malignant</i>
	Carcinoma — <i>see Neoplasm, malignant</i>
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — <i>see Effect, adverse</i>
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — <i>see Anomaly, congenital</i>
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — <i>see Cerebrovascular accident</i>
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — <i>see Ulcer, duodenal</i>
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — <i>see Ulcer, gastric</i>
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

**Group
Number**

Title

Infection

- 232 Bladder
- 312 Bone
- 246 Cervix
- 227 Kidney, except nephritis, nephrosis, and acute pyelonephritis
- 6 Meningococcal
- 389 Postoperative wound
- 288 Puerperal, major
- 292 Skin and subcutaneous tissue, except cellulitis and abscess
- 173 Upper respiratory, except streptococcal
- 234 Urinary tract
- 266 Urinary tract, in pregnancy
- 247 Uterine, except cervix
- 247 Vaginal
- 247 Vulvar
- 389 Wound, postoperative
- 10 Infectious mononucleosis
- 252 Infertility, female
- 240 Infertility, male
- 113 Inflammation, central nervous system
- 129 Inflammation, eye, except lacrimal tract
- 127 Inflammation, lacrimal tract
- 180 Influenza
- 180 Influenzal pneumonia
- 200 Inguinal hernia, without complication
- 201 Inguinal hernia, with complication

Injury

- 328 Birth
- 373 Blood vessel
- 377 Crush, except abdomen and chest
- 367 Crush, abdomen
- 366 Crush, chest
- 365 Head, except concussion
- 367 Internal, except chest
- 366 Internal, chest
- 358 Knee ligament or meniscus
- 374 Late effect
- 363 Musculoskeletal, except back and sacroiliac region
- 362 Musculoskeletal, back
- 361 Musculoskeletal, sacroiliac region
- 382 Nerve
- 386 Radiation
- 374 Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — <i>see Valvular disease</i>
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial in- farction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — <i>see Diabetes mellitus</i>
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cir- rhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — <i>see Valvular disease</i>
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug

Paget's disease — *see Disease, Paget's*

Pain

338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — <i>see Ulcer, peptic</i>
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — see <i>Valvular disease</i>

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — <i>see Neoplasm, malignant, connective tissue</i>
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — <i>see Valvular disease</i>
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — <i>see Ulcer, gastric</i>
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — <i>see Organic brain syndrome</i>
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — <i>see Valvular disease</i>
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — <i>see Laceration</i>
12	Yellow fever